Academia\FrontEnd\HTML\Academia_Auth.html

```
<!--
Harshul Gupta, Lawrence Mao, Suengho Kim, Dmitrii Buianov
CS50 C Project
Academia
November 1, 2026
-->

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Academia - Secure Login</title>
    <link rel="stylesheet" href="../CSS/Academia.css">
    <link rel="stylesheet" href="Academia.css">
</head>

<body>
    <!-- Left side: brand statement and slideshow -->
    <div class="left-side">
        <h1>Academia</h1>
        <h2>One System.<br>A Stronger School Community.</h2>
        <p>Students. Parents. Staff. All Connected.</p>
        <img id="slide-pic" src="../Images/AuthPage1.png"
             onerror="this.src='../../Images/AuthPage1.png'; this.onerror=null;"
             width="380" alt="Academia Portal Preview">
    </div>

    <!-- Right side: login form -->
    <div class="right-side">
        <div class="box">
            <h2>Sign In</h2>

            <form id="login-form">
                <p>Username:</p>
                <input type="text" id="username" placeholder="e.g. student1, parent1, staff1"
autocomplete="username">

                <p>Password:</p>
                <input type="password" id="password" placeholder="Your password"
autocomplete="current-password">

                <p>Role:</p>
                <select id="role">
                    <option value="">Choose your portal</option>
                    <option value="student">Student Portal</option>
                    <option value="parent">Parent Portal</option>
                    <option value="staff">School Staff Portal</option>
```

```
                </select>

                <button class="btn" type="submit" id="loginBtn">Login to Academia</button>
            </form>

            <p id="err" style="color: #EF4444; margin-top: 1rem; text-align: center; font-weight: 500;"></p>

            <div style="background: #F8FAFC; border: 1px solid #E2E8F0; border-radius: 6px; padding: 1.2rem; margin-top: 1.5rem; font-size: 1.25rem; color: #64748B;">
                <strong style="color: #0B3D91;">Demo accounts (see Academia.sql for passwords):</strong><br>
                • Student: <code>student1</code> (Alex Rivera)<br>
                • Parent: <code>parent1</code> (Marcus Rivera)<br>
                • Staff: <code>staff1</code> (Dr. Eleanor Vance)
            </div>

            <a href="Academia_Landing.html" style="margin-top: 1.5rem;">← Back to Landing Page</a>
        </div>
    </div>

    <script>
        var pics = [
            "../Images/AuthPage1.png",
            "../Images/AuthPage2.png",
            "../Images/AuthPage3.png",
            "../Images/AuthPage4.png"
        ];
        var i = 0;

        setInterval(function () {
            i = (i + 1) % pics.length;
            document.getElementById("slide-pic").src = pics[i];
        }, 4000);
    </script>

    <script>
        var form = document.getElementById("login-form");
        var usernameField = document.getElementById("username");
        var passwordField = document.getElementById("password");
        var roleField = document.getElementById("role");
        var errEl = document.getElementById("err");
        var button = document.getElementById("loginBtn");

        /* ============================================================
           DEMO ACCOUNTS
           These match the seeded rows in Academia.sql. They are here
           only so the portals can be opened without the C server.
           Delete this block when the backend is built.
           ============================================================ */
```

```
        var accounts = [
            { username: "student1", password: "password123", role: "student", name: "Alex Rivera" },
            { username: "parent1",  password: "password123", role: "parent",  name: "Marcus Rivera" },
            { username: "staff1",   password: "password123", role: "staff",   name: "Dr. Eleanor Vance" }
        ];
        /* ====================== END DEMO ACCOUNTS ================== */

        /* The server decides where each role goes. */
        var portals = {
            student: "Academia_Student.html",
            parent: "Academia_Parents.html",
            staff: "Academia_Staff.html"
        };

        form.onsubmit = function (event) {
            event.preventDefault();

            var username = usernameField.value.trim();
            var password = passwordField.value;
            var role = roleField.value;
            var found = null;
            var j;

            errEl.innerText = "";

            if (username === "" || password === "") {
                errEl.innerText = "Please enter a username and a password.";
                return;
            }
            if (role === "") {
                errEl.innerText = "Please choose your portal.";
                return;
            }

            /* Look for a demo account that matches all three fields. */
            for (j = 0; j < accounts.length; j++) {
                if (accounts[j].username === username &&
                    accounts[j].password === password &&
                    accounts[j].role === role) {
                    found = accounts[j];
                }
            }

            if (found === null) {
                errEl.innerText = "Wrong username, password or role.";
                passwordField.value = "";
                return;
            }
```

```
142
143             /* Remember who signed in, so the portal pages can show a name. */
144             sessionStorage.setItem("academia_token", "demo-" + found.username);
145             sessionStorage.setItem("academia_role", found.role);
146             sessionStorage.setItem("academia_name", found.name);
147
148             window.location.href = portals[found.role];
149         };
150     </script>
151 </body>
152 </html>
```