Academia\FrontEnd\HTML\Academia_Staff.html

```
<!--
Harshul Gupta, Lawrence Mao, Suengho Kim, Dmitrii Buianov
CS50 C Project
Academia
November 1, 2026
-->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Academia - Staff &amp; Faculty Portal</title>
    <link rel="stylesheet" href="../CSS/Academia.css">
</head>

<!-- data-portal tells the shared script to run initStaff() on this page -->
<body data-portal="staff">

    <!-- HEADER BAR -->
    <div class="header">
        <b>Academia Staff Portal</b>
        <div>
            <!-- Filled from staffState.staff, never from the HTML -->
            <span id="staff-name">Loading...</span> |
            <a href="#" onclick="logout(); return false;">Logout</a>
        </div>
    </div>

    <!-- MAIN LAYOUT: SIDEBAR + CONTENT -->
    <div class="main-layout">

        <div class="sidebar">
            <h3>Faculty Menu</h3>
            <!-- showStaffTab() shows one of the three blocks below, no reload -->
            <a href="#" onclick="showStaffTab('management')">Class Management</a>
            <a href="#" onclick="showStaffTab('courses')">My Courses</a>
            <a href="#" onclick="showStaffTab('profile')">Teacher Profile</a>
            <a href="#" onclick="logout(); return false;">Logout</a>
        </div>

        <div class="container">

            <!-- Error banner for failed reads and rejected writes -->
            <p id="page-error"
               style="display:none; color:#b00020; font-weight:bold;"></p>

            <!-- TAB 1: CLASS MANAGEMENT (visible on load) -->
            <div id="staff-management" class="staff-tab-content">
                <h2>Class Management &amp; Grading</h2>
```

```
                <h3>Enter Student Grades</h3>
                <div class="course-card">

                    <!-- Both dropdowns are EMPTY in this file on purpose -->
                    <div style="margin-bottom:10px;">
                        <label><b>Student:</b></label><br>
                        <select id="grade-student" style="width:100%; padding:8px; margin-top:5px;"></select>
                    </div>
                    <div style="margin-bottom:10px;">
                        <label><b>Course:</b></label><br>
                        <select id="grade-course" style="width:100%; padding:8px; margin-top:5px;"></select>
                    </div>

                    <!-- A number input, so the browser blocks non-numeric text -->
                    <div style="margin-bottom:10px;">
                        <label><b>Score (%):</b></label><br>
                        <input type="number" id="grade-score" min="0" max="100" step="0.1"
                               style="width:100%; padding:8px; margin-top:5px;">
                    </div>

                    <!-- saveGrade() posts the three values and reloads the tables -->
                    <button onclick="saveGrade()"
                            style="background-color:#0b3d91; color:white; border:none; padding:8px 15px; cursor:pointer; border-radius:3px;">
                        Save Grade</button>
                </div>

                <br>
                <h3>Current Class Roster &amp;amp; Grades</h3>
                <table border="1" width="100%">
                    <tr><th>Student</th><th>Course</th><th>Recorded Grade</th></tr>
                    <!-- Only the tbody is filled; the header row stays here -->
                    <tbody id="grade-rows"></tbody>
                </table>

                <br><br>
                <h3>Record Attendance</h3>
                <div class="course-card">
                    <div style="margin-bottom:10px;">
                        <label><b>Student:</b></label><br>
                        <select id="attendance-student" style="width:100%; padding:8px; margin-top:5px;"></select>
                    </div>
                    <div style="margin-bottom:10px;">
                        <label><b>Course:</b></label><br>
                        <select id="attendance-course" style="width:100%; padding:8px; margin-top:5px;"></select>
                    </div>
```

```
                    <div style="margin-bottom:10px;">
                        <label><b>Status:</b></label><br>
                        <!-- The values "1" and "0" are what the attendance table stores (present INTEGER) -->
                        <select id="attendance-status" style="width:100%; padding:8px; margin-top:5px;">
                            <option value="1">Present</option>
                            <option value="0">Absent</option>
                        </select>
                    </div>
                    <button onclick="saveAttendance()"
                            style="background-color:#0b3d91; color:white; border:none; padding:8px 15px; cursor:pointer; border-radius:3px;">
                        Submit Attendance</button>
                </div>

                <br>
                <h3>Current Attendance Records</h3>
                <table border="1" width="100%">
                    <tr><th>Student</th><th>Course</th><th>Status</th></tr>
                    <tbody id="attendance-rows"></tbody>
                </table>

                <br>
                <h3>Announcements</h3>
                <!-- Only announcements for this teacher's courses -->
                <div id="announcements"></div>
            </div>

            <!-- TAB 2: MY COURSES (hidden on load) -->
            <div id="staff-courses" class="staff-tab-content" style="display:none;">
                <h2>My Courses</h2>
                <!-- One row per course: name and how many students are active -->
                <table border="1" width="100%" id="courses-table"></table>
            </div>

            <!-- TAB 3: TEACHER PROFILE (hidden on load) -->
            <div id="staff-profile" class="staff-tab-content" style="display:none;">
                <h2>Teacher Profile</h2>
                <br>
                <!-- Everything here comes from the user and staff tables: name, username, phone, and two -->
                <div class="course-card">
                    <h3 id="staff-fullname">-</h3>
                    <p><b>Username:</b> <span id="staff-username">-</span></p>
                    <p><b>Phone:</b> <span id="staff-phone">-</span></p>
                    <p>
                        <b>Courses:</b> <span id="staff-course-count">0</span> |
                        <b>Students:</b> <span id="staff-student-count">0</span>
                    </p>
                </div>
```

```
            </div>

        </div>
    </div>

    <div class="footer"><p>&copy; 2026 Academia Project</p></div>

    <script src="../JS/Academia.js"></script>

<!-- OPTIONAL: THE SAME LOGIC INLINE. Runs only if ../JS/Academia.js did not load -->
<script>
if (typeof loadState !== "function") {

    var TOKEN_KEY = "academiaToken";

    function esc(v) {
        return String(v == null ? "" : v).replace(/[&<>"']/g, function (c) {
            return { "&": "&amp;", "<": "&lt;", ">": "&gt;", '"': "&quot;", "'": "&#39;" }[c];
        });
    }
    function $(id) { return document.getElementById(id); }
    function setHtml(id, html) { var el = $(id); if (el) el.innerHTML = html; }
    function setText(id, txt) { var el = $(id); if (el) el.innerText = txt; }

    function showError(msg) {
        var el = $("page-error");
        if (!el) { alert(msg); return; }
        el.style.display = "block";
        el.innerText = msg;
    }

    function table(headers, rows, emptyText) {
        var h = "<tr>" + headers.map(function (x) { return "<th>" + esc(x) + "</th>"; }).join("") + "</tr>";
        if (!rows.length) {
            return h + "<tr><td colspan='" + headers.length + "'>" + esc(emptyText) + "</td></tr>";
        }
        return h + rows.map(function (r) {
            return "<tr>" + r.map(function (c) { return "<td>" + esc(c) + "</td>"; }).join("") + "</tr>";
        }).join("");
    }
    function pct(score) { return Number(score).toFixed(1) + "%"; }
    function presentText(p) { return p ? "Present" : "Absent"; }
    function option(value, label) { return "<option value='" + esc(value) + "'>" + esc(label) + "</option>"; }

    function logout() {
        sessionStorage.removeItem(TOKEN_KEY);
```

```
        sessionStorage.removeItem("academiaUser");
        window.location.href = "Academia_Auth.html";
    }
    function authHeaders(extra) {
        var h = extra || {};
        h["X-Auth-Token"] = sessionStorage.getItem(TOKEN_KEY) || "";
        return h;
    }

    function loadState(path, varName) {
        return fetch(path, { headers: authHeaders() }).then(function (res) {
            if (res.status === 401) { logout(); throw new Error("Session expired. Please sign in again."); }
            if (res.status === 403) { throw new Error("This account is not allowed to view that page."); }
            if (!res.ok) { throw new Error("Server error (" + res.status + ")."); }
            return res.text();
        }).then(function (text) {
            var state = new Function(text + "\nreturn " + varName + ";")();
            if (!state || state.success !== true) { throw new Error("The database has no record for this account."); }
            return state;
        });
    }

    /* POSTs a JSON body and returns the parsed answer. A 401 signs the user out;
       anything else is turned into a result object so the caller can show the
       server's message. */
    function postJson(path, body) {
        return fetch(path, {
            method: "POST",
            headers: authHeaders({ "Content-Type": "application/json" }),
            body: JSON.stringify(body)
        }).then(function (res) {
            if (res.status === 401) { logout(); throw new Error("Session expired."); }
            return res.json().catch(function () {
                return { success: false, message: "Server error (" + res.status + ")." };
            });
        });
    }

    /* ---------- staff page logic ---------- */
    var staffState = null;

    function showStaffTab(tabId) {
        ["management", "profile", "courses"].forEach(function (t) {
            var el = $("staff-" + t);
            if (el) el.style.display = t === tabId ? "block" : "none";
        });
    }

```

```
    function renderStaff(s) {
        staffState = s;
        var me = s.staff, full = me.firstName + " " + me.lastName;

        /* header + profile */
        setText("staff-name", "Welcome, " + full);
        setText("staff-fullname", full);
        setText("staff-username", me.username);
        setText("staff-phone", me.phone);
        setText("staff-course-count", s.courses.length);

        /* course table */
        setHtml("courses-table", table(["Course", "Active Students"],
            s.courses.map(function (c) { return [c.course, c.students]; }),
            "You are not assigned to any course."));

        /* dropdowns: each student once, each course once */
        var seen = {}, studentOpts = "";
        s.students.forEach(function (x) {
            if (!seen[x.studentId]) { seen[x.studentId] = 1; studentOpts += option(x.studentId, x.name); }
        });
        setText("staff-student-count", Object.keys(seen).length);
        var courseOpts = s.courses.map(function (c) { return option(c.courseId, c.course); }).join("");
        ["grade-student", "attendance-student"].forEach(function (id) { setHtml(id, studentOpts); });
        ["grade-course", "attendance-course"].forEach(function (id) { setHtml(id, courseOpts); });

        /* roster: "-" where the student has no grade yet */
        setHtml("grade-rows", s.students.length ? s.students.map(function (x) {
            return "<tr><td>" + esc(x.name) + "</td><td>" + esc(x.course) + "</td><td>" +
                   (x.score === "" || x.score == null ? "-" : esc(pct(x.score))) + "</td></tr>";
        }).join("") : "<tr><td colspan='3'>No students enrolled in your courses.</td></tr>");

        /* attendance records */
        setHtml("attendance-rows", s.attendance.length ? s.attendance.map(function (a) {
            return "<tr><td>" + esc(a.student) + "</td><td>" + esc(a.course) + "</td><td>" +
                   presentText(a.present) + "</td></tr>";
        }).join("") : "<tr><td colspan='3'>No attendance recorded yet.</td></tr>");

        /* announcements for this teacher's courses */
        setHtml("announcements", s.announcements.length ? s.announcements.map(function (a) {
            return "<div class='course-card'><h3>" + esc(a.title) + "</h3><p><b>" + esc(a.course) +
                   ":</b> " + esc(a.message) + "</p><small>" + esc(a.date) + "</small></div><br>";
        }).join("") : "<p>No announcements for your courses.</p>");
    }
```

```
280
281     function refreshStaff() {
282         return loadState("/api/staff-data", "staffState").then(renderStaff);
283     }
284
285     function initStaff() {
286         refreshStaff().catch(function (e) { showError(e.message); });
287     }
288
289     function saveGrade() {
290         var score = $("grade-score").value;
291         /* Local validation first, so an empty or silly value never reaches the
292            server. The server checks again, and also checks ownership. */
293         if (score === "" || isNaN(Number(score)) || Number(score) < 0 || Number(score) > 100)
    {
294             showError("Enter a score between 0 and 100.");
295             return;
296         }
297         /* All three fields are strings on purpose - see the header comment. */
298         postJson("/api/staff/grade", {
299             studentId: $("grade-student").value,
300             courseId: $("grade-course").value,
301             score: String(score)
302         }).then(function (res) {
303             if (!res.success) throw new Error(res.message || "The server rejected the
    grade.");
304             $("grade-score").value = "";
305             return refreshStaff();   /* re-read from the database */
306         }).catch(function (e) { showError(e.message); });
307     }
308
309     function saveAttendance() {
310         postJson("/api/staff/attendance", {
311             studentId: $("attendance-student").value,
312             courseId: $("attendance-course").value,
313             present: $("attendance-status").value
314         }).then(function (res) {
315             if (!res.success) throw new Error(res.message || "The server rejected the
    attendance.");
316             return refreshStaff();
317         }).catch(function (e) { showError(e.message); });
318     }
319
320     window.addEventListener("load", function () {
321         var portal = document.body.getAttribute("data-portal");
322         if (portal !== "staff") return;
323         if (!sessionStorage.getItem(TOKEN_KEY)) { window.location.href =
    "Academia_Auth.html"; return; }
324         initStaff();
325     });
326 }
```

```
</script>
</body>
</html>
```