

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

59m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 1 of 21

A developer creates a new folder for Project Atlas and wants Git to start tracking it. Which command should they use first?

☐ git commit

☐ git add .

☐ git init

☐ git log

Previous

kalvium.community is sharing your screen. Stop sharing Hide


Next

35°C Sunny

Search

ENG IN

15:09 08-10-2026



Instructions

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21

Question 2 of 21

A student says, "Once I run git add, my change is permanently stored in Git history." What is the correct response?

- ☐ Correct, because staging and committing are the same operation
- ☐ Correct, because git add creates a repository snapshot
- ☐ Incorrect, because git add stages the change and git commit records it in repository history
- ☐ Incorrect, because changes are permanently stored only after git status

Clear Response

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

Assessment Corner - Kalvium

Kalvium

Ask Gemini

←

→

↺

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

🔍

☆

📧

📌

📄

📁

School

⋮

 **Computing Systems & Development Tools | MPA 3 | AY 2026-27**

🕒 59m left

Finish Assessment

 Your camera feed, audio and screen are being proctored.



 **Instructions**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

 Mark for review

+1

0

Question 3 of 21

What does git commit create?

☐ A saved point in the repository's project history

☐ A copy of the repository on another computer

☐ A temporary staging area

☐ A new operating-system backup

← Previous

|| kalvium.community is sharing your screen.


Stop sharing

[Hide](#)

Next →

35°C

Sunny

  Search 

ENG

IN

15:10

08-10-2026

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

59m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 4 of 21

A student runs git diff and sees nothing, but git diff --staged shows several changed lines. What does this indicate?

☐ The repository has been deleted

☐ The changes are staged and there are currently no additional unstaged changes

☐ Git has lost the working tree

☐ The commit has already been pushed

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

35°C Sunny

Search

ENG IN 15:10 08-10-2026

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

59m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 5 of 21

A developer wants to see which files were changed by each commit without viewing the complete patch. Which git log option is useful?

☐ --stat

☐ --graph-only

☐ --staged

☐ --working-tree

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

35°C Sunny

Search

ENG IN

15:10 08-10-2026

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21

+1 0

What does `git log --oneline` primarily provide?

- ☐ A compact view of commit history
- ☐ A list of unstaged file changes
- ☐ A list of files currently in the staging area
- ☐ A comparison between two branches

 Mark for review

+10

Question 8 of 21

A developer runs git add but then realizes the staged change should not be part of the next commit. What does this situation demonstrate?

☐ The staging area allows changes to be selected before committing

☐ Git automatically commits every staged change

☐ The working tree cannot contain unstaged changes

☐ A repository can contain only one commit

[< Previous](#)

|| kalvium.community is sharing your screen. [Stop sharing](#) [Hide](#)

[Next >](#)

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

59m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 9 of 21

A developer stages a change and wants to inspect exactly what will be included in the next commit. Which command should they use?

☐ git diff

☐ git log --graph

☐ git diff --staged

☐ git status --history

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

35°C Sunny

Search

ENG IN

15:10 08-10-2026

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

59m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 10 of 21

After editing a file, a developer runs git status. What is the main purpose of this command?

☐ It permanently saves the changes

☐ It shows the current state of tracked and untracked changes

☐ It creates a new branch automatically

☐ It uploads the project to GitHub

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

35°C Sunny

Search

ENG IN

15:10 08-10-2026

i Instructions

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21

 Mark for review

+1 0

Question 11 of 21

Which information is part of a commit's basic identity?

- ☐ Only the file size and branch name
- ☐ Hash, author, and commit message
- ☐ Only the current working-tree contents
- ☐ Only the remote repository URL

Assessment Corner - Kalvium

Kalvium

Ask Gemini

School

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

Star

Share

Download

 **Computing Systems & Development Tools | MPA 3 | AY 2026-27**

58m left

Finish Assessment

Your camera feed, audio and screen are being proctored.



Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 12 of 21

A developer sees a change in git diff and then runs git add app.js. What should they expect when they immediately run git diff again, assuming no new edits were made?

☐ The same unstaged change will still appear

☐ The change will normally disappear from the unstaged diff because it is now staged

☐ The entire commit history will disappear

☐ Git will automatically create a commit

Previous

kalvium.community is sharing your screen.

Stop sharing

[Hide](#)

Next

35°C Sunny



ENG IN

15:10 08-10-2026

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

58m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 13 of 21

A developer accidentally includes a small unrelated change in the latest commit and wants to correct that latest commit before continuing. Which approach fits the situation?

☐ Use git log --graph

☐ Use git diff --staged only

☐ Make the correction, stage the intended state, and amend the latest commit

☐ Run git init again

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

35°C Sunny

Search

ENG IN

15:10 08-10-2026

i Instructions

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21

 Mark for review

+1 0

Question 14 of 21

A student makes three commits while building Project Atlas and later wants to replay how the project evolved. Which command should they use to inspect the commit history?

☐ git log

☐ git init

☐ git add

☐ git status

[← Previous](#)

|| kalvium.community is sharing your screen.

Stop sharing

Hide

Next >

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

58m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 15 of 21

A commit contains one focused, logically complete change rather than several unrelated modifications. What quality does this demonstrate?

☐ Atomicity

☐ Remote synchronization

☐ Automatic merging

☐ Repository initialization

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

35°C Sunny

Search

ENG IN

15:10 08-10-2026

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

58m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 16 of 21

What is the main problem Git is designed to solve for a software project?

☐ Keeping only the latest copy of every file

☐ Tracking how a project changes over time so previous states can be understood and recovered

☐ Automatically writing application code

☐ Preventing developers from modifying project files

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

35°C Sunny

Search

ENG IN

15:10 08-10-2026

Assessment Corner - Kalvium

Kalvium

Ask Gemini

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

Search

School

Computing Systems & Development Tools | MPA 3 | AY 2026-27

58m left

Finish Assessment

Your camera feed, audio and screen are being proctored.

Instructions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Mark for review

+1 0

Question 17 of 21

A developer wants to create a clean history where each meaningful stage of Project Atlas can be reviewed later. Which workflow best supports this goal?

☐

Make changes, stage relevant changes, commit with a meaningful message, and repeat

☐

Make one huge commit after the entire project is finished

☐

Keep multiple copies of the project in different folders

☐

Avoid commits until someone asks for the

Previous

kalvium.community is sharing your screen. Stop sharing Hide

Next

35°C Sunny

Search

ENG IN

15:11 08-10-2026

Assessment Corner - Kalvium

Kalvium

Ask Gemini

← → ↻

kalvium.community/assessment/comp_systems_v1_mpa3/attempt/0111a663-ac67-4429-a60a-be720daf07b5

🔍 ☆ 📧 📌 ⬇️ 🏠 School

 **Computing Systems & Development Tools | MPA 3 | AY 2026-27**

🕒 58m left

Finish Assessment

 Your camera feed, audio and screen are being proctored.



 **Instructions**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

 Mark for review

+1

0

Question 18 of 21

A student makes a change, stages it, commits it, and then makes another change without staging it. Which areas now contain different states of the project?

☐ Only the repository

☐ Working tree and repository

☐ Staging area and remote repository

☐ Only the staging area

⏪ Previous

|| kalvium.community is sharing your screen.


Stop sharing

[Hide](#)

Next ⏩

35°C

Sunny

  Search 

ENG IN

15:11

08-10-2026

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21

+1 0

What is the main purpose of `git commit --amend`?

- ☐ To create a completely unrelated branch
- ☐ To modify the most recent commit
- ☐ To display all previous commits
- ☐ To compare staged and unstaged changes

Question 21 of 21

Your college is organising a coding meetup. You are responsible for publishing its event information on GitHub. Create a repository, add an event checklist through a feature branch, and use a pull request to review and merge your work.

Before You Start

Have Git installed, a working Git commit identity, and your own GitHub account signed in. Your terminal must already be authenticated to push to GitHub. Your instructor will help check these **before the timer starts**.

Use a new folder outside existing repositories. Use an editor of your choice. No application code, package installation, partner, or paid tool is needed. Internet access is required. Never include real passwords or tokens in files or screenshots.

Task 1: Create and Publish the Repository

Task 1: Create and Publish the Repository

1. On your GitHub account, create an **empty public repository** named `mpa3-campus-meetup`. Do not initialise it with a README, licence, or ignore file on GitHub.
2. Create a local Git repository with these files:
 - `README.md`: event name, purpose, and date of your choice.
 - `.env`: the harmless sample setting `EVENT_MODE=practice`.
 - `event.log`: any sample log line.
 - `.gitignore`: rules that exclude `.env` and all `.log` files.
3. Stage only the README and ignore file, then create a meaningful first commit. Use `main` as your default branch. Connect your local repository to your GitHub repository and push this commit.
4. Verify on GitHub that the README and ignore file are present, but the sample configuration and log are not.

Evidence: GitHub repository file list and terminal output showing your first commit and successful push.

Task 2: Add a Checklist Through a Pull Request

1. Create and switch to a branch named `feature/event-checklist`.

Task 2: Add a Checklist Through a Pull Request

1. Create and switch to a branch named `feature/event-checklist`.
2. Add `checklist.md` with three preparation items: book a room, announce the event, and prepare registration.
3. Before staging, inspect the new file in your editor and its untracked Git state. After staging, inspect its staged differences. Commit it with a meaningful message and push the feature branch to GitHub.
4. Open a PR from this branch into `main`. Include a clear title and short description covering **what changed, why, and how you checked the file**. Do not merge yet.

Evidence: New file and its untracked state, staged differences and feature commit, and open PR showing its title, description, and branch direction.

Task 3: Review, Improve, and Verify

1. Self-review your PR and leave this comment: **"Please add a reminder to test the registration link."** A PR comment is sufficient; you do not need another person's formal approval.