

Sql-exercise-index

Hands on this document

```
CREATE TABLE Products (  
    ProductID INT,  
    ProductName VARCHAR(50),  
    Category VARCHAR(50),  
    Price DECIMAL(10,2)  
);  
  
INSERT INTO Products VALUES  
(1,'Laptop','Electronics',80000),  
(2,'Mobile','Electronics',60000),  
(3,'Tablet','Electronics',60000),  
(4,'Headphones','Electronics',10000),  
(5,'Shirt','Fashion',2000),  
(6,'Jeans','Fashion',3000),  
(7,'Jacket','Fashion',3000),  
(8,'Shoes','Fashion',5000);
```

#1.row number

```
SELECT  
    ProductID,  
    ProductName,  
    Category,  
    Price,  
    ROW_NUMBER() OVER  
    (  
        PARTITION BY Category  
        ORDER BY Price DESC  
    ) AS RowNum
```

FROM Products;

#Rank

```
SELECT
```

```
ProductID,  
ProductName,  
Category,  
Price,  
RANK() OVER  
(  
    PARTITION BY Category  
    ORDER BY Price DESC  
) AS RankNo  
FROM Products;  
#DENSE_RANK()  
SELECT  
    ProductID,  
    ProductName,  
    Category,  
    Price,  
    DENSE_RANK() OVER  
(  
    PARTITION BY Category  
    ORDER BY Price DESC  
) AS DenseRankNo  
FROM Products;
```

MySQL Workbench

Adharshini x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1: x

```
1 CREATE TABLE Products (  
2   ProductID INT,  
3   ProductName VARCHAR(50),  
4   Category VARCHAR(50),  
5   Price DECIMAL(10,2)  
6 );  
7  
8 INSERT INTO Products VALUES  
9   (1,'Laptop','Electronics',80000),  
10  (2,'Mobile','Electronics',60000),  
11  (3,'Tablet','Electronics',60000),  
12  (4,'Headphones','Electronics',10000),  
13  (5,'Shoes','Fashion',5000),  
14  (6,'Jeans','Fashion',3000);
```

Result Grid

ProductID	ProductName	Category	Price	DenseRankNo
1	Laptop	Electronics	80000.00	1
2	Mobile	Electronics	60000.00	2
3	Tablet	Electronics	60000.00	2
4	Headphones	Electronics	10000.00	3
5	Shoes	Fashion	5000.00	1
6	Jeans	Fashion	3000.00	2

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

#	Time	Action	Message	Duration / Fetch
1	21:02:14	CREATE TABLE Products (ProductID INT, ProductName VARCHAR(50), Category VARCHAR(50), P...	0 row(s) affected	0.078 sec
2	21:02:31	INSERT INTO Products VALUES (1,'Laptop','Electronics',80000), (2,'Mobile','Electronics',60000), (3,'Tablet','E...	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0	0.031 sec
3	21:02:49	SELECT ProductID, ProductName, Category, Price, ROW_NUMBER() OVER (PARTITION BY Category...	8 row(s) returned	0.000 sec / 0.000 sec
4	21:03:50	SELECT ProductID, ProductName, Category, Price, RANK() OVER (PARTITION BY Category...	8 row(s) returned	0.000 sec / 0.000 sec
5	21:04:21	SELECT ProductID, ProductName, Category, Price, DENSE_RANK() OVER (PARTITION BY Category...	8 row(s) returned	0.000 sec / 0.000 sec

Object Info Session