

Exercise 5: Return Data from a Stored Procedure

DELIMITER \$\$

```
CREATE PROCEDURE sp_GetEmployeeCountByDepartment(  
    IN p_DepartmentID INT  
)
```

```
BEGIN
```

```
    SELECT COUNT(*) AS TotalEmployees
```

```
    FROM Employees
```

```
    WHERE DepartmentID = p_DepartmentID;
```

```
END $$
```

DELIMITER ;

```
CALL sp_GetEmployeeCountByDepartment(1);
```

The screenshot displays the MySQL Workbench interface. The SQL Editor window contains the following SQL script:

```
1 DELIMITER $$  
2  
3 CREATE PROCEDURE sp_GetEmployeeCountByDepartment(  
4     IN p_DepartmentID INT  
5 )  
6 BEGIN  
7     SELECT COUNT(*) AS TotalEmployees  
8     FROM Employees  
9     WHERE DepartmentID = p_DepartmentID;  
10 END $$  
11
```

The Results window shows the output of the stored procedure call:

Result Grid
TotalEmployees
3

The Output window shows the execution log:

#	Time	Action	Message	Duration / Fetch
15	21:23:22	INSERT INTO Employees (FirstName, LastName, DepartmentID, Salary, JoinDate) VALUES (Bhargav, 'CH, 1...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
16	21:23:36	SELECT COUNT(*) FROM Employees LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
17	21:26:07	CREATE FUNCTION fn_GetSalary(p_EmployeeID INT) RETURNS DECIMAL(10,2) DETERMINISTIC BE...	0 row(s) affected	0.015 sec
18	21:26:19	SELECT fn_GetSalary(1) AS Salary LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
19	21:29:05	CREATE PROCEDURE sp_CountEmployeesByDepartment(IN p_DepartmentID INT) BEGIN SELECT C...	Error Code: 1304 PROCEDURE sp_CountEmployeesByDepartment already exists	0.063 sec
20	21:29:30	CREATE PROCEDURE sp_GetEmployeeCountByDepartment(IN p_DepartmentID INT) BEGIN SELECT...	0 row(s) affected	0.032 sec
21	21:29:39	CALL sp_GetEmployeeCountByDepartment(1)	1 row(s) returned	0.000 sec / 0.000 sec

SQL script saved to: 'C:\Users\vanka\OneDrive\Desktop\sql-stored-procedure.sql'