

Module 1-jQuery

1. jQuery Library Inclusion

Exercise 1: Adding jQuery to a Page


- **Task:** Create a simple HTML page and include jQuery

in two ways:

1. Using a CDN link.

2. Using a locally downloaded copy.

- **Bonus:** Add a element that says "Hello World!" and log it using jQuery to the console.



```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>jQuery CDN Example</title>
5
6   <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
7 </head>
8 <body>
9
10  <p>Hello world!</p>
11
12  <script>
13    $(document).ready(function () {
14      console.log$("p").text();
15    });
16  </script>
17
18 </body>
19 </html>
```

Output:



2. The \$() Function

Exercise 2: Selecting Elements

- Task:

Create a webpage with:


1 <h1>, 2<p> and 1 <button>

Use \$(document).ready() to ensure the DOM is loaded.

Use the \$() function to:

Change the text of the

Hide one of the elements when the button is clicked



```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Exercise 2 - Selecting Elements</title>
5
6 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
7 </head>
8 <body>
9
10 <h1>Welcome to jQuery</h1>
11
12 <p id="p1">This is Paragraph 1.</p>
13
14 <p id="p2">This is Paragraph 2.</p>
15
16 <button>Hide Paragraph 2</button>
17
18 <script>
19 $(document).ready(function () {
20
21   $("h1").text("jQuery Element Selection");
22
23   $("button").click(function () {
24     $("#p2").hide();
25   });
26
27 });
28 </script>
29
30 </body>
31 </html>
```

Output:



jQuery Element Selection

This is Paragraph 1.

This is Paragraph 2.

Hide Paragraph 2

3. jQuery Methods Exercise


3: Use of Common Methods

- Task:

Add 3 elements with class .box


Use the following jQuery methods:

- .hide(), .show(), .fadeOut(), .fadeIn(), .toggle()
- Apply these methods when clicking respective buttons.
- Bonus: Chain methods like .slideUp().delay(1000).slideDown()



```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>jQuery Methods Exercise</title>
5
6   <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
7
8   <style>
9     .box{
10       width:150px;
11       height:100px;
12       background-color: skyblue;
13       border:2px solid black;
14       margin:10px;
15       text-align:center;
16       line-height:100px;
17       font-size:20px;
18     }
19
20     button{
21       margin:5px;
22       padding:8px 15px;
23     }
24   </style>
25 </head>
26
27 <body>
28
29   <div class="box">Box 1</div>
30   <div class="box">Box 2</div>
31   <div class="box">Box 3</div>
32
33   <button id="hideBtn">Hide</button>
34   <button id="showBtn">Show</button>
35   <button id="fadeOutBtn">Fade Out</button>
36   <button id="fadeInBtn">Fade In</button>
37   <button id="toggleBtn">Toggle</button>
```

Output:



4. DOM Manipulation

Exercise 4: Creating and Modifying Elements


• Task:

Create a form with an input field and a submit button.

When the button is clicked:


- Take the value from the input
- Create a new `<li>` with that value
- Append it to an unordered list (`ul`)

Add a "Remove All" button that empties the `<ul>`



```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>DOM Manipulation - Exercise 4</title>
5
6 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
7
8 <style>
9   body{
10     font-family: arial, sans-serif;
11     margin: 30px;
12   }
13
14   input{
15     padding: 8px;
16     width: 250px;
17   }
18
19   button{
20     padding: 8px 15px;
21     margin: 5px;
22   }
23
24   ul{
25     margin-top: 20px;
26   }
27
28   li{
29     padding: 5px;
30   }
31 </style>
32 </head>
33
34 <body>
35   <div>
36     <input type="text" value=""/>
37     <button type="submit" value="Submit" />
38     <button type="button" value="Remove All" />
39   </div>
40   <ul>
41     <li>Apple</li>
42     <li>Orange</li>
43   </ul>
44 </body>
45 </html>
```

Output:



5. Working with Events

Exercise 5: Handling User Interactions


• Task:

Create a page with:

- A `<button>` with id `#colorBtn`
- A `<div>` with id `#colorBox`


Use jQuery to:

- Change the background color of `#colorBox` to red when the button is clicked.
- Change it back to white when double-clicked



```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Exercise 5 - Working with Events</title>
5
6 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
7
8 <style>
9   body{
10     font-family: Arial, sans-serif;
11     text-align: center;
12     margin-top: 50px;
13   }
14
15   #colorBtn{
16     padding: 10px 20px;
17     font-size: 16px;
18   }
19
20   #colorBox{
21     width: 200px;
22     height: 200px;
23     border: 2px solid black;
24     background-color: white;
25     margin: 20px auto;
26   }
27 </style>
28 </head>
29
30 <body>
31
32 <button id="colorBtn">Change Color</button>
33
34 <div id="colorBox"></div>
35
36 <script>
37   $(document).ready(function(){
```

Output:



6. Event Helpers

Exercise 6: Mouse and Keyboard Events

- **Task:**

Create a with some text.

Use the following event helpers:

- `click()`
 - `.dblclick()`
 - `.mouseenter()` and `.mouseleave()`
- `.keypress()` on an input field

Make each event do something visible (e.g., change background color, add text, show an alert, etc.)

The screenshot shows the VS Code editor interface with the following details:

- File Explorer (Left Panel):** Shows a project structure under "MODULE 1-JQUERY". The files listed are "Exercise 1", "Exercise 2", "Exercise 3", "Exercise 4", "Exercise 5", "Exercise 6", and "index.html". "index.html" is currently selected.
- Main Editor Area:** Displays the content of "index.html". The code is as follows:


```

1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Exercise 6 - Event Helpers</title>
5   </head>
6   <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
7
8   <style>
9     body{
10       font-family: Arial, sans-serif;
11       text-align: center;
12       margin-top: 50px;
13     }
14
15     #box{
16       width: 300px;
17       height: 150px;
18       border: 2px solid black;
19       background-color: lightgray;
20       margin: auto;
21       padding-top: 40px;
22       font-size: 20px;
23     }
24
25     input{
26       margin-top: 30px;
27       padding: 10px;
28       width: 250px;
29     }
30
31     #message{
32       margin-top: 30px;
33       font-size: 18px;
34       color: blue;
35     }
36   </style>
37 </body>
```

Output:



