| | |
|---|---|
| **Status** | Finished |
| **Started** | Friday, 14 August 2026, 10:55 AM |
| **Completed** | Friday, 14 August 2026, 10:59 AM |
| **Duration** | 3 mins 55 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

```
if(x=-1):
    print("present")
else:
    print("absent")
```

- a. present ✓
- b. Runtime Error
- c. absent
- d. compilation error

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output when the following sequence of instructions is carried out in the console?

```
a = 1;a = a + 1;a = a + 2;a = a + 3;print(a)
```

- a. 5
- b. 7 ✓
- c. 4
- d. 6

Question **3**

Correct

Mark 1.00 out of 1.00

Number of elif in a program is dependent on the _____

a. All the Above

b. **number of loops in a program**

c. **number of conditions to be checked** ✓

d. **number of variables in a program**

Question **4**

Correct

Mark 1.00 out of 1.00

What should be the value of num1 and num2 to get the output as "1"?

```
if((num1/num2==5) and (num1+num2)>5):
    print("1")
elif((num1-num2)<=1 or (num1%num2)==0):
    print("2")
else:
    print("3")
```

a. num1=5, num2=1 ✓

b. num1=-10,num2=2

c. num1=11, num2=2

d. num1=0, num2=5

Question **5**

Correct

Mark 1.00 out of 1.00

Leading whitespace (spaces and tabs) at the beginning of a statement is called _____.

a. **orientation**

b. **Iteration**

c. **indentation** ✓

d. **None of the above**

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
x=3
if x>2 or x<5 and x==6:
    print("ok")
else:
    print("no output")
```

a. error

b. no output

c. ok ✓

d. None of the given option

Question **7**

Correct

Mark 1.00 out of 1.00

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

a. 2

b. 4

c. 3 ✓

d. 0

Question **8**

Correct

Mark 1.00 out of 1.00

**What is the output of the following snippet?**

```
s1 = "IIT "  # Remember there is a space after T in IIT
s2 = "Punjab"
s1 = s1 * 2
s2 = "Ropar"
print(s1, s2)
```

a. IIT IIT Punjab

b. IIT Ropar

c. IIT IIT  Ropar ✓

d. IIT Punjab

Question **9**

Correct

Mark 1.00 out of 1.00

**What is the output of the given below program?**

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

a. Hello

b. Know Program ✓

c. Error

d. Compiled Successfully, No Output.

Question **10**

Correct

Mark 1.00 out of 1.00

Correct syntax of writing 'simple if' statement is _____

a.
```
if condition :
    statements
```
✓

b.
```
if (condition)
    statements
```

c.
```
if condition --
    statements
```

d.
```
if condition
statements
```

Question **11**

Correct

Mark 1.00 out of 1.00

**What is the output of the given below program?**

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("REC")
```

a. Hello

b. Compiled Successfully, No Output.

c. **REC** ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output for the following code?

```
if  1-1:
    print("python")
else:
    print("0 is false")
```

a. python

b. 0 is false ✓

c. Error

Question **13**

Correct

Mark 1.00 out of 1.00

To write else statement in if-elif ladder is mandatory?

a. True

b. False ✓

Question **14**

Correct

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if (a >= 2)
- b. if a>=2 : ✓
- c. if (a => 22)

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

- a. if x is greater than 2, the value in x will be doubled after this code executes
- b. if x is greater than 2, x will equal 0 after this code executes ✓
- c. if x is lesser then 0,x will be 0 after this code executes
- d. x will always equal 0 after this code executes for any value of x