Status	Finished
Started	Friday, 30 October 2026, 11:42 PM
Completed	Friday, 30 October 2026, 11:52 PM
Duration	9 mins 41 secs
Grade	**10.00** out of 10.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Develop a Python program to read a specific line from a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to read.
2. **Output:**
   - The content of the specified line.

input1.txt:

Line one.
Line two.
Line three.
Line four.

For example:

Input	Result
input1.txt 3	Line three.

Answer: (penalty regime: 0 %)

```
def read_specific_line():

    filename = input().strip()
    line_num = int(input().strip())


    with open(filename, 'r', encoding='utf-8') as f:
        for current_line_num, line in enumerate(f, 1):
            if current_line_num == line_num:
                print(line.strip())
                break

if __name__ == "__main__":
    read_specific_line()
```

	Input	Expected	Got	
✓	input1.txt 3	Line three.	Line three.	✓
✓	input2.txt 3	Line C.	Line C.	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

Create a Python program to write to a specific line in a text file, replacing the existing content of that line.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to write to.
   - New content for the specified line.
2. **Output:**
   - The updated file with the specified line replaced by the new content in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  2

  Updated line two.

Output:

Line one.
Updated line two.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input1.txt`
	`2`
	`Updated line two.`
		`Line one.`
		`Updated line two.`
		`Line three.`
		`Line four.`

Answer: (penalty regime: 0 %)

```
import sys

def modify_specific_line():

    inputs = sys.stdin.read().splitlines()
    if len(inputs) < 3:
        return

    filename = inputs[0].strip()
    line_num = int(inputs[1].strip())
    new_content = inputs[2]


    with open(filename, 'r', encoding='utf-8') as f:
        lines = f.readlines()


    if 1 <= line_num <= len(lines):
        original_line = lines[line_num - 1]
        ending = '\n' if original_line.endswith('\n') else ''
        lines[line_num - 1] = new_content + ending


    with open('output.txt', 'w', encoding='utf-8') as f:
        f.writelines(lines)

if __name__ == "__main__":
    modify_specific_line()
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt
		2
		Updated line two.
			Line one.
			Updated line two.
			Line three.
			Line four.
				Line one.
				Updated line two.
				Line three.
				Line four.
					✓

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input2.txt
		2
		Line B Updated.
			Line A.
			Line B Updated.
			Line C.
				Line A.
				Line B Updated.
				Line C.
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

Develop a Python program to identify and print all palindrome words from a given text file.

Description:

1. **Input:**
   - A text file containing multiple words.
2. **Output:**
   - A list of palindrome words found in the file name as 'output.txt'.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt	madam
		arora
		malayalam

Answer: (penalty regime: 0 %)

```
import sys
import string

def find_palindromes():
    # Read inputs from standard input safely
    inputs = sys.stdin.read().splitlines()
    if not inputs:
        return

    filename = inputs[0].strip()

    palindromes = []
    seen = set()


    with open(filename, 'r', encoding='utf-8') as f:
        for line in f:
            for word in line.split():

                clean_word = word.strip(string.punctuation)
                if clean_word:

                    if clean_word.lower() == clean_word[::-1].lower():
                        if clean_word not in seen:
                            seen.add(clean_word)
                            palindromes.append(clean_word)


    with open('output.txt', 'w', encoding='utf-8') as f:
        for p in palindromes:
            f.write(p + '\n')

if __name__ == "__main__":
    find_palindromes()
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt	madam
			arora
			malayalam
				madam
				arora
				malayalam
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

Create a Python program to find the longest word in a text file.

- **Input:**
  - A text file containing multiple lines of text.
- **Output:**
  - The longest word in the file.

For example:

Input	Result
input1.txt	Longest word: containing

Answer: (penalty regime: 0 %)

```
import sys
import string

def find_longest_word():

    inputs = sys.stdin.read().splitlines()
    if not inputs:
        return

    filename = inputs[0].strip()
    longest = ""


    with open(filename, 'r', encoding='utf-8') as f:
        for line in f:
            for word in line.split():

                clean_word = word.strip(string.punctuation)
                if len(clean_word) > len(longest):
                    longest = clean_word


    print(f"Longest word: {longest}")

if __name__ == "__main__":
    find_longest_word()
```

	Input	Expected	Got	
✓	input1.txt	Longest word: containing	Longest word: containing	✓
✓	input2.txt	Longest word: thousand	Longest word: thousand	✓
✓	input3.txt	Longest word: supercalifragilisticexpialidocious	Longest word: supercalifragilisticexpialidocious	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Write a Python program to count the frequency of each word in a given text file.

Description:

1. **Input:**
   - String as input.
2. **Output:**
   - A list of words with their corresponding frequency count to be write in a file "output.txt"

Example:

- **Input File Content:**

  apple orange apple banana apple orange

Output:

apple: 3
orange: 2
banana: 1

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`apple orange apple banana apple orange`	`apple: 3`
		`banana: 1`
		`orange: 2`

Answer: (penalty regime: 0 %)

```
import sys
import os
import string
from collections import Counter

def count_word_frequency():

    raw_input = sys.stdin.read().strip()
    if not raw_input:
        return


    if os.path.exists(raw_input):
        with open(raw_input, 'r', encoding='utf-8') as f:
            text = f.read()
    else:
        text = raw_input


    freq = Counter()
    for line in text.splitlines():
        for word in line.split():
            clean_word = word.strip(string.punctuation).lower()
            if clean_word:
                freq[clean_word] += 1


    sorted_items = sorted(freq.items())


    with open('output.txt', 'w', encoding='utf-8') as f:
        for word, count in sorted_items:
            f.write(f"{word}: {count}\n")

if __name__ == "__main__":
    count_word_frequency()
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r')`
	`as file:`
	`  text = file.read()`
	`  print(text)`
		`apple orange apple banana apple orange`	`apple: 3`
			`banana: 1`
			`orange: 2`
				`apple: 3`
				`banana: 1`
				`orange: 2`
					✓

✓	`with open('output.txt', 'r')`
	`as file:`
	`  text = file.read()`
	`  print(text)`
		`Hello world! Hello everyone. Welcome to the world of programming.`	`everyone: 1`
			`hello: 2`
			`of: 1`
			`programming: 1`
			`the: 1`
			`to: 1`
			`welcome: 1`
			`world: 2`
				`everyone: 1`
				`hello: 2`
				`of: 1`
				`programming: 1`
				`the: 1`
				`to: 1`
				`welcome: 1`
				`world: 2`
					✓

✓	`with open('output.txt', 'r')`
	`as file:`
	`  text = file.read()`
	`  print(text)`
		`One fish two fish Red fish blue fish`	`blue: 1`
			`fish: 4`
			`one: 1`
			`red: 1`
			`two: 1`
				`blue: 1`
				`fish: 4`
				`one: 1`
				`red: 1`
				`two: 1`
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **6**

Correct

Mark 1.00 out of 1.00

Write a Python program to reverse the contents of a specific line in a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to reverse.
2. **Output:**
   - The updated file with the specified line's contents reversed in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  3

Output:

Line one.
Line two.
eerht eniL.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	3
		Line one.
		Line two.
		eerht eniL.
		Line four.

Answer: (penalty regime: 0 %)

```
import sys

def reverse_specific_line():
    inputs = sys.stdin.read().splitlines()
    if len(inputs) < 2:
        return

    filename = inputs[0].strip()
    line_num = int(inputs[1].strip())


    with open(filename, 'r', encoding='utf-8') as f:
        lines = f.readlines()


    if 1 <= line_num <= len(lines):
        target = lines[line_num - 1]
        has_newline = target.endswith('\n')
        content = target.rstrip('\r\n')


        if content and content[-1] in '.!?':
            reversed_content = content[:-1][::-1] + content[-1]
        else:
            reversed_content = content[::-1]

        lines[line_num - 1] = reversed_content + ('\n' if has_newline else '')


    with open('output.txt', 'w', encoding='utf-8') as f:
        f.writelines(lines)

```

```
33 if __name__ == "__main__":
34     reverse_specific_line()
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt
		3
			Line one.
			Line two.
			eerht eniL.
			Line four.
				Line one.
				Line two.
				eerht eniL.
				Line four.
					✓

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input2.txt
		2
			Line A.
			B eniL.
			Line C.
				Line A.
				B eniL.
				Line C.
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **7**

Correct

Mark 1.00 out of 1.00

Write a Python program to append a new line at a specific position in a text file, shifting existing lines down.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to insert the new line at.
   - New content for the new line.
2. **Output:**
   - The updated file with the new line inserted at the specified position, shifting the existing lines down in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  3

  Inserted line..

Output:

Line one.
Line two.
Inserted line.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input1.txt`
	`3`
	`Inserted line.`
		`Line one.`
		`Line two.`
		`Inserted line.`
		`Line three.`
		`Line four.`

Answer: (penalty regime: 0 %)

```
import sys

def insert_specific_line():
    try:
        filename = input().strip()
        line_num = int(input().strip())
        new_content = input().rstrip('\r\n')
    except (EOFError, ValueError):
        return

    with open(filename, 'r', encoding='utf-8') as f:
        lines = f.readlines()

    insert_index = max(0, min(line_num - 1, len(lines)))

    lines.insert(insert_index, new_content + '\n')

    with open('output.txt', 'w', encoding='utf-8') as f:
        for i, line in enumerate(lines):
            f.write(line.rstrip('\r\n') + ('\n' if i < len(lines) - 1 else ''))

if __name__ == "__main__":
    insert_specific_line()
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		`input1.txt`
		`3`
		`Inserted line.`
			`Line one.`
			`Line two.`
			`Inserted line.`
			`Line three.`
			`Line four.`
				`Line one.`
				`Line two.`
				`Inserted line.`
				`Line three.`
				`Line four.`
					✓

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		`input2.txt`
		`4`
		`Inserted line D.`
			`Line A.`
			`Line B.`
			`Line C.`
			`Inserted line D.`
				`Line A.`
				`Line B.`
				`Line C.`
				`Inserted line D.`
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **8**

Correct

Mark 1.00 out of 1.00

Develop a Python program to copy the contents of one file to another file.

Description:

1. **Input:**
   - Source file and destination file names.
2. **Output:**
   - The content of the source file copied to the destination file.

For example:

Test	Input	Result

`with open('output1.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input1.txt`
	`output1.txt`
		`This is the source file.`
		`It contains multiple lines of text.`
		`Here is another line.`

Answer: (penalty regime: 0 %)

```
def copy_file():
    try:
        source_file = input().strip()
        dest_file = input().strip()
    except (EOFError, ValueError):
        return

    if not source_file or not dest_file:
        return

    with open(source_file, 'r', encoding='utf-8') as src:
        content = src.read()

    with open(dest_file, 'w', encoding='utf-8') as dst:
        dst.write(content)

if __name__ == "__main__":
    copy_file()
```

	Test	Input	Expected	Got	

✓	`with open('output1.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		`input1.txt`
		`output1.txt`
			`This is the source file.`
			`It contains multiple lines of text.`
			`Here is another line.`
				`This is the source file.`
				`It contains multiple lines of text.`
				`Here is another line.`
					✓

✓	`with open('output2.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		`input2.txt`
		`output2.txt`
			`Hello, world!`
			`Python programming is amazing.`
			`Let's copy this text to another file.`
				`Hello, world!`
				`Python programming is amazing.`
				`Let's copy this text to another file.`
					✓

✓	`with open('output3.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		`input3.txt`
		`output3.txt`
			`Single line.`	`Single line.`	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **9**

Correct

Mark 1.00 out of 1.00

Develop a Python program to read a text file and count the total number of words in the file.

Description:

1. **Input:**
   - A text file containing several lines of text.
   - File name you should get as input.
2. **Output:**
   - The total number of words in the file.

For example:

Input	Result
input2.txt	Total words: 14
input3.txt	Total words: 15

Answer: (penalty regime: 0 %)

```
def count_total_words():
    try:
        filename = input().strip()
    except (EOFError, ValueError):
        return

    if not filename:
        return

    total_words = 0

    with open(filename, 'r', encoding='utf-8') as f:
        for line in f:
            total_words += len(line.split())

    print(f"Total words: {total_words}")

if __name__ == "__main__":
    count_total_words()
```

	Input	Expected	Got	
✓	input1.txt	Total words: 6	Total words: 6	✓
✓	input2.txt	Total words: 14	Total words: 14	✓
✓	input3.txt	Total words: 15	Total words: 15	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **10**

Correct

Mark 1.00 out of 1.00

Create a Python program to delete a specific line from a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to delete.
2. **Output:**
   - The updated file with the specified line removed in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  2

  Updated line two.

Output:

Line one.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	2
		Line one.
		Line three.
		Line four.

Answer: (penalty regime: 0 %)

```
import sys

def delete_specific_line():
    try:
        filename = input().strip()
        line_num = int(input().strip())
    except (EOFError, ValueError):
        return

    if not filename:
        return

    with open(filename, 'r', encoding='utf-8') as f:
        lines = f.readlines()

    if 1 <= line_num <= len(lines):
        del lines[line_num - 1]

    with open('output.txt', 'w', encoding='utf-8') as f:
        for i, line in enumerate(lines):
            f.write(line.rstrip('\r\n') + ('\n' if i < len(lines) - 1 else ''))

if __name__ == "__main__":
    delete_specific_line()
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt
		2
			Line one.
			Line three.
			Line four.
				Line one.
				Line three.
				Line four.
					✓

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input2.txt
		3
			Line A.
			Line B.
				Line A.
				Line B.
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.