

Maximo EAM Administration & Configuration Blueprint

A System Administrator's Guide to Enterprise
Structure, Time Management, and Security
Gateways in IBM Maximo

Designed for System Administrators, IT Managers, and Enterprise Architects.



OIKN System
Architecture

Three Pillars of Maximo Administration



The Foundation

Establish the legal entities, financial boundaries, and data restriction parameters (Organizations, Sites, Sets)



The Clockwork


Define the operational cadence, financial reporting periods, and engineering shift coverage (Calendars, Shifts)



The Gatekeepers

Provision users and map granular privileges across applications, storerooms, and financial limits (Users, Security Groups)

Establishing the Enterprise Data Foundation



The OIKN Implementation Matrix

Entity	Purpose	OIKN Implementation Value
Organization	Legal entity and financial boundaries	COMP
Site	Location-based data access restriction	COMP1
Item Set	Master inventory definition	COMPISET
Company Set	Master vendor definition	COMPCSET

The Foundation Setup Workflow

Step 1: Define Sets

Create new rows for COMPANY type and ITEM type sets. Define default item status (Draft/Pending).

Step 2: Create Organization

Bind the Sets to the Org. Define core financial parameters: Base Currency, Default Item Status, Default Stock Category (STK), and Clearing Account.

Step 3: Map Addresses

Navigate to the Addresses tab. Input physical address, ZIP/Postal Code, and Tax Code information.

Step 4: Define Sites

Navigate to the Sites tab. Generate a new row binding the Site to the parent Organization and link specific Site Addresses.

Structuring the Operational Clock

Maximo utilizes distinct calendars to separate financial reporting frameworks from physical maintenance operations.



Financial Calendar (NP1FCAL)


Dedicated strictly to defining financial working days. This framework determines the exact date ranges for financial periods and reporting.



Engineering Calendar (NP1CAL)

Dedicated to defining physical working times, maintenance availability, and shift coverage for the engineering teams.


The 24-Hour Engineering Shift Architecture




Exceptions Call-out (Non-Working Time)

Administrators must manually overlay non-working time blocks (e.g., Lebaran) to define organizational holidays that override standard shift availability.

Calendar Configuration Logic



The Access Architecture



Anatomy of a Security Group

The Security Group acts as the master key, governing seven dimensions of the Maximo environment:



Configuring Granular Privileges

Application Privileges (The CRUD Matrix)

Work Orders	☒	☒	☒	☒	☒	☒	☒
Assets	☒	☒	☒	☒	☒	☒	☐
Inventory	☐	☒	☒	☒	☒	☒	☒
Purchasing	☒	☒	☒	☒	☒	☒	☒
Service Requests	☒	☐	☐	☐	☐	☐	☐

Permissions: ☒ Read ☒ Insert ☒ Save ☒ Delete ☒ All Above 

Administrators can Grant or Revoke access at the action level: Read, Insert, Save, Delete, or apply All Above.

Financial Limits & Tolerances

Security Groups enforce hard limits on financial transactions based on the user's role.

PR Limit (Purchase Requisitions)

\$10,000.00



PO Limit (Purchase Orders)

\$25,000.00



MR Limit (Material Requisitions)

\$5,000.00



Invoice Limit

\$50,000.00



Contract Limit

\$100,000.00




GL Component Authorization

Checkbox options to authorize changes to accounting components (Company Code, Cost Center, Type, Line of Business).

☒ Company Code ☒ Cost Center ☒ Type ☐ Line of Business

Provisioning the End User



The Administrator's Deployment Checklist

Phase 1: Structure	Phase 2: Time	Phase 3: Access
☐ Define Item and Company Sets (COMPISET, COMPCSET) ☐ Create Organization and set Base Currency (COMP) ☐ Map physical and tax addresses ☐ Define Sites for data restriction (COMP1)	☐ Create Financial Calendar (NP1FCAL) ☐ Create Engineering Calendar (NP1CAL) ☐ Define 24-hr Shift Patterns (SHIFT1, SHIFT2, SHIFT3) ☐ Apply known Non-Working Time exceptions	☐ Map Start Centers and Site access per Security Group ☐ Grant specific Application (Read/Save/Delete) privileges ☐ Set PR/PO/MR financial limits per group ☐ Provision Users and enforce first-login password expiry