

MAXIMO ENTERPRISE ASSET MANAGEMENT AT OTORITA IBU KOTA NEGARA (OIKN)

Training Material – Administration

PT. ANAGILE KHARISMA UTAMA
LINA BUILDING OFFICE NO 305 SETIABUDI
JAKARTA SELATAN 12930

Table of Contents

Table of Contents	1
1 Organizations, Sites, & Sets	2
1.1 Overview	2
1.2 Sets Application	2
1.3 Organizations Application	3
2 Calendars & Shifts	5
2.1 Overview	5
2.2 Calendar Application	5
3 Users & Security Groups	9
3.1 Overview	9
3.2 Security Groups Application	10
3.3 Users Application	15

1 Organizations, Sites, & Sets

1.1 Overview

Organizations and **Sites** are organizational structural level defined in EMS. Below are the functionality of each of them:

- **Organization's** main general purpose is to define legal entities within EMS. When there are more than 1 legal entity that will share 1 EMS environment, and each legal entity maintains their own Chart of Account, user should define each legal entities into separated **Organization**.
- **Site's** main general purpose is as data restriction handling. When user need to restrict data access of one location and the others within same **Organization**, user need to separate each locations into multiple **Site**.



Sets are collections of items and companies master data that an **Organization** have. By its definition, Sets are divided into two types:

- Item Set
- Company Set

This implementation manages only one **Organization** named *COMP*, and contains only one **Site** named *COMP1*. **Item Set** defined for *COMP* organization is *COMPISET*, while the **Company Set** is *COMPCSET*.




1.2 Sets Application

Below are step by step to create Sets in IBM Maximo:

Step	Action
Go to Sets application by click GoTo – Administration - Sets	
2a. Click New Row. 2b. Enter the name of Set. 2c. Enter the description of Set. 2d. Choose the Set type either "COMPANY" or "ITEM". 2e. Choose default item status. 2f. Click Save.	

1.3 Organizations Application

User define organization and site master data in **Organizations** application. Below are details about **Organizations** applications accessibility.

Step	Action
Go to Organizations application by click GoTo – Administration - Organizations	
Click New Organization .	
3. Input the organization details like organization name, organization description, base currency, set, default item status, default stock category, and clearing account.	
	

- 4a. Click **Addresses Tab** than click **New Row** to input the address of the organization.
4b. Input the address information.


The screenshot shows the 'Addresses' tab selected in the top navigation bar. Below the navigation bar, there is a search bar for 'Organization'. The main area displays a table with columns: Address Code, Address, City, and State/Province. A 'New Row' button is located at the bottom right, highlighted with a red box and labeled '4a'. On the left side, there is a 'Details' section for the selected address, which is highlighted with a red box and labeled '4b'. This section contains input fields for Address Code, Address, City, State/Province, ZIP/Postal Code, Country, and Tax Code 1.

- 5a. Click **Site Tab**, there are two object on the screen. **Site** and **Site addresses**

The screenshot shows the 'Sites' tab selected in the top navigation bar. Below the navigation bar, there is a search bar for 'Organization'. The main area displays a table with columns: Site, Description, Site Contact, Site Contact Group, and Active?. A 'New Row' button is located at the bottom right, highlighted with a red box and labeled '5b'. Below the main table, there is a section titled 'Addresses for Site:' which is highlighted with a red box and labeled '5b'. This section contains a table with columns: Address, Description, Bill To?, Default Bill To?, Bill to Contact, Ship To?, Default Ship To?, and Ship to Contact. A 'New Row' button is also located at the bottom right of this section, highlighted with a red box and labeled '5b'.

- 5b. Click **New Row** to add sites an New Row to addresses for Site
5c. Input the sites information and address site information.

The screenshot shows the 'Sites' tab selected in the top navigation bar. Below the navigation bar, there is a search bar for 'Organization'. The main area displays a table with columns: Site, Description, Site Contact, Site Contact Group, and Active?. A 'New Row' button is located at the bottom right, highlighted with a red box and labeled '5b'. Below the main table, there is a 'Details' section for the selected site, which is highlighted with a red box and labeled '5b'. This section contains input fields for Site, Site Contact, Site Contact Group, and Active?.



2 Calendars & Shifts

2.1 Overview

Calendars are shared entities that define the framework for working time, shifts, holiday, and so on, for an organizations. In a calendar, user can define the working days, all shifts available, working hours for each shift, non-working time, and etc.

This implementation manages 2 calendars, which are:


- *NP1FCAL* calendar, to define financial working days. This calendar is used to determine the financial period date range.
- *NP1CAL* calendar, to define the working times for Engineering.

Three work shifts is defined for *NP1CAL*, with detail is as follow:

- *SHIFT1*, 07:00 until 15:30, 7 days of work in a week.
- *SHIFT2*, 15:30 until 23:00, 7 days of work in a week.
- *SHIFT3*, 23:00 until 07:00, 7 days of work in a week.

2.2 Calendar Application

Calendars and shifts are defined in Calendars application. Below are details about **Calendars** applications accessibility.

Step	Action
Go to Calendars application by click GoTo – Administration – Calendars.	
2. Click New	

Calendar.

Query

Find Calendar

Select Action

Advanced Search

Save Query

Bookmarks

Calendars

Filter

0 - 0 of 0

Calendar	Description	Start Date	End Date	Organization
				=NPCT

To find records, use the filter fields and then press Enter.

For more search options, use the Advanced Search button.

To enter a new record, select the Insert icon in the toolbar.

Click Here

3a. Input the calendar name and description.

3b. Input the start date for this calendar.

3c. Input the end date for this calendar.

3d. Click **Save**.

Query

Find Calendar

Select Action

List View

Calendar

Work Periods

Calendar:

3a

Start Date:

3b

End Date:

3c

Organization:

NPCT

May

2016

Today is: Monday, May 9, 2016

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

3d

Click **Select Action - Define/Apply Shifts**.

Select Action

Define/Apply Shifts

Define/Apply Non-Working Time

Duplicate Calendar

Delete Calendar

Add to Bookmarks

Run Reports

Cognos Reporting

5a. Click **New Row**.

- 5b. Input shift information like shift Name, Description, Start day, and Day in Pattern (better to use 7)
5c. Click **Define Pattern**.

Define/Apply Shifts

Shifts [Filter](#) >    2 - 4 of 5  

☐ Shift	Description	Start Day	Days in Pattern
☐ SHIFT2	Shift 2	SUNDAY 	7 
☐ SHIFT3	Shift 3	SUNDAY 	7 
☐			0 

* Shift:

Description:

* Start Day:

* Days in Pattern:

Organization:

NPCT >>

5b

5c

5a

Define Pattern Apply Shift(s) New Row

Shift Pattern for [Filter](#) >    0 - 0 of 0  

Sequence of Pattern Day	Start Time	End Time	Work Hours
There are no rows to display.			

- 5d. Input the **Start Time** and **End Time** for each day and then click **Ok**. Sequence 001 means Sunday, because you define Sunday as a start day above.

Define Pattern

Shift Pattern [Filter](#) >    1 - 7 of 7  

Sequence of Pattern Day	Start Time	End Time	Work Hours
001	7:00 AM 	3:30 PM 	8:30 
002	7:00 AM 	3:30 PM 	8:30 
003	7:00 AM 	3:30 PM 	8:30 
004	7:00 AM 	3:30 PM 	8:30 
005	7:00 AM 	3:30 PM 	8:30 
006	7:00 AM 	3:30 PM 	8:30 
007	7:00 AM 	3:30 PM 	8:30 

OK Cancel

- 5e. Check the shift that you want to apply to Calendar.

Define/Apply Shifts

Shifts Filter 1 - 3 of 4

Shift	Description	Start Day	Days in Pattern
☒ SHIFT1	Shift 1	SUNDAY	7
☒ SHIFT2	Shift 2	SUNDAY	7
☒ SHIFT3	Shift 3	SUNDAY	7

Define Pattern Apply Shift(s) New Row

5. Click **Apply shisf(s)**, Message box will appear like below. Select the option which one that you want apply to. Then click OK if done

Apply Shifts with Range

Apply Shift To:

☒ Entire Calendar

☐ Selected Dates

StartDate: 1/1/16 End Date: 12/31/16

OK Cancel


Click **Select Action – Define/Apply Non-Working Time**

Select Action

- Define/Apply Shifts
- Define/Apply Non-Working Time**
- Duplicate Calendar
- Delete Calendar
- Add to Bookmarks
- Run Reports
- Cognos Reporting

7a. Click **New Row**.

- 7b. Input the Non-Working Time information, like Description, Start Date, End Date, and Type.
7c. Click **Apply**.



The screenshot shows the 'Define/Apply Non-Working Time' window. At the top, there's a title bar and a toolbar with icons for filter, search, edit, and navigation. Below the toolbar is a table with columns: Description, Start Date, End Date, and Type. The table contains one row with the value 'Lebaran' in the Description column, '8/3/16' in the Start Date column, '8/4/16' in the End Date column, and 'HOLIDAY' in the Type column. Below the table is a 'Details' section. The 'Details' section has fields for Description, Start Date, End Date, and Type, each with a corresponding icon. The 'Details' section is highlighted with a red box. Callout 7b points to the 'End Date' field in the 'Details' section. Callout 7c points to the 'Apply' button. Callout 7a points to the 'New Row' button. At the bottom of the dialog are 'OK' and 'Cancel' buttons.

3 Users & Security Groups

3.1 Overview

Security Groups is used to set up and manage security privilege. What can be managed in a security group are follow:




- Start Center,
- Site access,
- Application access,
- Storeroom access,
- GL Components access,
- Limit and tolerance, and
- Data restrictions.

Security Groups can be assigned to user, so the users can have privilege based on defined Security Group. A user can have multiple security groups, and the privilege will be combined among the Security Group that the user have.

User data is created based on person data in **People** application. So, when a user needs to be created, the person data should be created first. In EMS, a feature is added to automatically create person data, when a user data is going to be created, but don't have person data related to it yet.

3.2 Security Groups Application

Security Groups is created and managed in **Security Groups** application. Below are details about **Security Groups** applications accessibility.

Step	Action
1. Go to Security Groups application by click GoTo – Security – Security Groups .	
The security group interface will appear. 1a. Create New Group 1b. save your Change 1c. Clear your Change 1d. Find other group	
Klik New Group 3a. Input the Security Group name. 3b. Input the description of this security group. 3c. Input the start center template for this security group. 3d. If needed, input the default application for this security group. 3e. Click Sites tab to manage the privilege for Sites in this security group.	

4a. Check **Authorize Group for All Sites** checkbox if this security group has access for all sites.

4b. If this security group only has access for specified sites, click **New Row**.

4c. Input the site that can be accessed by this security group.

4d. Click **Applications** tab to manage the privilege for Applications in this security group.

Query Find Group Select Action

List View Group Sites Applications Storerooms Labor GL Components Limits and Tolerances Data Restrictions Users

Group: Authorize Group for All Sites? ☒ 4a

Sites Filter 1 - 1 of 1

Site	Description	Organization	Active?	Authorized?
			☐	☒

New Row 4b

5a. The **Applications** tab consist of 2 table : table **Applications** and table **Options**.

In the picture below is table **Applications** that list all applications in IBM Maximo.

5b. You can filter the application by input the filter here.

5c. To grant all the listed application, click **Grant Listed Applications**.

5d. You can choose **Read**, **Insert**, **Save**, **Delete**, or **All Above** (to give all Read, Insert, Save, Delete into listed applications).

5e. **Revoke Listed Applications** is used to cancel the privileges for listed applications.

Query Find Group Select Action

List View Group Sites Applications Storerooms Labor GL Components Limits and Tolerances Data Restrictions Users

Group: 5a

Applications Filter 1 - 10 of 152

Description	Main Object	Original Application (if copied)
Actions	Table to	
Activities and Tasks	The WO	
Application Designer	The MAX	
Asset Templates	Asset Template Table	
Asset/Location Graphical Scheduling	Project	
Assets	The ASSET Table	
Assignment Manager	The ASSIGNMENT Table	
Automation Scripts	Automation Scripts	
Bulletin Board	Table to store and maintain bulletin messages	
CI Types	Table for viewing and management of CI type data	

Grant Listed Applications 5c

Revoke Listed Applications 5e

Read
Insert
Save
Delete
All Above 5d

6a. In the picture below is table **Options** for each application.

6b. Check the checkbox to grant access for **Read, Insert, Save, or Delete** for this application.

6c. Check the checkbox to grant access for Action for this application.

Options for Actions

Filter > 1 - 4 of 4

Grant Listed Options for This Application

Description	Grant Access?	Condition
Delete Action	☒	
New Action	☒	
Read Access to Actions	☒	
Save Action	☒	

Filter > 1 - 10 of 10

Description	Grant Access?	Condition
Bookmarks	☐	
Create KPI	☐	
Duplicate Action	☐	
More Search Fields	☐	
Save Current Query	☐	
Signoption to control the editability of the Clause field in View/Manage Queries dialog	☐	
Signoption to control the visibility of the Detail section in View/Manage Queries dialog	☐	
View Search Tips	☐	
View/Manage Queries	☐	

7a. ikc tab Storeroom, Check **Authorize Group for All Storerooms** checkbox if this security group has access for all Storeroom.

7b. Click **Labor** tab.

List View Group Sites Applications Storerooms Labor GL Components Limits and Tolerances

Group: Authorize Group for All Storerooms? ☐


Storeroom Authorization Filter > 0 - 0 of 0

Site	Storeroom	Description
There are no rows to display.		

New Row

8a. Check **Authorize Group for All Labor** checkbox if this security group has access for all Labor.

8b. Click **GL Components** tab.



List View Group Sites Applications Storerooms Labor **GL Components** Limits and Tolerances Data Restrictions Users

* Group:

Labor Authorization

☐ **Authorize Group for All Labor?** 8a ☐ Authorize Group for Labor They Supervise?

☐ Authorize Group for Labor in Their Same Crew? ☐ Authorize Group for Their Own Labor?

☐ Authorize Group for Labor in Their Same Person Group?


Individual Labor Authorization Filter > 0 - 0 of 0

Organization	Labor	Name
There are no rows to display.		

New Row

8a. Check **Authorize Group to Change All GL Component Types** checkbox if this security group has access for all Labor.

8b. Click **GL Components** tab.



List View Group Sites Applications Storerooms Labor GL Components **Limits and Tolerances** Data Restrictions Users

* Group:

☐ **Authorize Group to Change All GL Component Types?** 9a 9b

GL Components Filter > 1 - 8 of 8

Component	Organization	Authorized?
COMPANY CODE	NPCT	☐
PSA MAIN ACCOUNT	NPCT	☐
TYPE	NPCT	☐
LINE OF BUSINES	NPCT	☐
INTERCO	NPCT	☐
COST CENTER	NPCT	☐
SUB	NPCT	☐
LOCAL	NPCT	☐


(This step only be done if there is requirement for amount limit)

9a. Click **New Row**.

9b. Input the Organization.

9c. Input the Limit for PR, PO, MR, Invoice, Contract.

9d. Click **User** tab.



Navigation Bar: List View | Group | Sites | Applications | Storerooms | Labor | GL Components | Limits and Tolerances | Data Restrictions | Users (9d)

Group: [Input Field]

Organizations Table:

Organization	Description	Base Currency 1
[Input Field]	[Input Field]	[Input Field]

New Row (9a)

Details Section:

Organization: [Input Field] (9b)

Description: [Input Field]

Base Currency 1: [Input Field]

Limits Section:

PR Limit: [Input Field: 0] (9c)

PO Limit: [Input Field: 0] (9c)

MR Limit: [Input Field: 0] (9c)

Invoice Limit: [Input Field: 0] (9c)

Contract Limit: [Input Field: 0] (9c)

Tolerance Section:

Invoice Tolerance	Tax Tolerance	Service Tolerance
Upper Invoice Amount: [Input Field: 0.00]	Upper Tax Amount: [Input Field: 0.00]	Upper Service Amount: [Input Field: 0.00]
Lower Invoice Amount: [Input Field: 0.00]	Lower Tax Amount: [Input Field: 0.00]	Lower Service Amount: [Input Field: 0.00]
Upper Invoice Percent: [Input Field: 0.0000]	Upper Tax Percent: [Input Field: 0.0000]	Upper Service Percent: [Input Field: 0.0000]
Lower Invoice Percent: [Input Field: 0.0000]	Lower Tax Percent: [Input Field: 0.0000]	Lower Service Percent: [Input Field: 0.0000]

10a. Click **New Row**.

10b. Input the user who member of this security group.

10c. Click **Save**.

The screenshot shows the 'Users' application interface. At the top, there is a toolbar with various icons. Below the toolbar, there are tabs for 'List View', 'Group', 'Sites', 'Applications', 'Storerooms', 'Labor', 'GL Components', 'Limits and', 'Users', 'Data Restrictions', and 'Users'. The 'Users' tab is selected. Below the tabs, there is a 'Group' dropdown menu. Below the 'Group' dropdown, there is a 'Users' section with a 'Filter' button and a table with columns 'User', 'Person', 'Name', 'Status', and 'Type'. The table is empty, and there is a 'New Row' button at the bottom right. A red box labeled '10a' points to the 'New Row' button. A red box labeled '10b' points to the 'User' input field. A red box labeled '10c' points to the 'Save' icon in the toolbar.


3.3 Users Application

User data is created and managed in **Users** application. Below are details about **Users** applications accessibility.

Step	Action
1. Go to Users application by click GoTo – Security – Users .	The screenshot shows the application menu. The 'Security' option is highlighted, and the 'Users' option is selected. A red box labeled 'Click Here' points to the 'Users' option.
2. Click New User .	The screenshot shows the 'Users' application interface. At the top, there is a toolbar with various icons. Below the toolbar, there are tabs for 'List View', 'Group', 'Sites', 'Applications', 'Storerooms', 'Labor', 'GL Components', 'Limits and', 'Users', 'Data Restrictions', and 'Users'. The 'Users' tab is selected. Below the tabs, there is a 'Group' dropdown menu. Below the 'Group' dropdown, there is a 'Users' section with a 'Filter' button and a table with columns 'User', 'Person', 'First Name', 'Last Name', and 'Display Name'. The table is empty, and there is a 'New User' button at the bottom right. A red box labeled 'Click Here' points to the 'New User' button.


- 3a. Input the User ID for this user.
- 3b. Input the person ID for this user.
- 3c. Input Default Insert Site for this user.
- 3d. Input the login ID for this user.
- 3e. Click **Set Password** to set the password for this user.

In the picture below, the screen shows GL Component Value that exist on component **COMPANY**. In this case the GL Component Value is only **MM_**



The screenshot shows the 'User' management interface. Callout 3a points to the 'User' field in the 'Login Information' section. Callout 3b points to the 'Person' field in the 'Personal' section. Callout 3c points to the 'Default Insert Site' field in the 'User Settings' section. Callout 3d points to the 'Set Password' button. The 'Status' is 'ACTIVE' and 'Type' is 'TYPE 1'.

- 4a. Input the password.
- 4b. Check the **Password Should Expire After First Login** checkbox.
- 4c. Click **OK**.



The screenshot shows the 'Set Password' dialog box. Callout 4a points to the 'Password' field. Callout 4b points to the 'Password Should Expire After First Login?' checkbox, which is checked. Callout 4c points to the 'OK' button. The 'User' field is empty, and the 'New Password' section includes fields for 'Password', 'Confirm Password', and 'View Password'. There is a 'Generate Password' button and an 'E-mail Password to User?' checkbox which is also checked.

