PROBLEMS   OUTPUT   **TERMINAL**   PORTS

DEBUG CONSOLE   TERMINAL   bash

Filter (e.g. text, !exclude)

```
        --sparse              initialize sparse-checkout file to include only files at root

(base) ~> git clone https://github.com/hartejsin/CSE110-L1.git
Cloning into 'CSE110-L1'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
(base) ~> ls
Applications/                              anaconda3/
CSE110-L1/                                 check.py
CountWords/                                cs30fa22os@ieng6.ucsd.edu
Creative Cloud Files/                      dojo-blog/
Desktop/                                   drawode.m
Documents/                                 drawphase.m
Downloads/                                 eclipse-workspace/
Euler.m                                    files/
Flyez-GPT/                                 gcd.jav
GPT3-chatbot/                              gcd.java
GeneralizedHarmonic.class                  geomSeq.m
Knights/                                   hello.py
Library/                                   ieng6
Movies/                                    m-files/
Music/                                     mtfb07fbff4/
MyChatBot/                                 mysum.m
Pictures/                                  openai-quickstart-node/
Postman/                                   openai-quickstart-python/
Public/                                    phaseplane.m
SurfboardClassification.ipynb              python-chatgpt1/
WhereAmI.class                             skrrt@gmail.com Creative Cloud Files/
WhereAmI.java                              slopefield.m
adrianeban@gmail.com Creative Cloud Files/ stackapi/
(base) ~> cd CSE110-L1
(base) ~/CSE110-L1> git checkout -b add-read-me
Switched to a new branch 'add-read-me'
```

⊗ 0 ⚠ 0   🔲 0   CodeStream   Live Share   Go Live

🍎 Code File Edit Selection View Go Run Terminal Window Help   zoom ⏺ ✳ 🔋 📶 🔍 🔅 🌓 Wed Apr 3 7:06 PM

Search

PROBLEMS   OUTPUT   **TERMINAL**   PORTS

DEBUG CONSOLE   TERMINAL   bash

Filter (e.g. text, !exclude)

```
(base) ~/CSE110-L1> git checkout -b add-read-me
Switched to a new branch 'add-read-me'
(base) ~/CSE110-L1> ls
README.md
(base) ~/CSE110-L1> vim README.md
(base) ~/CSE110-L1> vim README.md
(base) ~/CSE110-L1> git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Turn this message off by running
hint: "git config advice.addEmptyPathspec false"
(base) ~/CSE110-L1> git add .
(base) ~/CSE110-L1> git commit -m "Updated readme file"
[add-read-me 40dcc2f] Updated readme file
 1 file changed, 1 insertion(+), 1 deletion(-)
(base) ~/CSE110-L1> vim README.md
(base) ~/CSE110-L1> git push
fatal: The current branch add-read-me has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin add-read-me

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

(base) ~/CSE110-L1> git push --set-upstream origin add-read-me
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 283 bytes | 283.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'add-read-me' on GitHub by visiting:
```

⊗ 0 ⚠ 0   🔲 0   CodeStream   Live Share   Go Live

Part 2:Adding and Committing in VSCode