

Gender: Female | Birth year: 1975 | WHO: 1

Tumor: Lung - Adenocarcinoma | Lesions: Liver, Lung | Stage: IV

Summary

Clinical summary

Gender	Female	Birth year	1975
WHO	1	Tumor	Lung - Adenocarcinoma
Lesions	Liver, Lung	Stage	IV
Measurable disease (RECIST)	Yes	DPYD	*1_HOM (Normal function)
UGT1A1	*1_HOM (Normal function)		
Relevant systemic treatment history	6/2023-1/2025	Osimertinib	
Relevant other oncological history	None		
Previous primary tumor	None		
Relevant non-oncological history	2023	Rheumatoid arthritis	
Recent molecular results	KRAS G12C (0.3/2 copies)*, KRAS G12D (0.3/2 copies)*, NRAS: No reportable events, BRAF: No reportable events, HER2: No reportable events, MSS		

Recent molecular results

Hartwig WGS (22-Feb-2025)

Biopsy location	Lung (purity 50%)
Molecular tissue of origin prediction	Lung: Non-small cell: LUAD (98%)
Tumor mutational load / burden	TML High (160) / TMB High (14)
Microsatellite (in)stability	Stable
HR status	Proficient (0)
High driver mutations	EGFR L858R, EGFR C797S, KRAS G12D, KRAS G12C
Amplified genes	None
Deleted genes	TP53
Homozygously disrupted genes	None
Gene fusions	MET::MET
Virus detection	None
Trial-relevant events, considered medium/low driver:	None

IHC results

PD-L1: Score > 50%

Standard of care options considered potentially eligible

There are no standard of care treatment options for this patient

Approved treatments considered eligible

Treatment

Not yet determined

Trials in NL that are open and potentially eligible (3 cohorts from 3 trials)

Trial	Cohort	Molecular	Sites	Warnings
<a href="#">METC_04</a> <a href="#">TEDR1</a>	Lung cancer C797S cohort	EGFR C797S	NKI-AvL	None
<a href="#">METC_02</a> <a href="#">KAYRAS</a>	Dose expansion - monotherapy - NSCLC	KRAS G12D	Erasmus MC	Variant(s) G12D in KRAS but subclonal likelihood of > 50%
<a href="#">EGFR-L858R-TRIAL</a>	<i>EGFR L858R</i>	<i>EGFR L858R</i>	<i>Elisabeth-TweeSteden Ziekenhuis</i>	
Trials matched solely on molecular event and tumor type (no clinical data used) are shown in italicized, smaller font. 1 trial filtered due to eligible local trials for the same molecular target or because the trial is for young adult patients only. See Trial Matching Overview for filtered matches.				

International trials that are open and potentially eligible (1 cohort from 1 trial)

Trial	Cohort	Molecular	Sites
<a href="#">KRAS-G12C-TRIAL-DE</a>	KRAS G12C	KRAS G12C	Germany (Stuttgart)
International trials are matched solely on molecular event and tumor type (clinical data excluded). 1 trial filtered due to trials recruiting nationally for the same molecular target. See Trial Matching Overview for filtered matches.			

Trials and cohorts that are considered ineligible (2)

Trial	Cohort	Molecular	Sites	Ineligibility reasons
<b>METC_03</b> NO-SEE797ES	Dose escalation - monotherapy	EGFR C797S		C797S in EGFR in canonical transcript
<a href="#">METC_02</a> <a href="#">KAYRAS</a>	Dose expansion - monotherapy - Colorectum	KRAS G12D	Erasmus MC	No colorectal cancer

Resistance evidence

Resistance evidence
There are no standard of care treatment options for this patient

ACTIN Report (research use only)

PATIENT  
EXAMPLE-LUNG-01  
  
REPORT DATE  
07-Nov-2024

Molecular Details

IHC resultsPD-L1: Score > 50%

Hartwig WGS (EXAMPLE-LUNG-01-T, 22-Feb-2025)

General

Purity	Ploidy	TML Status	TMB Status	MS Stability	HR Status	DPYD	UGT1A1
50%	2.3	High (160)	High (14)	Stable	Proficient (0)	*1_HOM (Normal function)	*1_HOM (Normal function)

Predicted tumor origin

1. Lung: Non-small cell: LUAD	
Combined prediction score	98%
This score is calculated by combining information on:	
(1) SNV types	60%
(2) SNV genomic localisation distribution	70%
(3) Driver genes and passenger characteristics	80%
Other cohorts have a combined prediction of 2% or lower	

Drivers

Type	Driver	Driver likelihood	Trials (Locations)	Trials in Hartwig	Best evidence in External	Resistance in External
Mutation (Hotspot)	EGFR C797S (1/4 copies)	High	TEDR1 (NKI-AvL)		Pre-clinical	
Mutation (Hotspot)	EGFR L858R (2/4 copies)	High		NCT00000006	Approved	
Mutation (Hotspot)	KRAS G12C (0.3/2 copies)*	High		NCT00000009		
Mutation (Hotspot)	KRAS G12D (0.3/2 copies)*	High	KAYRAS (Erasmus MC)			
Loss	TP53 del, 0 copies	High				
Known fusion	MET::MET, exon 13 - exon 15	High				
* Variant has > 50% likelihood of being sub-clonal						

All results and data described in this report are for Research Use Only and have NOT been generated using a clinically validated and controlled procedure nor is it a validated medical device. The results should NOT be used for diagnostic or treatment purposes. No rights can be derived from the content of this report. Gene and variant annotations and related content are powered by Genomenon Cancer Knowledgebase (CKB).

Molecular History

Molecular history			
Event	Description	Driver likelihood	2025-02-22 Hartwig WGS
EGFR L858R (Tier I)	Mutation (Hotspot) Gain of function	High	VOF 0.5%
EGFR C797S (Tier II)	Mutation (Hotspot) Gain of function	High	VOF 0.25%
KRAS G12C (Tier III)	Mutation (Hotspot) Gain of function	High	VOF 0.15%
KRAS G12D (Tier III)	Mutation (Hotspot) Gain of function	High	VOF 0.15%
MET::MET (Tier III)	Known fusion Gain of function	High	Detected
TP53 del (Tier III)	Loss Unknown protein effect	High	Detected
TMB			14.0
MSI			Stable

## SOC literature efficacy evidence

### Standard of care options considered potentially eligible

The following standard of care treatment(s) could be an option for this patient. For further details per study see 'SOC literature details' section in extended report.

There are no standard of care treatment options for this patient

Clinical Details

Clinical summary					
Relevant systemic treatment history	6/2023-1/2025	Osimertinib			
Relevant other oncological history	None				
Previous primary tumor	None				
Relevant non-oncological history	2023	Rheumatoid arthritis			
Patient current details (20-Feb-2025)					
Unresolved toxicities grade => 2	None				
LVEF	50%				
Cancer-related complications	None				
Known allergies	None				
Recent surgeries	01-Aug-2024 Cholecystectomy				
Tumor details (20-Feb-2025)					
Measurable disease	Yes				
CNS lesion status	No known CNS lesions				
Brain lesion status	No known brain lesions				
Active medication details					
Medication	Administration route	Start date	Stop date	Dosage	Frequency
St. John's Wort	Oral	01-Feb-2023		300 MILLIGRAMS	1 / 2 DAYS
Blood transfusions					
Product				Date	
ERTHROCYTES_FILTERED				20-Sep-2024	

Molecular Evidence

On label clinical evidence					
Event	CKB Event	Level A	Level B	Level C	Level D
EGFR C797S	EGFR C797S				AFATINIB <i>Lung non-small cell carcinoma (2015)</i>
EGFR L858R	EGFR L858R	OSIMERTINIB <i>Lung non-small cell carcinoma (2016)</i>  AFATINIB <i>Lung non-small cell carcinoma (2013)</i>			

Off label clinical evidence					
Event	CKB Event	Level A	Level B	Level C	Level D
None					

Efficacy evidence description					
EGFR L858R					
OSIMERTINIB:		Level A (2016)	Lung non-small cell carcinoma	Osimertinib is effective in patients with EGFR L858R mutations	
AFATINIB:		Level A (2013)	Lung non-small cell carcinoma	Afatinib is effective in patients with EGFR L858R mutations	
EGFR C797S					
AFATINIB:		Level D (2015)	Lung non-small cell carcinoma	In a case-report, afatinib was effective against EGFR L858R/C797S positive lung cancer.	



Trial Matching Overview

Trials in NL that are open and potentially eligible (1 cohort from 1 trial)				
Trial	Cohort	Molecular	Sites	Warnings
<a href="#">EGFR-L858R-TRIAL</a>	EGFR L858R	EGFR L858R	Elisabeth-TweeSteden Ziekenhuis	
Trials matched solely on molecular event and tumor type (no clinical data used) are shown in italicized, smaller font. 1 trial filtered due to eligible local trials for the same molecular target or because the trial is for young adult patients only. See Trial Matching Overview for filtered matches.				
International trials that are open and potentially eligible (1 cohort from 1 trial)				
Trial	Cohort	Molecular	Sites	
<a href="#">KRAS-G12C-TRIAL-DE</a>	KRAS G12C	KRAS G12C	Germany (Stuttgart)	
International trials are matched solely on molecular event and tumor type (clinical data excluded). 1 trial filtered due to trials recruiting nationally for the same molecular target. See Trial Matching Overview for filtered matches.				
Filtered trials potentially eligible based on molecular results which are potentially recruiting (2)				
Trial	Cohort	Molecular	Sites	
<a href="#">EGFR-C797S-TRIAL</a>	EGFR C797S	EGFR C797S	Elisabeth-TweeSteden Ziekenhuis	
<a href="#">EGFR-BE</a>	EGFR L858R	EGFR L858R	Belgium (Brussels)	