

Gender: Female | Birth year: 1975 | WHO: 1

Tumor: Lung adenocarcinoma | Lesions: Liver, Lung | Stage: IV

Clinical summary

Relevant systemic treatment history 6/2023-1/2025 Osimertinib

Recent molecular results

Hartwig WGS (22-Feb-2025)

| | |
|---------------------------------------|--|
| Biopsy location | Lung (purity 50%) |
| Molecular tissue of origin prediction | Lung: Non-small cell: LUAD (98%) |
| Tumor mutational load / burden | TML 160 / TMB 14 mut/Mb |
| Microsatellite (in)stability | Stable |
| HR status | Proficient (0) |
| Driver mutations | EGFR C797S, EGFR L858R, KRAS G12C, KRAS G12D |
| Amplified genes | None |
| Deleted genes | TP53 |
| Homozygously disrupted genes | None |
| Gene fusions | MET(exon13)::MET(exon15) fusion |
| Virus | None |

Trial-relevant IHC results

PD-L1 Score > 50%

Trials in NL that are open and potentially eligible (5 cohorts from 5 trials)

| Trial | Cohort | Molecular | Sites | Warnings |
|----------------------------------|--|--------------------------|---------------------------------|---|
| METC 04 TEDR1 | Lung cancer C797S cohort | EGFR C797S | NKI-AvL | None |
| METC 02 KAYRAS | Dose expansion - monotherapy - NSCLC | KRAS G12D, PD-L1 >= 50.0 | Erasmus MC | Variant(s) G12D in KRAS but subclonal likelihood of > 50% |
| METC 01 IEMOEN | Dose escalation - monotherapy (no slots) | None | | Has not exhausted SOC (at least platinum doublet remaining) |
| EGFR-C797S-TRIAL | EGFR C797S | EGFR C797S | Elisabeth-TweeSteden Ziekenhuis | |
| EGFR-L858R-TRIAL | EGFR L858R | EGFR L858R | Elisabeth-TweeSteden Ziekenhuis | |

Trials matched solely on molecular event and tumor type (no clinical data used) are shown in italicized, smaller font.

International trials that are open and potentially eligible (2 cohorts from 2 trials)

| Trial | Cohort | Molecular | Sites |
|------------------------------------|------------|------------|--------------------|
| EGFR-BE | EGFR L858R | EGFR L858R | Belgium: Brussels |
| KRAS-G12C-TRIAL-DE | KRAS G12C | KRAS G12C | Germany: Stuttgart |

International trials are matched solely on molecular event and tumor type (clinical data excluded).

Molecular Details

Hartwig WGS (EXAMPLE-LUNG-01-T, 22-Feb-2025)

General

| Purity | Ploidy | TML Status | TMB Status | MS Stability | HR Status | DPYD | UGT1A1 |
|--------|--------|------------|------------|--------------|----------------|--------------------------|--------------------------|
| 50% | 2.3 | High (160) | High (14) | Stable | Proficient (0) | *1_HOM (Normal function) | *1_HOM (Normal function) |

Predicted tumor origin

| 1. Lung: Non-small cell: LUAD | |
|---|-----|
| Combined prediction score | 98% |
| This score is calculated by combining information on: | |
| (1) SNV types | 60% |
| (2) SNV genomic localisation distribution | 70% |
| (3) Driver genes and passenger characteristics | 80% |
| Other cohorts have a combined prediction of 2% or lower | |

Key drivers

| Type | Driver | Trials (Locations) | Trials in Hartwig | Best evidence in External | Resistance in External |
|-----------------------------|---------------------------|---------------------|--------------------------|---------------------------|------------------------|
| Mutation (gain of function) | EGFR L858R (2/4 copies) | | NCT00000006, NCT00000007 | Approved | |
| Mutation (gain of function) | EGFR C797S (1/4 copies) | TEDR1 (NKI-AvL) | NCT00000008 | Pre-clinical | |
| Mutation (gain of function) | KRAS G12D (0.3/2 copies)* | KAYRAS (Erasmus MC) | | | |
| Mutation (gain of function) | KRAS G12C (0.3/2 copies)* | | NCT00000009 | | |
| Deletion | TP53 del, 0 copies | | | | |

The table continues on the next page

All results and data described in this report are for Research Use Only and have NOT been generated using a clinically validated and controlled procedure nor is it a validated medical device. The results should NOT be used for diagnostic or treatment purposes. No rights can be derived from the content of this report. Gene and variant annotations and related content are powered by Genomenon Cancer Knowledgebase (CKB).

ACTIN Report (research use only)

PATIENT
EXAMPLE-LUNG-01

REPORT DATE
17-Sep-2025

Continued from the previous page

| Type | Driver | Trials (Locations) | Trials in Hartwig | Best evidence in External | Resistance in External |
|------|--------|--------------------|-------------------|---------------------------|------------------------|
|------|--------|--------------------|-------------------|---------------------------|------------------------|

| | | | | | |
|--------------|---------------------------------|--|--|--|--|
| Known fusion | MET(exon13)::MET(exon15) fusion | | | | |
|--------------|---------------------------------|--|--|--|--|

* Variant has > 50% likelihood of being sub-clonal

Other drivers or relevant events

| Type | Driver | Trials (Locations) | Trials in Hartwig | Best evidence in External | Resistance in External |
|------|--------|--------------------|-------------------|---------------------------|------------------------|
|------|--------|--------------------|-------------------|---------------------------|------------------------|

None

IHC results

| | |
|-------|-------------|
| PD-L1 | Score > 50% |
|-------|-------------|

Clinical Details

Clinical summary

| | | |
|-------------------------------------|---------------|----------------------|
| Relevant systemic treatment history | 6/2023-1/2025 | Osimertinib |
| Relevant other oncological history | None | |
| Previous primary tumor | None | |
| Relevant non-oncological history | 2023 | Rheumatoid arthritis |

Patient current details (20-Feb-2025)

| | |
|----------------------------------|-----------------------------|
| Unresolved toxicities grade => 2 | None |
| LVEF | 50% |
| Cancer-related complications | None |
| Known allergies | None |
| Recent surgeries | 01-Aug-2024 Cholecystectomy |

Tumor details (20-Feb-2025)

| | |
|--------------------|------------------------------|
| Measurable disease | Yes |
| Known lesions | Liver, Lung |
| Unknown lesions | None |
| No lesions present | CNS, Brain, Bone, Lymph node |

Active medication details

| Medication | Administration route | Start date | Stop date | Dosage | Frequency |
|-----------------|----------------------|-------------|-----------|----------------|------------|
| St. John's Wort | Oral | 01-Feb-2023 | | 300 MILLIGRAMS | 1 / 2 DAYS |

Blood transfusions

| Product | Date |
|----------------------|-------------|
| ERTHROCYTES_FILTERED | 20-Sep-2024 |

Other Trial Matching Results

Trials and cohorts that are potentially eligible, but are closed (1)

| Trial | Cohort | Molecular | Sites | Warnings |
|--------------------------|------------------------------|-----------|-------|---|
| METC 01 IEMOEN | Dose expansion - monotherapy | None | | Has not exhausted SOC (at least platinum doublet remaining) |

Trials and cohorts that are considered ineligible (4)

| Trial | Cohort | Molecular | Ineligibility reasons |
|---|---|-----------------------------|---|
| METC 03 NO-SEE797ES | Dose escalation - monotherapy | EGFR C797S | C797S in EGFR in canonical transcript |
| METC 02 KAYBAS | Dose expansion - monotherapy - Colorectum | KRAS G12D, PD-L1 >= 50.0 | No colorectal cancer |
| METC 05 PICKME3CA | <i>Applies to all cohorts below</i> | None | No PIK3CA activating mutation(s) |
| | Dose expansion - monotherapy - NSCLC <i>(closed)</i> | | |
| | Dose expansion - monotherapy - Other cancer types <i>(closed)</i> | | Tumor belongs to DOID term(s) lung non-small cell carcinoma |

Trials and cohorts that are not evaluable or ignored (0)

| Trial | Cohort | Molecular | Sites | Configuration |
|-------|--------|-----------|-------|---------------|
| None | | | | |

Trial Matching Details

Potentially eligible open trials & cohorts

METC 01

| | |
|----------------------|---|
| Potentially eligible | Yes |
| Acronym | IEMOEN |
| Title | Phase I first-in-human study to evaluate safety of IEMOEN, a new PD-L1 inhibitor in advanced solid tumors |
| Reference | Evaluation |
| I-03 | <div>WARN</div> <div>Has not exhausted SOC (at least platinum doublet remaining)</div> |
| E-02 | <div>UNDETERMINED</div> <div>No measurement found for hemoglobin</div> |
| E-03 | <div>UNDETERMINED</div> <div>No measurement found for absolute neutrophil count</div> |
| E-01 | <div>PASS</div> <div>Has no other condition belonging to category autoimmune disease</div> |
| I-01 | <div>PASS</div> <div>Patient is at least 18 years old</div> |
| I-02 | <div>PASS</div> <div>Has solid primary tumor</div> <div>Stage IV is considered metastatic</div> |

METC 01 - Dose escalation - monotherapy

| | |
|-----------------------|-----|
| Cohort ID | A |
| Potentially eligible? | Yes |
| Open for inclusion? | Yes |
| Has slots available? | No |

METC 01 - Dose expansion - monotherapy

| | |
|-----------------------|-----|
| Cohort ID | B |
| Potentially eligible? | Yes |
| Open for inclusion? | No |
| Has slots available? | No |

ACTIN Report (research use only)

PATIENT
EXAMPLE-LUNG-01

REPORT DATE
17-Sep-2025

METC 02

Potentially eligible **Yes**
Acronym **KAYRAS**
Title **A phase 1/2 trial for first in-human usage of KAYRAS, a new specific KRAS G12D inhibitor in NSCLC and colorectal cancer**

| Reference | Evaluation |
|-----------|---|
| I-04 | WARN Variant(s) G12D in KRAS but subclonal likelihood of > 50% |
| I-03 | UNDETERMINED ASAT and ALAT are not present or cannot be evaluated |
| I-01 | PASS Patient is at least 18 years old |
| I-02 | PASS Stage IV is considered metastatic |
| I-05 | PASS PD-L1 expression above minimum of 50.0 |

METC 02 - Dose expansion - monotherapy - NSCLC

Cohort ID **A**
Potentially eligible? **Yes**
Open for inclusion? **Yes**
Has slots available? **Yes**

| Reference | Evaluation |
|-----------|--|
| I-02 | PASS Tumor belongs to DOID term(s) lung non-small cell carcinoma |

METC 02 - Dose expansion - monotherapy - Colorectum

Cohort ID **B**
Potentially eligible? **No**
Open for inclusion? **Yes**
Has slots available? **Yes**

| Reference | Evaluation |
|-----------|-------------------------------------|
| I-02 | FAIL No colorectal cancer |

METC 04

| | |
|----------------------|---|
| Potentially eligible | Yes |
| Acronym | TEDR1 |
| Title | TEDR1 Trial: A phase II trial to evaluate efficacy of specific EGFR inhibitors in lung cancer |
| Reference | Evaluation |
| I-1 | PASS Patient is at least 18 years old |
| I-2 | PASS Stage IV is considered metastatic Tumor belongs to DOID term(s) lung cancer |
| I-3 | PASS C797S in EGFR in canonical transcript |

METC 04 - Lung cancer C797S cohort

| | |
|-----------------------|-----|
| Cohort ID | A |
| Potentially eligible? | Yes |
| Open for inclusion? | Yes |
| Has slots available? | Yes |

Other trials & cohorts

METC 03

| | |
|----------------------|---|
| Potentially eligible | No |
| Acronym | NO-SEE797ES |
| Title | Phase I trial for development of NO-SEE797ES, a specific inhibitor for EGFR with C797 mutations but not C797S in solid tumors |
| Reference | Evaluation |
| I-03 | FAIL |
| | C797S in EGFR in canonical transcript |

METC 03 - Dose escalation - monotherapy

| | |
|-----------------------|-----|
| Cohort ID | A |
| Potentially eligible? | No |
| Open for inclusion? | Yes |
| Has slots available? | Yes |

METC 05

| | |
|----------------------|---|
| Potentially eligible | No |
| Acronym | PICKME3CA |
| Title | A phase 1/2 trial of ABC123 +/- platinum doublet in PIK3CA-mutated solid cancer |
| Reference | Evaluation |
| I-04 | FAIL |
| | No PIK3CA activating mutation(s) |

METC 05 - Dose expansion - monotherapy - NSCLC

| | |
|-----------------------|-----|
| Cohort ID | A |
| Potentially eligible? | No |
| Open for inclusion? | No |
| Has slots available? | Yes |

METC 05 - Dose expansion - monotherapy - Other cancer types

| | |
|-----------------------|---|
| Cohort ID | B |
| Potentially eligible? | No |
| Open for inclusion? | No |
| Has slots available? | Yes |
| Reference | Evaluation |
| I-03 | FAIL |
| | Tumor belongs to DOID term(s) lung non-small cell carcinoma |