

Gender: Female | Birth year: 1946 | WHO: 0

Tumor: Colorectum (cecum) carcinoma | Lesions: Lung, Peritoneal | Stage: IV

Clinical summary

|                                     |                                                                                                 |                             |
|-------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------|
| Relevant systemic treatment history | None                                                                                            |                             |
| Relevant other oncological history  | 2021-11                                                                                         | Hemicolectomy right (Cecum) |
| Previous primary tumor              | Skin squamous cell carcinoma (diagnosed 2016-06, last treatment 2016-08, considered non-active) |                             |
| Relevant non-oncological history    | 2019-01                                                                                         | Cerebrovascular accident    |

Recent molecular results

NGS & MSI Panel (15-Jan-2023)

|                              |              |
|------------------------------|--------------|
| Tumor mutational burden      | TMB 8 mut/Mb |
| Microsatellite (in)stability | Stable       |
| Driver mutations             | KRAS G12D    |

Trial-relevant IHC results

|       |             |
|-------|-------------|
| PD-L1 | Score < 50% |
|-------|-------------|

Standard-of-care options considered potentially eligible

| Treatment | Literature efficacy evidence         | Warnings |
|-----------|--------------------------------------|----------|
| FOLFIRI   | <a href="#">PHASE-3-CRC</a>          |          |
|           | PFS: 10.0 months (95% CI: 10.0-12.0) |          |
|           | OS: 25.0 months (95% CI: 25.0-30.0)  |          |

Phase 2/3+ (or unknown phase) trials in NL that are open and potentially eligible (0 trials)

None

Phase 1/2 trials in NL that are open and potentially eligible (0 trials)

None

Molecular Details

NGS & MSI Panel (15-Jan-2023)

|                              |              |
|------------------------------|--------------|
| Tumor mutational burden      | TMB 8 mut/Mb |
| Microsatellite (in)stability | Stable       |
| Driver mutations             | KRAS G12D    |

IHC results

|       |                     |
|-------|---------------------|
| Ki67  | Positive, score 90% |
| PD-L1 | Score < 50%         |

Molecular history

| Event                   | Description                                              | 2023-01-15<br>NGS & MSI Panel |
|-------------------------|----------------------------------------------------------|-------------------------------|
| KRAS G12D<br>(Tier III) | Mutation (cancer-associated variant)<br>Loss of function | VAF 0.2232%                   |
| TMB                     |                                                          | 8.0                           |
| MSI                     |                                                          | Stable                        |

All results and data described in this report are for Research Use Only and have not been generated using a clinically validated and controlled procedure nor is it a validated medical device. The results should not be used for diagnostic or treatment purposes. No rights can be derived from the content of this report.  
Trials marked with asterisk (\*) were sourced from ClinicalTrials.gov on 17-Sep-2025. No modifications have been made to the ClinicalTrials.gov data. ACTIN structures trial information for matching and analytical purposes.  
Gene and variant annotations and related content are powered by Genomenon Cancer Knowledgebase (CKB). Lung cancer trial data may include content powered by Longkanker Onderzoek.

Efficacy evidence

Standard of care options considered potentially eligible

The following standard of care treatment(s) could be an option for this patient. For further details per study see 'SOC literature details' section in extended report.

| Treatment | Literature efficacy evidence                                    |
|-----------|-----------------------------------------------------------------|
| FOLFIRI   | <a href="#">PHASE-3-CRC</a>                                     |
|           | <b>Patient characteristics:</b>                                 |
|           | WHO/ECOG0: 100, 1: 80, 2: 20, 3: 0, 4: 0                        |
|           | Primary tumor locationLeft: 145, Both or unknown: 10, Right: 45 |
|           | MutationsKRAS exon 2 wild-type 200/200                          |
|           | Metastatic sitesLiver only: 58 (32.0%), Lung only: 10 (6.0%)    |
|           | Previous systemic therapy35/200                                 |
|           | Prior therapiesAdjuvant chemotherapy                            |
|           | <b>Median PFS:</b> 10.0 months (95% CI: 10.0-12.0)              |
|           | <b>Median OS:</b> 25.0 months (95% CI: 25.0-30.0)               |

PHASE-3-CRC

**Study:** PHASE-3-CRC, Phase III, Adjuvant

**Molecular requirements:** None

**Therapies:** FOLFIRI+Cetuximab, FOLFIRI

**Patient characteristics:**

|                      | Cetuximab + FOLFIRI (n=100) | FOLFIRI (n=200) |
|----------------------|-----------------------------|-----------------|
| Age (median [range]) | 65.0 [40-75]                | 65.0 [30-75]    |
| Sex                  | Male: 50                    | Male: 120       |

All results and data described in this report are for Research Use Only and have not been generated using a clinically validated and controlled procedure nor is it a validated medical device. The results should not be used for diagnostic or treatment purposes. No rights can be derived from the content of this report.

Trials marked with asterisk (\*) were sourced from ClinicalTrials.gov on 17-Sep-2025. No modifications have been made to the ClinicalTrials.gov data. ACTIN structures trial information for matching and analytical purposes.

Gene and variant annotations and related content are powered by Genomenon Cancer Knowledgebase (CKB). Lung cancer trial data may include content powered by Longkanker Onderzoek.

|                           |                                             |                                               |
|---------------------------|---------------------------------------------|-----------------------------------------------|
|                           | Female: 50                                  | Female: 80                                    |
| Race                      | NA                                          | NA                                            |
| Region                    | Europe: 100 patients                        | Europe: 200 patients                          |
| WHO/ECOG                  | 0: 80, 1: 10, 2: 10, 3: 0, 4: 0             | 0: 100, 1: 80, 2: 20, 3: 0, 4: 0              |
| Primary tumor location    | Left: 78<br>Both or unknown: 3<br>Right: 19 | Left: 145<br>Both or unknown: 10<br>Right: 45 |
| Mutations                 | KRAS exon 2 wild-type 100/100               | KRAS exon 2 wild-type 200/200                 |
| Metastatic sites          | Liver only: 62 (62.0%), Lung only: 4 (4.0%) | Liver only: 58 (32.0%), Lung only: 10 (6.0%)  |
| Time of metastases        | Unknown                                     | Unknown                                       |
| Previous systemic therapy | 30/100                                      | 35/200                                        |
| Prior therapies           | Adjuvant chemotherapy                       | Adjuvant chemotherapy                         |


Primary endpoints:

|                                        | Cetuximab + FOLFIRI | FOLFIRI | Hazard ratio (HR) / Odds Ratio (OR) | P value |
|----------------------------------------|---------------------|---------|-------------------------------------|---------|
| Median follow-up for PFS was 70 months |                     |         |                                     |         |


Secondary endpoints:

|                                           | Cetuximab + FOLFIRI | FOLFIRI                   | Hazard ratio (HR) / Odds Ratio (OR) | P value   |
|-------------------------------------------|---------------------|---------------------------|-------------------------------------|-----------|
| Median Overall Survival (95% CI)          | 35.0 (25.0 - 40.0)  | 25.0 months (25.0 - 30.0) | 0.75 (0.6 - 0.95)                   | p = 0.011 |
| Median Progression-Free Survival (95% CI) | 10.0 (10.0 - 12.0)  | 10.0 months (10.0 - 12.0) | 0.99 (0.8 - 1.25)                   | p = 1     |


Median follow-up for PFS was 70 months




SHAP values for treatment: No Treatment



SHAP values for treatment: FOLFIRI





Resistance evidence

| Treatment | Mutation  | Evidence source | Evidence level | Found in molecular analysis |
|-----------|-----------|-----------------|----------------|-----------------------------|
| FOLFIRI   | GENE S11C | [1]             | D              | Yes                         |

Treatment ranking

| Event | Treatment | Score |
|-------|-----------|-------|
|-------|-----------|-------|

All results and data described in this report are for Research Use Only and have not been generated using a clinically validated and controlled procedure nor is it a validated medical device. The results should not be used for diagnostic or treatment purposes. No rights can be derived from the content of this report. Trials marked with asterisk (\*) were sourced from ClinicalTrials.gov on 17-Sep-2025. No modifications have been made to the ClinicalTrials.gov data. ACTIN structures trial information for matching and analytical purposes. Gene and variant annotations and related content are powered by Genomenon Cancer Knowledgebase (CKB). Lung cancer trial data may include content powered by Longkanker Onderzoek.



ACTIN Report (research use only)

PATIENT  
EXAMPLE-CRC-01  
  
REPORT DATE  
17-Sep-2025

On label clinical evidence

None

Off label clinical evidence

None

Clinical Details

Clinical summary

|                                     |                                                                                                 |                             |
|-------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------|
| Relevant systemic treatment history | None                                                                                            |                             |
| Relevant other oncological history  | 2021-11                                                                                         | Hemicolectomy right (Cecum) |
| Previous primary tumor              | Skin squamous cell carcinoma (diagnosed 2016-06, last treatment 2016-08, considered non-active) |                             |
| Relevant non-oncological history    | 2019-01                                                                                         | Cerebrovascular accident    |

Patient current details (05-Mar-2023)

|                                  |          |
|----------------------------------|----------|
| Toxicities grade >= 2 or unknown | None     |
| Known allergies                  | Morphine |
| Recent surgeries                 | None     |

Tumor details (05-Mar-2023)

|                    |                         |
|--------------------|-------------------------|
| Measurable disease | Yes                     |
| Lesions            | Lung, Peritoneal        |
| No lesions present | CNS, Brain, Liver, Bone |

Active medication details

None

Blood transfusions

| Product     | Date        |
|-------------|-------------|
| Erythrocyte | 10-Jan-2023 |

Trial Matching Details

National trials that are open and potentially eligible (0 trials)

None

International trials that are open and potentially eligible (0 trials)

None

Trials and cohorts that are potentially eligible, but are closed (2 cohorts from 1 trial)

| Trial             | Cohort                        | Molecular | Sites | Warnings              |
|-------------------|-------------------------------|-----------|-------|-----------------------|
| METC 01<br>IEMOEN | Applies to all cohorts below  | None      |       | Has not exhausted SOC |
|                   | Dose escalation - monotherapy |           |       |                       |
|                   | Dose expansion - monotherapy  |           |       |                       |

Trials and cohorts that are considered ineligible (2 cohorts from 1 trial)

| Trial                                             | Cohort                                    | Molecular | Ineligibility reasons                  |
|---------------------------------------------------|-------------------------------------------|-----------|----------------------------------------|
| <a href="#">METC 02</a><br><a href="#">KAYRAS</a> | Applies to all cohorts below              | KRAS G12D | PD-L1 expression below minimum of 50.0 |
|                                                   | Dose expansion - monotherapy - Colorectum |           | No lung non-small cell carcinoma       |
|                                                   | Dose expansion - monotherapy - NSCLC      |           |                                        |

Trials and cohorts that are not evaluable or ignored (0 trials)

None

Other trials & cohorts

METC 02

|                      |                                                                                                                         |
|----------------------|-------------------------------------------------------------------------------------------------------------------------|
| Potentially eligible | No                                                                                                                      |
| Acronym              | KAYRAS                                                                                                                  |
| Title                | A phase 1/2 trial for first in-human usage of KAYRAS, a new specific KRAS G12D inhibitor in NSCLC and colorectal cancer |

ACTIN Report (research use only)

| Reference | Evaluation                             |
|-----------|----------------------------------------|
| I-05      | FAIL                                   |
|           | PD-L1 expression below minimum of 50.0 |

METC 02 - Dose expansion - monotherapy - NSCLC

|                       |     |
|-----------------------|-----|
| Cohort ID             | A   |
| Potentially eligible? | No  |
| Open for inclusion?   | Yes |
| Has slots available?  | Yes |

| Reference | Evaluation                       |
|-----------|----------------------------------|
| I-02      | FAIL                             |
|           | No lung non-small cell carcinoma |

METC 02 - Dose expansion - monotherapy - Colorectum

|                       |     |
|-----------------------|-----|
| Cohort ID             | B   |
| Potentially eligible? | No  |
| Open for inclusion?   | Yes |
| Has slots available?  | Yes |

METC 01

|                      |                                                                                                           |
|----------------------|-----------------------------------------------------------------------------------------------------------|
| Potentially eligible | Yes                                                                                                       |
| Acronym              | IEMOEN                                                                                                    |
| Title                | Phase I first-in-human study to evaluate safety of IEMOEN, a new PD-L1 inhibitor in advanced solid tumors |

All results and data described in this report are for Research Use Only and have not been generated using a clinically validated and controlled procedure nor is it a validated medical device. The results should not be used for diagnostic or treatment purposes. No rights can be derived from the content of this report. Trials marked with asterisk (\*) were sourced from ClinicalTrials.gov on 17-Sep-2025. No modifications have been made to the ClinicalTrials.gov data. ACTIN structures trial information for matching and analytical purposes. Gene and variant annotations and related content are powered by Genomenon Cancer Knowledgebase (CKB). Lung cancer trial data may include content powered by Longkanker Onderzoek.

ACTIN Report (research use only)

PATIENT  
EXAMPLE-CRC-01  
  
REPORT DATE  
17-Sep-2025

| Reference | Evaluation                                                                                      |
|-----------|-------------------------------------------------------------------------------------------------|
| I-03      | <div>WARN</div> <div>Has not exhausted SOC</div>                                                |
| E-01      | <div>PASS</div> <div>Has no other condition belonging to category autoimmune disease</div>      |
| E-02      | <div>PASS</div> <div>Hemoglobin above 6 mmol/L</div>                                            |
| E-03      | <div>PASS</div> <div>Neutrophils above 1.5</div>                                                |
| I-01      | <div>PASS</div> <div>Patient is at least 18 years old</div>                                     |
| I-02      | <div>PASS</div> <div>Has solid primary tumor</div> <div>Stage IV is considered metastatic</div> |

METC 01 - Dose escalation - monotherapy

|                       |     |
|-----------------------|-----|
| Cohort ID             | A   |
| Potentially eligible? | Yes |
| Open for inclusion?   | No  |
| Has slots available?  | No  |

METC 01 - Dose expansion - monotherapy

|                       |     |
|-----------------------|-----|
| Cohort ID             | B   |
| Potentially eligible? | Yes |
| Open for inclusion?   | No  |
| Has slots available?  | No  |