

Gender: **Female** | Birth year: **1975** | WHO: **1**

Tumor: **Lung adenocarcinoma** | Lesions: **Liver, Lung** | Stage: **IV**

Search summary

Systemic treatment history **2023-06 to 2025-01 Osimertinib**

Molecular results

Hartwig WGS (22-Feb-2025)

Molecular tissue of origin prediction	Lung: Non-small cell: LUAD (98%)
Tumor mutational load / burden	TML 160 / TMB 14 mut/Mb
Microsatellite (in)stability	Stable
HR status	Proficient (0)
Driver mutations	EGFR C797S, EGFR L858R, KRAS G12C, KRAS G12D
Amplified genes	None
Deleted genes	TP53 del
Homozygously disrupted genes	None
Gene fusions	MET(exon13)::MET(exon15) fusion
Driver virus	None
HLA-A	HLA-A*01:01, HLA-A*02:01

IHC results used in search criteria

PD-L1 **Score > 50%**

Phase 2/3+ (or unknown phase) trials in NL that are open and match the search criteria (2 trials)

TRIAL	COHORT	MOLECULAR	SITES	NOTES
METC 04 TEDR1 (Phase 2)	Lung cancer C797S cohort	EGFR C797S	NKI-AvL	None
EGFR-C797S-TRIAL (Phase 2)	<i>EGFR C797S</i>	<i>EGFR C797S</i>	<i>Elisabeth-TweeSteden Ziekenhuis</i>	

Trials based solely on molecular events and tumor type are shown in italicized, smaller font.

Phase 1/2 trials in NL that are open and match the search criteria (2 trials)

TRIAL	COHORT	MOLECULAR	SITES	NOTES
METC 02 KAYRAS (Phase 1/2)	Dose expansion - monotherapy - NSCLC	KRAS G12D, PD-L1 >= 50.0	Erasmus MC	Variant(s) G12D in KRAS but subclonal likelihood of > 50%
METC 01 IEMOEN (Phase 1)	Dose escalation - monotherapy <i>(no slots)</i>	None		Has not exhausted SOC (at least platinum doublet remaining)

International trials that are open and match the search criteria (2 trials)

TRIAL	COHORT	MOLECULAR	SITES
EGFR-BE (Phase 1)	EGFR L858R	EGFR L858R	Belgium: Brussels
KRAS-G12C-TRIAL-DE (Phase 1)	KRAS G12C	KRAS G12C	Germany: Stuttgart

Trials in this table are based solely on molecular event and tumor type.

Molecular Details

Hartwig WGS (EXAMPLE-LUNG-01-T, 22-Feb-2025)

General

PURITY	PLOIDY	TML STATUS	TMB STATUS	MS STABILITY	HR STATUS	DPYD	UGT1A1
50%	2.3	High (160)	High (14)	Stable	Proficient (0)	*1_HOM (Normal function)	*1_HOM (Normal function)

Predicted tumor origin

1. LUNG: NON-SMALL CELL: LUAD	
Combined prediction score	98%
This score is calculated by combining information on:	
(1) SNV types	60%
(2) SNV genomic localisation distribution	70%
(3) Driver genes and passenger characteristics	80%

Other cohorts have a combined prediction of 2% or lower

Key drivers

TYPE	DRIVER	TRIALS (LOCATIONS)	TRIALS IN HARTWIG	BEST EVIDENCE IN EXTERNAL	RESISTANCE IN EXTERNAL
Mutation (gain of function)	EGFR L858R (2/4 copies)		NCT00000007	Approved	
Mutation (gain of function)	EGFR C797S (1/4 copies)	TEDR1 (NKI-AvL)	NCT00000008	Pre-clinical	
Mutation (gain of function)	KRAS G12D (0.3/2 copies)*	KAYRAS (Erasmus MC)			

The table continues on the next page

This report provides trial search results based on physician-selected search criteria. Assessment of trial relevance and patient eligibility remains the responsibility of the treating physician. No rights can be derived from the content of this report.
Trials marked with asterisk (*) were sourced from ClinicalTrials.gov on 17-Sep-2025. No modifications have been made to the ClinicalTrials.gov data. ACTIN structures trial information for searching and analytical purposes.
Gene and variant annotations and related content are powered by Genomenon Cancer Knowledgebase (CKB). Lung cancer trial data may include content powered by Longkanker Onderzoek.

Hartwig WGS (EXAMPLE-LUNG-01-T, 22-Feb-2025)

Key drivers

Continued from the previous page

TYPE	DRIVER	TRIALS (LOCATIONS)	TRIALS IN HARTWIG	BEST EVIDENCE IN EXTERNAL	RESISTANCE IN EXTERNAL
Mutation (gain of function)	KRAS G12C (0.3/2 copies)*		NCT00000009		
Deletion	TP53 del				
Known fusion	MET(exon13)::MET(exon15) fusion Domain(s) kept: Tyrosine Kinase Domain(s) lost: Juxtamembrane				

* Variant has > 50% likelihood of being sub-clonal

Other drivers or events used in search criteria

None

Immunology

HLA GENE	TYPE	TUMOR COPY NUMBER	MUTATED IN TUMOR
HLA-A	HLA-A*01:01	1.0	No
	HLA-A*02:01	0.0	No

IHC results

PD-L1 **Score > 50%**

This report provides trial search results based on physician-selected search criteria. Assessment of trial relevance and patient eligibility remains the responsibility of the treating physician. No rights can be derived from the content of this report.

Trials marked with asterisk (*) were sourced from ClinicalTrials.gov on 17-Sep-2025. No modifications have been made to the ClinicalTrials.gov data. ACTIN structures trial information for searching and analytical purposes.

Gene and variant annotations and related content are powered by Genomenon Cancer Knowledgebase (CKB). Lung cancer trial data may include content powered by Longkanker Onderzoek.

Search Details

Search summary

Systemic treatment history	2023-06 to 2025-01	Osimertinib
Other oncological history	None	
Previous primary tumor	None	
Non-oncological history	2023	Rheumatoid arthritis
Toxicities grade >= 2 or unknown	None	
LVEF	50%	
Known allergies	None	
Recent surgeries	None	

Tumor details

Measurable disease	Yes
Lesions	Liver, Lung
No lesions present	CNS, Brain, Bone, Lymph node

Active medication details

MEDICATION	ADMINISTRATION	START DATE	STOP DATE	DOSAGE	FREQUENCY
St. John's Wort	Oral	01-Feb-2023		300 MILLIGRAMS	1 / 2 DAYS

Trial Search Details

Trials and cohorts that match the search criteria, but are closed (1 trial)

TRIAL	COHORT	MOLECULAR	SITES	NOTES
METC 01 IEMOEN (Phase 1)	Dose expansion - monotherapy	None		Has not exhausted SOC (at least platinum doublet remaining)

Trials and cohorts that do not match the search criteria (4 cohorts from 3 trials)

TRIAL	COHORT	MOLECULAR	EXCLUSION NOTES
METC 02 KAYRAS (Phase 1/2)	Dose expansion - monotherapy - Colorectum	KRAS G12D, PD-L1 >= 50.0	No colorectal cancer
METC 03 NO-SEE797ES	Dose escalation - monotherapy	EGFR C797S	C797S in EGFR in canonical transcript
METC 05 PICKME3CA	<i>Applies to all cohorts below</i>	None	No PIK3CA activating mutation(s)
	Dose expansion - monotherapy - NSCLC (<i>closed</i>)		
	Dose expansion - monotherapy - Other cancer types (<i>closed</i>)		Tumor belongs to DOID term(s) lung non-small cell carcinoma

Trials and cohorts that are not evaluable or ignored (0 trials)

None