

Gender: **Female** | Birth year: **1975** | WHO: **1**Tumor: **Lung adenocarcinoma** | Lesions: **Liver, Lung** | Stage: **IV**

## Search summary

Systemic treatment history **2023-06 to 2025-01 Osimertinib**

## Molecular results

**ACTIN01** (Example lab, Tissue date: **30-Jan-2025**, Data retrieval date: **20-Feb-2025**, Diagnosis: **Lung adeno**)

### NGS Lung Panel 1.2

|                              |                                                     |
|------------------------------|-----------------------------------------------------|
| Tumor mutational burden      | <b>TMB 14 mut/Mb</b>                                |
| Microsatellite (in)stability | <b>Stable</b>                                       |
| Driver mutations             | <b>EGFR C797S, EGFR L858R, KRAS G12C, KRAS G12D</b> |
| Deleted genes                | <b>TP53 del</b>                                     |
| Gene fusions                 | <b>MET(exon13)::MET(exon15) fusion</b>              |

### IHC results used in search criteria

PD-L1 **Score > 50%**

## Phase 2/3+ (or unknown phase) trials in NL that are open and match the search criteria (2 trials)

| TRIAL                                                         | COHORT                   | MOLECULAR         | SITES                                  | NOTES                                                                                                                                                       |
|---------------------------------------------------------------|--------------------------|-------------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">METC 04</a><br><a href="#">TEDR1</a><br>(Phase 2) | Lung cancer C797S cohort | EGFR C797S        | NKI-AvL                                | Active CYP3A4/5 inducing medication in provided medications (St. John's Wort), At least 1 line(s) of EGFR inhibitor targeted therapy in provided treatments |
| <a href="#">EGFR-C797S-TRIAL</a><br>(Phase 2)                 | <i>EGFR C797S</i>        | <i>EGFR C797S</i> | <i>Elisabeth-TweeSteden Ziekenhuis</i> |                                                                                                                                                             |

Trials based solely on molecular events and tumor type are shown in italicized, smaller font.

## Phase 1/2 trials in NL that are open and match the search criteria (2 trials)

| TRIAL                                                            | COHORT                                      | MOLECULAR                    | SITES      | NOTES                                                                                       |
|------------------------------------------------------------------|---------------------------------------------|------------------------------|------------|---------------------------------------------------------------------------------------------|
| <a href="#">METC 02</a><br><a href="#">KAYRAS</a><br>(Phase 1/2) | Dose expansion - monotherapy - NSCLC        | KRAS G12D, PD-L1 $\geq 50.0$ | Erasmus MC | Variant(s) G12D in KRAS but subclonal likelihood of > 50%                                   |
| <b>METC 01</b><br>IEMOEN<br>(Phase 1)                            | Dose escalation - monotherapy<br>(no slots) | None                         |            | History of rheumatoid arthritis, SOC is not exhausted (at least platinum doublet remaining) |

## International trials that are open and match the search criteria (2 trials)

| TRIAL                                            | COHORT     | MOLECULAR  | SITES              |
|--------------------------------------------------|------------|------------|--------------------|
| <a href="#">EGFR-BE<br/>(Phase 1)</a>            | EGFR L858R | EGFR L858R | Belgium: Brussels  |
| <a href="#">KRAS-G12C-TRIAL-DE<br/>(Phase 1)</a> | KRAS G12C  | KRAS G12C  | Germany: Stuttgart |

Trials in this table are based solely on molecular event and tumor type.

## Molecular Details

**ACTIN01** (Example lab, Tissue date: **30-Jan-2025**, Data retrieval date: **20-Feb-2025**, Diagnosis: **Lung adeno**)

### NGS Lung Panel 1.2

|                              |                                                     |
|------------------------------|-----------------------------------------------------|
| Tumor mutational burden      | <b>TMB 14 mut/Mb</b>                                |
| Microsatellite (in)stability | <b>Stable</b>                                       |
| Driver mutations             | <b>EGFR C797S, EGFR L858R, KRAS G12C, KRAS G12D</b> |
| Deleted genes                | <b>TP53 del</b>                                     |
| Gene fusions                 | <b>MET(exon13)::MET(exon15) fusion</b>              |

## IHC results

|       |                       |
|-------|-----------------------|
| PD-L1 | <b>Score &gt; 50%</b> |
|-------|-----------------------|

## Search Details

### Search summary

|                                  |                    |                      |
|----------------------------------|--------------------|----------------------|
| Systemic treatment history       | 2023-06 to 2025-01 | Osimertinib          |
| Other oncological history        | None               |                      |
| Previous primary tumor           | None               |                      |
| Non-oncological history          | 2023               | Rheumatoid arthritis |
| Toxicities grade >= 2 or unknown | None               |                      |
| LVEF                             | 50%                |                      |
| Known allergies                  | None               |                      |
| Recent surgeries                 | None               |                      |

### Tumor details

|                    |                              |
|--------------------|------------------------------|
| Measurable disease | Yes                          |
| Lesions            | Liver, Lung                  |
| No lesions present | CNS, Brain, Bone, Lymph node |

### Active medication details

| MEDICATION      | ADMINISTRATION | START DATE  | STOP DATE | DOSAGE         | FREQUENCY  |
|-----------------|----------------|-------------|-----------|----------------|------------|
| St. John's Wort | Oral           | 01-Feb-2023 |           | 300 MILLIGRAMS | 1 / 2 DAYS |

## Trial Search Details

### Trials and cohorts that match the search criteria, but are closed (1 trial)

| TRIAL                                 | COHORT                       | MOLECULAR | SITES | NOTES                                                                                       |
|---------------------------------------|------------------------------|-----------|-------|---------------------------------------------------------------------------------------------|
| <b>METC 01</b><br>IEMOEN<br>(Phase 1) | Dose expansion - monotherapy | None      |       | History of rheumatoid arthritis, SOC is not exhausted (at least platinum doublet remaining) |

### Trials and cohorts that do not match the search criteria (4 cohorts from 3 trials)

| TRIAL                                                            | COHORT                                                              | MOLECULAR                   | EXCLUSION NOTES                                             |
|------------------------------------------------------------------|---------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------|
| <a href="#">METC 02</a><br><a href="#">KAYRAS</a><br>(Phase 1/2) | Dose expansion - monotherapy - Colorectum                           | KRAS G12D,<br>PD-L1 >= 50.0 | Liver metastases in provided lesions, No colorectal cancer  |
| <b>METC 03</b><br>NO-SEE797ES                                    | Dose escalation - monotherapy                                       | EGFR C797S                  | C797S in EGFR in canonical transcript                       |
| <b>METC 05</b><br>PICKME3CA                                      | <i>Applies to all cohorts below</i>                                 | None                        | No PIK3CA activating mutation(s)                            |
|                                                                  | Dose expansion - monotherapy - NSCLC ( <i>closed</i> )              |                             |                                                             |
|                                                                  | Dose expansion - monotherapy - Other cancer types ( <i>closed</i> ) |                             | Tumor belongs to DOID term(s) lung non-small cell carcinoma |

### Trials and cohorts that are not evaluable (0 trials)

None