

Problem A

Best Relay Team

You are the coach of the national athletics team and need to select which sprinters should represent your country in the 4×100 m relay in the upcoming championships.

As the name of the event implies, such a sprint relay consist of 4 legs, 100 meters each. One would think that the best team would simply consist of the 4 fastest 100 m runners in the nation, but there is an important detail to take into account: flying start. In the 2nd, 3rd and 4th leg, the runner is already running when the baton is handed over. This means that some runners – those that have a slow acceleration phase – can perform relatively better in a relay if they are on the 2nd, 3rd or 4th leg.

Picture by Fernando Frazão/Agência Brasil, cc by

You have a pool of runners to choose from. Given how fast each runner in the pool is, decide which four runners should represent your national team and which leg they should run. You are given two times for each runner – the time the runner would run the 1st leg, and the time the runner would run any of the other legs. A runner in a team can only run one leg.

Input

The first line of input contains an integer n , the number of runners to choose from ($4 \leq n \leq 500$). Then follow n lines describing the runners. The i 'th of these lines contains the name of the i 'th runner, the time a_i for the runner to run the 1st leg, and the time b_i for the runner to run any of the other legs ($8 \leq b_i \leq a_i < 20$). The names consist of between 2 and 20 (inclusive) uppercase letters 'A'-'Z', and no two runners have the same name. The times are given in seconds with exactly two digits after the decimal point.

Output

First, output a line containing the time of the best team, accurate to an absolute or relative error of at most 10^{-9} . Then output four lines containing the names of the runners in that team. The first of these lines should contain the runner you have picked for the 1st leg, the second line the runner you have picked for the 2nd leg, and so on. Any solution that results in the

Sample Input 1

```
6
ASHMEADE 9.90 8.85
BLAKE 9.69 8.72
BOLT 9.58 8.43
CARTER 9.78 8.93
FRATER 9.88 8.92
POWELL 9.72 8.61
```



Sample Output 1

```
35.54
CARTER
BOLT
POWELL
BLAKE
```



Sample Input 2

```
9
AUSTRIAN 15.60 14.92
DRANGE 15.14 14.19
DREGI 15.00 14.99
LAAKSONEN 16.39 14.97
LUNDSTROM 15.83 15.35
MARDELL 13.36 13.20
POLACEK 13.05 12.55
SANNEMO 15.23 14.74
SODERMAN 13.99 12.57
```



Sample Output 2

```
52.670000
MARDELL
POLACEK
SODERMAN
DRANGE
```



[Edit & Submit](#)[Hide >](#)

MEMORY LIMIT
1024 MB



CPU TIME LIMIT
1 second



DIFFICULTY
Not Available

