


Lab#7 Create dashboard with accordion using Bootstrap. Each accordion contains different bootstrap components.

TAGS USED	DESCRIPTION
<!DOCTYPE HTML>	DECLARES THE DOCUMENT AS AN HTML5 DOCUMENT.
<HTML>	ROOT ELEMENT OF THE HTML DOCUMENT.
<HEAD>	CONTAINS METADATA AND INFORMATION ABOUT THE HTML DOCUMENT.
<META>	DEFINES METADATA FOR THE HTML DOCUMENT.
<LINK>	LINKS AN EXTERNAL CSS FILE TO THE HTML DOCUMENT.
<TITLE>	SPECIFIES THE TITLE SHOWN IN THE BROWSER TAB.
<BODY>	CONTAINS ALL VISIBLE CONTENT OF THE WEBPAGE.
<HEADER>	DEFINES THE HEADER SECTION OF THE WEBPAGE.
<H1>	DEFINES THE MAIN HEADING.
<H2>	DEFINES A SECONDARY HEADING.
<NAV>	DEFINES THE NAVIGATION SECTION.
<A>	DEFINES HYPERLINKS TO DIFFERENT SECTIONS OF THE WEBPAGE.
<MAIN>	DEFINES THE MAIN CONTENT OF THE WEBPAGE.
<SECTION>	DEFINES SEPARATE SECTIONS OF CONTENT.
<H3>	DEFINES SECTION HEADINGS.
<P>	DEFINES A PARAGRAPH.
	DEFINES AN UNORDERED (BULLETED) LIST.
	DEFINES AN ORDERED (NUMBERED) LIST.
	DEFINES AN ITEM IN A LIST.
<FOOTER>	DEFINES THE FOOTER SECTION OF THE WEBPAGE.

Final Outcome:



The screenshot displays a web browser window with multiple tabs. The active tab shows a file named 'G:\marwadi\WT1%20LAB\LAB%207\accordion.html'. The page content is organized into sections: 'Cards', 'Alerts', 'Buttons', and 'Tables'.

Cards

Card title
Card subtitle
Some quick example text to build on the card title and make up the bulk of the card's content.
[Card link](#) [Another link](#)

Alerts

Buttons

Primary Secondary Success Danger Warning Info Light Dark [Link](#)

Tables

SR No.	Name	Email
1	Harvi	@mdo
2	Jacob	@fat
3	Larry	@twitter

The second screenshot shows the 'Alerts' section expanded, displaying various alert types with their corresponding colors and messages:

- A simple primary alert—check it out!
- A simple secondary alert—check it out!
- A simple success alert—check it out!
- A simple danger alert—check it out!
- A simple warning alert—check it out!
- A simple info alert—check it out!
- A simple light alert—check it out!
- A simple dark alert—check it out!

Code Snippet:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Bootstrap Accordion</title>

  <!-- Bootstrap CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-
sRII4kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkulAvNWLzeN8tE5YBujZqJLB"
crossorigin="anonymous">
</head>

<body>

  <!-- Bootstrap Accordion -->
  <div class="accordion" id="myAccordion">

    <!-- Accordion Item 1 -->
    <div class="accordion-item">

      <h2 class="accordion-header">
        <button type="button" class="accordion-button" data-bs-toggle="collapse" data-bs-
target="#p1"
        aria-expanded="true" aria-controls="p1">

          Cards

        </button>
      </h2>

      <div id="p1" class="accordion-collapse collapse show" data-bs-parent="#myAccordion">
```

```
<div class="accordion-body">
  <div class="card" style="width: 18rem;">
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <h6 class="card-subtitle mb-2 text-muted">Card subtitle</h6>
      <p class="card-text">
        Some quick example text to build on the card title and make up the bulk
        of the card's content.
      </p>
      <a href="#" class="card-link">Card link</a>
      <a href="#" class="card-link">Another link</a>
    </div>
  </div>
</div>

<!-- Accordion Item 2 -->
<div class="accordion-item">

  <h2 class="accordion-header">
    <button type="button" class="accordion-button collapsed" data-bs-toggle="collapse"
data-bs-target="#p2"
    aria-expanded="false" aria-controls="p2">

      Alerts

    </button>
  </h2>

  <div id="p2" class="accordion-collapse collapse" data-bs-parent="#myAccordion">

    <div class="accordion-body">
      <div class="alert alert-primary" role="alert">
        A simple primary alert—check it out!
      </div>
      <div class="alert alert-secondary" role="alert">
```

```
    A simple secondary alert—check it out!
</div>
<div class="alert alert-success" role="alert">
    A simple success alert—check it out!
</div>
<div class="alert alert-danger" role="alert">
    A simple danger alert—check it out!
</div>
<div class="alert alert-warning" role="alert">
    A simple warning alert—check it out!
</div>
<div class="alert alert-info" role="alert">
    A simple info alert—check it out!
</div>
<div class="alert alert-light" role="alert">
    A simple light alert—check it out!
</div>
<div class="alert alert-dark" role="alert">
    A simple dark alert—check it out!
</div>
</div>
</div>

<!-- Accordion Item 3 -->
<div class="accordion-item">

    <h2 class="accordion-header">
        <button type="button" class="accordion-button" data-bs-toggle="collapse" data-bs-
target="#p3"
        aria-expanded="true" aria-controls="p3">

        Buttons

    </button>
</h2>

    <div id="p3" class="accordion-collapse collapse show" data-bs-parent="#myAccordion">
```

```
<div class="accordion-body">
  <button type="button" class="btn btn-primary">Primary</button>
  <button type="button" class="btn btn-secondary">Secondary</button>
  <button type="button" class="btn btn-success">Success</button>
  <button type="button" class="btn btn-danger">Danger</button>
  <button type="button" class="btn btn-warning">Warning</button>
  <button type="button" class="btn btn-info">Info</button>
  <button type="button" class="btn btn-light">Light</button>
  <button type="button" class="btn btn-dark">Dark</button>
  <button type="button" class="btn btn-link">Link</button>
</div>

</div>
</div>

<!-- Accordion Item 4 -->
<div class="accordion-item">

  <h2 class="accordion-header">
    <button type="button" class="accordion-button" data-bs-toggle="collapse" data-bs-
target="#p4"
    aria-expanded="true" aria-controls="p4">

    Tables

  </button>
</h2>

<div id="p4" class="accordion-collapse collapse show" data-bs-parent="#myAccordion">

  <div class="accordion-body">
    <table class="table">
      <thead class="table-dark">
        <tr>
          <th scope="col">SR No.</th>
          <th scope="col">Name</th>
          <th scope="col">Email</th>
        </tr>
```

```
</thead>
<tbody>
  <tr>
    <th scope="row">1</th>
    <td>Harvi</td>
    <td>@mdo</td>
  </tr>
  <tr>
    <th scope="row">2</th>
    <td>Jacob</td>
    <td>@fat</td>
  </tr>
  <tr>
    <th scope="row">3</th>
    <td>Larry</td>
    <td>@twitter</td>
  </tr>
</tbody>
</table>
</div>

</div>
</div>

<!-- Bootstrap JavaScript -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-
FKyoeFForCGlyvwX9Hj09JcYn3nv7wiPVLz7YYwJrWVcXK/BmnVDxM+D2scQbITxl"
  crossorigin="anonymous"></script>

</body>

</html>
```