

**Lab#1 Create a Time-Table using HTML Table tags of your respective division.**

| TAGS USED         | ATTRIBUTES USED                  | DESCRIPTION                                                                                                |
|-------------------|----------------------------------|------------------------------------------------------------------------------------------------------------|
| <HTML>            | --                               | Defines the root of an HTML document.                                                                      |
| <HEAD>            | --                               | Contains meta-information/ metadata about the document.                                                    |
| <TITLE>           | --                               | Specifies a title for the HTML page shown in the browser toolbar.                                          |
| <BODY>            | --                               | Contains the visible content of the webpage.                                                               |
| <TABLE>           | Border, CellSpacing, Cellpadding | Defines an HTML table. Sets the border thickness, space between cells, and padding within cells.           |
| <TR>              | --                               | Defines a row in an HTML table.                                                                            |
| <TH> (Paragraph)  | Colspan, rowspan                 | Defines a header cell in a table. colspan merges columns horizontally, and rowspan merges rows vertically. |
| <BR> (Break Line) | --                               | Inserts a single line break within text or cell content.                                                   |



## Final Outcome:

| D:/MU-Sem-3/WT/timetable.html |                |                |                    |                           |                        |                         |                                   |                        |                         |                       |
|-------------------------------|----------------|----------------|--------------------|---------------------------|------------------------|-------------------------|-----------------------------------|------------------------|-------------------------|-----------------------|
| Sr. No                        | Time           |                | Monday             | Tuesday                   |                        | Wednesday               |                                   | Thursday               |                         | Friday                |
| 1                             | 07:30 to 8:30  | 07:30 to 09:00 | DS - CSB<br>MB006  | A - ADBMS<br>TNB<br>NA203 | B - DS<br>UAJ<br>MC312 | WT - ART<br>MB006       | WT - ART<br>MA210<br>8:30 - 10:00 |                        | DS - CSB<br>MB308       |                       |
| 2                             | 08:30 to 09:30 |                |                    |                           |                        |                         |                                   |                        |                         |                       |
| 3                             | 09:30 to 10:00 | 09:00 to 10:00 | PS - KMT<br>MB006  | PS - KMT<br>TNB<br>MB606  |                        | PS - KMT<br>MB006       |                                   | LIBRARY                |                         | PS - T - KMT<br>MB308 |
|                               | 10:00 - 10:30  |                | BREAK              |                           |                        |                         |                                   |                        |                         |                       |
| 4                             | 10:30 to 12:00 | 10:30 to 12:00 | AJT - RSK<br>MB606 | LIBRARY                   |                        | ADBMS - TNB<br>MB302    |                                   | A - DS<br>UAJ<br>MC317 | B - AJT<br>SRK<br>MC316 | ADBMS - TNB<br>MB305  |
| 5                             | 11:30 to 12:30 |                |                    |                           |                        |                         |                                   |                        |                         |                       |
| 6                             | 12:00 to 01:30 | 12:00 to 01:30 | LIBRARY            | A - WT<br>JDD<br>MC213    | B - WT<br>ART<br>MC311 | A - AJT<br>SRK<br>MC213 | B - ADBMS<br>TNB<br>MC222         | LIBRARY                |                         | AJT - RSK<br>MB301    |
|                               |                |                |                    |                           |                        |                         |                                   | QLA - JDM<br>PG3SHA    |                         |                       |

## Code Snippet:

```
<html>
<head>
<title>TimeTable</title>
</head>

<body>
<table border="2" cellspacing="0" cellpadding="12">
<tr>
<th>Sr. No</th>
<th colspan="2">Time</th>
<th colspan="2">Monday</th>
<th colspan="2">Tuesday</th>
<th colspan="2">Wednesday</th>
<th colspan="2">Thursday</th>
<th>Friday</th>
</tr>

<tr>
```



```

<th>1</th>
<th>07:30 to 8:30</th>
<th rowspan="2">07:30 to 09:00</th>
<th colspan="2" rowspan="2">DS - CSB<br>MB006</th>
<th rowspan="2">A - ADBMS<br>TNB<br>NA203</th>
<th rowspan="2">B - DS<br>UAJ<br>MC312</th>
<th colspan="2" rowspan="2">WT - ART<br>MB006</th>
<th colspan="2" rowspan="2">WT - ART<br>MA210<br>8:30 - 10:00</th>
<th rowspan="2">DS - CSB<br>MB308</th>
</tr>

<tr>
<th>2</th>
<th>08:30 to 09:30</th>

</tr>

<tr>
<th>3</th>
<th>09:30 to 10:00</th>
<th>09:00 to 10:00</th>
<th colspan="2">PS - KMT<br>MB006</th>
<th colspan="2">PS - KMT<br>TNB<br>MB606</th>
<th colspan="2">PS - KMT<br>MB006</th>
<th colspan="2">LIBRARY</th>
<th>PS - T - KMT<br>MB308</th>
</tr>

<tr>
<th></th>
<th colspan="2">10:00 - 10:30</th>
<th colspan="9">BREAK</th>
</tr>

<tr>
<th>4</th>
<th>10:30 to 12:00</th>
<th rowspan="2">10:30 to 12:00</th>
<th colspan="2" rowspan="2">AJT - RSK<br>MB606</th>
<th colspan="2" rowspan="2">LIBRARY</th>
<th colspan="2" rowspan="2">ADBMS - TNB<br>MB302</th>
<th rowspan="2">A - DS<br>UAJ<br>MC317</th>
</tr>

```



```

        <th rowspan="2">B - AJT<br>SRK<br>MC316</th>
        <th rowspan="2">ADBMS - TNB<br>MB305</th>
    </tr>

    <tr>
        <th>5</th>
        <th>11:30 to 12:30</th>
    </tr>

    <tr>
        <th rowspan="2">6</th>
        <th rowspan="2">12:00 to 01:30</th>
        <th rowspan="2">12:00 to 01:30</th>
        <th rowspan="2">LIBRARY</th>
        <th colspan="2" rowspan="2">A - WT<br>JDD<br>MC213</th>
        <th rowspan="2">B - WT<br>ART<br>MC311</th>
        <th rowspan="2">A - AJT<br>SRK<br>MC213</th>
        <th rowspan="2">B - ADBMS<br>TNB<br>MC222</th>
        <th colspan="2" rowspan="2">LIBRARY</th>
        <th rowspan="2">AJT - RSK<br>MB301</th>
    </tr>

    <tr>
        <th colspan="2">QLA - JDM<br>PG3SHA</th>
    </tr>
</table>
</body>
</html>

```

**Lab#2 Design Form of Student Registration and Employee registration with 11 fields.**

| TAGS USED         | ATTRIBUTES USED                  | DESCRIPTION                                                                                                |
|-------------------|----------------------------------|------------------------------------------------------------------------------------------------------------|
| <HTML>            | --                               | Defines the root of an HTML document.                                                                      |
| <HEAD>            | --                               | Contains meta-information/ metadata about the document.                                                    |
| <TITLE>           | --                               | Specifies a title for the HTML page shown in the browser toolbar.                                          |
| <BODY>            | --                               | Contains the visible content of the webpage.                                                               |
| <TABLE>           | Border, CellSpacing, Cellpadding | Defines an HTML table. Sets the border thickness, space between cells, and padding within cells.           |
| <TR>              | --                               | Defines a row in an HTML table.                                                                            |
| <TH> (Paragraph)  | Colspan, rowspan                 | Defines a header cell in a table. colspan merges columns horizontally, and rowspan merges rows vertically. |
| <BR> (Break Line) | --                               | Inserts a single line break within text or cell content.                                                   |



## Final Outcome:

### Student Registration Form

First Name :

Last Name :

Email :

Password :

Gender : ☐ Male ☐ Female ☐ Other

Hobbies : ☐ Reading ☐ Writing ☐ Drawing

Age :

Subjects :

Address :

## Code Snippet:

```
<html>
<head>
  <title>Registration Form</title>
</head>
<body>
  <form>
    <h2>Student Registration Form</h2>

    <table cellpadding="7">

      <tr>
        <td>First Name :</td>
        <td><input type="text" placeholder="Enter First Name"></td>
      </tr>

      <tr>
        <td>Last Name :</td>
        <td><input type="text" placeholder="Enter Last Name"></td>
      </tr>
    </table>
  </form>
</body>
</html>
```



</tr>

<tr>

<td>Email :</td>

<td><input type="email" placeholder="Enter Your Email Address"></td>

</tr>

<tr>

<td>Password :</td>

<td><input type="password"></td>

</tr>

<tr>

<td>Gender :</td>

<td>

<input type="radio" name="gender"> Male

<input type="radio" name="gender"> Female

<input type="radio" name="gender"> Other

</td>

</tr>

<tr>

<td>Hobbies :</td>

<td>

<input type="checkbox"> Reading

<input type="checkbox"> Writing

<input type="checkbox"> Drawing

</td>

</tr>

<tr>

<td>Age :</td>

<td><input type="number"></td>

</tr>

<tr>

<td>Subjects :</td>

<td>

<select>

<option>Select Subject</option>

<option>WT</option>

<option>AJT</option>



```
<option>ADBMS</option>
<option>DS</option>
</select>
</td>
</tr>

<tr>
<td>Address :</td>
<td>
<textarea rows="5" cols="35" placeholder="Enter your Address"></textarea>
</td>
</tr>

<tr align="middle">
<td><input type="submit" name="Register"></td>
<td><input type="reset" value="clear"></td>
</tr>

</table>
</form>
</body>
</html>
```

### Final Outcome:

#### Employee Registration Form

|                                                                                                       |                                                                                                |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| Full Name :                                                                                           | <input type="text" value="Enter Full Name"/>                                                   |
| Employee ID :                                                                                         | <input type="text" value="Enter Employee ID"/>                                                 |
| Work Email :                                                                                          | <input type="text" value="Enter Email Address"/>                                               |
| Phone Number :                                                                                        | <input type="text" value="Enter Phone Number"/>                                                |
| Gender :                                                                                              | <input type="radio"/> Male <input type="radio"/> Female <input type="radio"/> Other            |
| Date of Birth :                                                                                       | <input type="text" value="mm/dd/yyyy"/> <input type="button" value="📅"/>                       |
| Department :                                                                                          | <input type="text" value="Select Department"/> ▼                                               |
| Designation :                                                                                         | <input type="text"/>                                                                           |
| Employment Type :                                                                                     | <input type="radio"/> Full-Time <input type="radio"/> Part-Time <input type="radio"/> Contract |
| Date of Joining :                                                                                     | <input type="text" value="mm/dd/yyyy"/> <input type="button" value="📅"/>                       |
| Address :                                                                                             | <div><input type="text" value="Enter Residential Address"/></div>                              |
| <div><input type="button" value="Register Employee"/> <input type="button" value="Clear Form"/></div> |                                                                                                |



**Code Snippet:**

```
<html>
  <head>
    <title>Employee Registration Form</title>
  </head>
  <body>
    <form>
      <h2>Employee Registration Form</h2>
      <table cellpadding="7">
        <tr>
          <td>Full Name :</td>
          <td><input type="text" placeholder="Enter Full Name"></td>
        </tr>
        <tr>
          <td>Employee ID :</td>
          <td><input type="text" placeholder="Enter Employee ID" required></td>
        </tr>
        <tr>
          <td>Work Email :</td>
          <td><input type="email" placeholder="Enter Email Address" required></td>
        </tr>
        <tr>
          <td>Phone Number :</td>
          <td><input type="tel" placeholder="Enter Phone Number"></td>
        </tr>
        <tr>
          <td>Gender :</td>
          <td>
            <input type="radio" name="gender" value="male"> Male
            <input type="radio" name="gender" value="female"> Female
            <input type="radio" name="gender" value="other"> Other
          </td>
        </tr>
        <tr>
          <td>Date of Birth :</td>
          <td><input type="date"></td>
        </tr>
        <tr>
          <td>Department :</td>
          <td></td>
        </tr>
      </table>
    </form>
  </body>
</html>
```



```

        <select name="department">
            <option value="">Select Department</option>
            <option value="hr">Human Resources</option>
            <option value="it">Information Technology</option>
            <option value="finance">Finance & Accounting</option>
            <option value="marketing">Marketing</option>
            <option value="operations">Operations</option>
        </select>
    </td>
</tr>
<tr>
    <td>Designation :</td>
    <td><input type="text"></td>
</tr>
<tr>
    <td>Employment Type :</td>
    <td>
        <input type="radio" name="emp_type" value="full_time"> Full-Time
        <input type="radio" name="emp_type" value="part_time"> Part-Time
        <input type="radio" name="emp_type" value="contract"> Contract
    </td>
</tr>
<tr>
    <td>Date of Joining :</td>
    <td><input type="date"></td>
</tr>
<tr>
    <td>Address :</td>
    <td>
        <textarea name="address" rows="5" cols="35" placeholder="Enter Residential
Address"></textarea>
    </td>
</tr>
<tr align="center">
    <td colspan="2">
        <input type="submit" value="Register Employee">
        <input type="reset" value="Clear Form">
    </td>
</tr>
</table>
</form>
</body> </html>


```

### Lab#3 Design Placement Dashboard page using HTML and CSS.

| TAGS USED         | ATTRIBUTES USED | DESCRIPTION                                                                                      |
|-------------------|-----------------|--------------------------------------------------------------------------------------------------|
| <HTML>            | --              | Defines the root of an HTML document.                                                            |
| <HEAD>            | --              | Contains meta-information/ metadata about the document.                                          |
| <TITLE>           | --              | Specifies a title for the HTML page shown in the browser toolbar.                                |
| <STYLE>           | --              | Contains CSS code used to style the webpage.                                                     |
| <BODY>            | --              | Contains the visible content of the webpage.                                                     |
| <TABLE>           | --              | Defines an HTML table. Sets the border thickness, space between cells, and padding within cells. |
| <TR>              | --              | Defines a row in an HTML table.                                                                  |
| <TH> (Paragraph)  | --              | Defines a header cell in a table.                                                                |
| <BR> (Break Line) | --              | Inserts a single line break within text or cell content.                                         |
| <NAV>             | --              | Defines the navigation section of the webpage.                                                   |
| <H1> TO <H6>      | --              | Defines a heading.                                                                               |
| <UL>              | --              | Defines an unordered list.                                                                       |
| <LI>              | Class           | Defines an item in a list. The class attribute applies CSS styling.                              |
| <MAIN>            | --              | Defines the main content of the webpage.                                                         |
| <DIV>             | Class           | Defines a section or container and groups elements for styling.                                  |



## Final Outcome:



## Code Snippet:

```
<html>
<head>
  <title>Placement Dashboard</title>
  <style>
    * {
      box-sizing: border-box;
      margin: 0;
      padding: 0;
      font: 14px Arial, sans-serif;
      color: #64748b;
    }
    body {
      background: #f4f6f9;
      display: flex;
    }
    nav {
      width: 240px;
      background: #1e293b;
      padding: 20px;
      min-height: 100vh;
    }
```

```
nav h2 {
  font-size: 20px;
  color: #38bdf8;
  margin-bottom: 30px;
}
li {
  padding: 12px 15px;
  margin-bottom: 8px;
  border-radius: 6px;
  cursor: pointer;
  list-style: none;
}
.active {
  background: #334155;
  color: #fff;
}
main {
  flex: 1;
  padding: 30px;
}
header {
  display: flex;
  justify-content: space-between;
  margin-bottom: 25px;
}
h1, h2, td {
  color: #333;
}
h1 {
  font-size: 25px;
}
.row {
  display: flex;
  gap: 20px;
  margin-bottom: 30px;
}
.card, .box {
  background: #fff;
  padding: 20px;
  border-radius: 10px;
  box-shadow: 0 2px 8px #0001;
}
```

```
.card {  
  flex: 1;  
}  
.card h3 {  
  font-size: 13px;  
  margin-bottom: 8px;  
}  
.num {  
  font-size: 28px;  
  font-weight: bold;  
  color: #0f172a;  
}  
.hl {  
  color: #10b981;  
}  
.box h2 {  
  font-size: 18px;  
  margin-bottom: 15px;  
}  
table {  
  width: 100%;  
  border-collapse: collapse;  
  text-align: left;  
}  
th, td {  
  padding: 12px;  
  border-bottom: 1px solid #e2e8f0;  
}  
th {  
  background: #f8fafc;  
}  
.tag {  
  padding: 4px 8px;  
  border-radius: 12px;  
  font-size: 12px;  
  font-weight: bold;  
}  
.ok {  
  background: #d1fae5;  
  color: #065f46;  
}  
.wait {
```

```
background: #fef3c7;
color: #92400e;
}
</style>
</head>
<body>
<nav>
<h2>Riverton College</h2>
<ul>
<li class="active">Dashboard</li>
<li>Companies</li>
<li>Students</li>
<li>Drives</li>
<li>Reports</li>
</ul>
</nav>
<main>
<header>
<h1>Placement Overview</h1>
<div>Admin Portal</div>
</header>
<div class="row">
<div class="card">
<h3>TOTAL ELIGIBLE</h3>
<div class="num">450</div>
</div>
<div class="card">
<h3>STUDENTS PLACED</h3>
<div class="num hl">380</div>
</div>
<div class="card">
<h3>HIGHEST PACKAGE</h3>
<div class="num">₹42 LPA</div>
</div>
<div class="card">
<h3>AVERAGE PACKAGE</h3>
<div class="num">₹8.5 LPA</div>
</div>
</div>
<div class="box">
<h2>Recent Placement Drives</h2>
<table>
```

```
<tr>
  <th>Student Name</th>
  <th>Role</th>
  <th>Package</th>
  <th>Date</th>
</tr>
<tr>
  <td>Aditi Sharma</td>
  <td>Software Engineer</td>
  <td>₹35 LPA</td>
  <td>Oct 12, 2025</td>
</tr>
<tr>
  <td>Rohan Patel</td>
  <td>Product Manager</td>
  <td>₹28 LPA</td>
  <td>Oct 18, 2025</td>
</tr>
<tr>
  <td>Neha Singh</td>
  <td>Cloud Architect</td>
  <td>₹24 LPA</td>
  <td>Nov 02, 2025</td>
</tr>
<tr>
  <td>Aarav Mehta</td>
  <td>Data Analyst</td>
  <td>₹12 LPA</td>
  <td>Nov 10, 2025</td>
</tr>
</table>
</div>
</main>
</body>
</html>
```

**Lab#4 Create a static web page of your college which includes information regarding Vision, Mission, Program specific outcomes, Courses Offered, Image gallery of events, Top Recruiters using HTML and CSS.**

| TAGS USED    | ATTRIBUTES USED | DESCRIPTION                                                                                      |
|--------------|-----------------|--------------------------------------------------------------------------------------------------|
| <HTML>       | --              | Defines the root of an HTML document.                                                            |
| <HEAD>       | --              | Contains meta-information/ metadata about the document.                                          |
| <TITLE>      | --              | Specifies a title for the HTML page shown in the browser toolbar.                                |
| <STYLE>      | --              | Contains CSS code used to style the webpage.                                                     |
| <BODY>       | --              | Contains the visible content of the webpage.                                                     |
| <TABLE>      | --              | Defines an HTML table. Sets the border thickness, space between cells, and padding within cells. |
| <TR>         | --              | Defines a row in an HTML table.                                                                  |
| <TH>         | --              | Defines a header cell in a table.                                                                |
| <NAV>        | --              | Defines the navigation section of the webpage.                                                   |
| <H1> TO <H6> | --              | Defines a Size of heading.                                                                       |
| <IMG>        | Src, Height     | Displays an image. src specifies the image path and height specifies the image height.           |
| <LI>         | Class           | Defines an item in a list. The class attribute applies CSS styling.                              |
| <P>          | --              | Defines a paragraph of text.                                                                     |

|          |           |                                                                                                     |
|----------|-----------|-----------------------------------------------------------------------------------------------------|
| <DIV>    | Class, Id | Defines a section or container. class is used for CSS styling and id uniquely identifies a section. |
| <HEADER> | --        | Defines the header section of the webpage.                                                          |
| <FOOTER> | --        | Defines the footer section of the webpage.                                                          |

## Final Outcome:

Greenfield College

A simple college website with Vision, Mission, courses, gallery and recruiters.

AboutVision & MissionPSOCoursesGalleryRecruiters

### About Greenfield College

Greenfield College is a friendly institution focused on practical learning, student support, and career readiness. Our programs are designed to help students build skills for the workplace.

### Vision & Mission

#### Vision

To be a college where every student gains confidence, useful skills, and a strong start to their career.

#### Mission

To offer quality courses, supportive teaching, and industry links that help students succeed.

### Program Specific Outcomes

#### PSO 1


Apply subject knowledge to practical and real-world problems.

#### PSO 2

Work well in teams and communicate ideas clearly.

#### PSO 3

Use tools and methods appropriate for modern workplaces.



### Code Snippet:

```
<html>
<head>
  <title>Greenfield College</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f2f2f2;
      color: #333;
      margin: 0;
    }

    header {
      background-color: #2f4f4f;
      color: white;
      text-align: center;
```

```
padding: 20px;
}

nav {
  background-color: #4b6584;
  text-align: center;
  padding: 10px;
}

nav a {
  color: white;
  text-decoration: none;
  margin: 10px;
}

.container {
  width: 90%;
  margin: 20px auto;
}

.section {
  background-color: white;
  padding: 20px;
  margin-bottom: 20px;
  border: 1px solid #ddd;
  border-radius: 5px;
}

h2 {
  color: #2f4f4f;
}

.grid {
  display: flex;
}

.card {
  width: 30%;
  margin: 10px;
  padding: 15px;
  background-color: #f9f9f9;
  border: 1px solid #ddd;
```

```
}

table {
  width: 100%;
  border-collapse: collapse;
}

th, td {
  padding: 10px;
  border: 1px solid #ddd;
  text-align: left;
}

th {
  background-color: #4b6584;
  color: white;
}

.gallery {
  display: flex;
}

.gallery-item {
  width: 30%;
  margin: 10px;
  text-align: center;
  border: 1px solid #ddd;
}

.gallery-item img {
  width: 100%;
  height: 200px;
}

.recruiters {
  display: flex;
}

.recruiter {
  width: 15%;
  margin: 5px;
  padding: 12px;
}
```

```
text-align: center;
background-color: #eef2f5;
border: 1px solid #ddd;
}

footer {
text-align: center;
background-color: #2f4f4f;
color: white;
padding: 15px;
}
</style>
</head>

<body>

<header>
<h1>Greenfield College</h1>
<p>A simple college website with Vision, Mission, courses, gallery and recruiters.</p>
</header>

<nav>
<a href="#about">About</a>
<a href="#vision-mission">Vision & Mission</a>
<a href="#psos">PSOs</a>
<a href="#courses">Courses</a>
<a href="#gallery">Gallery</a>
<a href="#recruiters">Recruiters</a>
</nav>

<div class="container">

<div class="section" id="about">
<h2>About Greenfield College</h2>
<p>
Greenfield College is a friendly institution focused on practical
learning, student support, and career readiness. Our programs are
designed to help students build skills for the workplace.
</p>
</div>

<div class="section" id="vision-mission">
```

## <h2>Vision & Mission</h2>

```
<div class="grid">
```

```
<div class="card">
```

```
<h3>Vision</h3>
```

```
<p>
```

To be a college where every student gains confidence,  
useful skills, and a strong start to their career.

```
</p>
```

```
</div>
```

```
<div class="card">
```

```
<h3>Mission</h3>
```

```
<p>
```

To offer quality courses, supportive teaching, and industry  
links that help students succeed.

```
</p>
```

```
</div>
```

```
</div>
```

```
<div class="section" id="psos">
```

```
<h2>Program Specific Outcomes</h2>
```

```
<div class="grid">
```

```
<div class="card">
```

```
<h3>PSO 1</h3>
```

```
<p>Apply subject knowledge to practical and real-world problems.</p>
```

```
</div>
```

```
<div class="card">
```

```
<h3>PSO 2</h3>
```

```
<p>Work well in teams and communicate ideas clearly.</p>
```

```
</div>
```

```
<div class="card">
```

```
<h3>PSO 3</h3>
```

```
<p>Use tools and methods appropriate for modern workplaces.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="section" id="courses">
  <h2>Courses Offered</h2>

  <table>
    <tr>
      <th>Course</th>
      <th>Department</th>
      <th>Duration</th>
    </tr>

    <tr>
      <td>Bachelor of Computer Applications</td>
      <td>Information Technology</td>
      <td>3 years</td>
    </tr>

    <tr>
      <td>Bachelor of Business Administration</td>
      <td>Management</td>
      <td>3 years</td>
    </tr>

    <tr>
      <td>Bachelor of Science (Data Science)</td>
      <td>Science</td>
      <td>3 years</td>
    </tr>

    <tr>
      <td>Diploma in Digital Marketing</td>
      <td>Media</td>
      <td>1 year</td>
    </tr>
  </table>
</div>

<div class="section" id="gallery">
  <h2>Image Gallery</h2>

  <div class="gallery">

    <div class="gallery-item">
```

```

<p>Campus Building</p>
</div>

<div class="gallery-item">
  
  <p>Workshop Session</p>
</div>

<div class="gallery-item">
  
  <p>Graduation Day</p>
</div>

</div>
</div>

<div class="section" id="recruiters">
  <h2>Top Recruiters</h2>

  <div class="recruiters">
    <div class="recruiter">Tech Solutions Ltd.</div>
    <div class="recruiter">Bright Future Group</div>
    <div class="recruiter">Global Innovations</div>
    <div class="recruiter">NextGen Enterprises</div>
    <div class="recruiter">Digital Works</div>
    <div class="recruiter">CareerSoft</div>
  </div>
</div>

</div>


<footer>
  <p>Greenfield College &copy; 2026</p>
</footer>

</body>
</html>
```

## Lab#5 Build a personal portfolio (CV) webpage using HTML and CSS and make it responsive using Media Query.

| TAGS USED    | ATTRIBUTES USED | DESCRIPTION                                                                                         |
|--------------|-----------------|-----------------------------------------------------------------------------------------------------|
| <HTML>       | --              | Defines the root of an HTML document.                                                               |
| <HEAD>       | --              | Contains meta-information/ metadata about the document.                                             |
| <TITLE>      | --              | Specifies a title for the HTML page shown in the browser toolbar.                                   |
| <STYLE>      | --              | Contains CSS code used to style the webpage.                                                        |
| <BODY>       | --              | Contains the visible content of the webpage.                                                        |
| <DIV>        | Class           | Defines a section or container. class is used for CSS styling and id uniquely identifies a section. |
| <HEADER>     | Class           | Defines the header section of the webpage.                                                          |
| <H1> TO <H6> | Class           | Defines a Size of headings.                                                                         |
| <P>          | --              | Defines a paragraph of text.                                                                        |
| <IMG>        | Src, alt, Class | Displays an image. src specifies the image URL, while alt provides alternative text.                |
| <UL>         | --              | Creates an unordered (bulleted) list.                                                               |
| <LI>         | --              | Defines an item in a list.                                                                          |
| <P>          | --              | Defines a paragraph of text.                                                                        |

## Final Outcome:



## Code Snippet:

```
<html>
<head>
<title>Keyur Pambhar - CV</title>
<style>
  body {
    font-family: Arial, Helvetica, sans-serif;
    background: #f3f6fb;
    color: #111827;
    padding: 20px;
  }

  * {
    box-sizing: border-box;
```

```
margin: 0;
padding: 0;
}

.card {
max-width: 820px;
margin: 18px auto;
background: #ffffff;
border-radius: 10px;
box-shadow: 0 8px 22px rgba(0, 0, 0, 0.06);
overflow: hidden;
border: 1px solid #eef4ff;
}

.content {
padding: 24px;
}

.header {
display: flex;
align-items: center;
justify-content: space-between;
gap: 18px;
padding-bottom: 12px;
border-bottom: 1px solid #eef4ff;
}

.header-info {
flex: 1;
text-align: left;
}

.name {
font-size: 1.7rem;
color: #07224d;
margin-bottom: 4px;
}

.role {
color: #0b76f3;
font-weight: 700;
```

```
margin-bottom: 6px;
}

.address {
  font-size: 0.92rem;
  color: #6b7280;
  line-height: 1.5;
  font-style: normal;
}

.photo {
  width: 110px;
  height: 110px;
  border-radius: 10px;
  object-fit: cover;
  border: 3px solid #ffffff;
  box-shadow: 0 6px 18px rgba(11, 108, 243, 0.08);
}

.block {
  margin-top: 18px;
}

.block h2 {
  font-size: 1.08rem;
  color: #0b3f85;
  margin-bottom: 8px;
}

.block p,
.block li,
.block address {
  color: #6b7280;
  line-height: 1.6;
  font-size: 0.96rem;
}

ul {
  margin-left: 18px;
}
```

```
.job {  
  background: #fbfdff;  
  border: 1px solid #eef4ff;  
  border-radius: 8px;  
  padding: 12px;  
}  
  
.skill-item {  
  display: inline-block;  
  background: #eef6ff;  
  color: #0b76f3;  
  padding: 6px 10px;  
  border-radius: 999px;  
  margin: 5px 6px 0 0;  
  font-size: 0.9rem;  
  font-weight: 600;  
}  
  
@media (max-width: 600px) {  
  .header {  
    flex-direction: column;  
    text-align: center;  
  }  
  
  .header-info {  
    text-align: center;  
  }  
}  
  
@media print {  
  body {  
    background: white;  
    padding: 0;  
  }  
  
  .card {  
    box-shadow: none;  
    border: none;  
  }  
}  
</style>
```

```
</head>
<body>
  <div class="card">
    <div class="content">
      <header class="header">
        <div class="header-info">
          <h1 class="name">Keyur Pambhar</h1>
        </div>
        
      </header>

      <div class="block">
        <h2>Profile</h2>
        <p>Pursuing B.Tech in Computer Science & Engineering at Marwadi
University, Rajkot. Eager to learn new technologies and build practical software
solutions with a focus on web development.</p>
      </div>

      <div class="block">
        <h2>Education</h2>
        <p>Pursuing B.Tech CSE — Marwadi University, Rajkot</p>
      </div>

      <div class="block">
        <h2>Experience</h2>
        <div class="job">
          <ul>
            <li>Built responsive UI components and improved performance.</li>
            <li>Worked on frontend development and accessible web design.</li>
          </ul>
        </div>
      </div>

      <div class="block">
        <h2>Skills</h2>
        <div>
          <div class="skill-item">C</div>
          <div class="skill-item">C++</div>
          <div class="skill-item">Java</div>
          <div class="skill-item">Python</div>
        </div>
      </div>
    </div>
  </div>
```

```
<div class="skill-item">HTML</div>
<div class="skill-item">CSS</div>
<div class="skill-item">JavaScript</div>
<div class="skill-item">Git</div>
</div>
</div>

<div class="block">
  <h2>Languages</h2>
  <p>Hindi, English, Gujarati</p>
</div>

<div class="block">
  <h2>Interests</h2>
  <p>Design, Open-source, Photography</p>
</div>
</div>
</body>
</html>
```