


MULTIVENT ERD - Overview

51 tables | 569 columns | 115 foreign keys



MULTIVENT ERD - Identity and Access (1 of 2)

6 tables | 8 relationships

profiles		
PK id	uuid	
full_name ?	text	
email ?	text	
phone ?	text	
avatar_url ?	text	
default_role	user_role	
account_status	account_status	
created_at	timestampz	
updated_at	timestampz	

roles		
PK id	uuid	
name	user_role	
description ?	text	
created_at	timestampz	

permissions		
PK id	uuid	
code	text	
description ?	text	
created_at	timestampz	

role_permissions		
PK role_id	uuid	
PK permission_id	uuid	
created_at	timestampz	

user_roles		
PK user_id	uuid	
PK role_id	uuid	
assigned_by ?	uuid	
created_at	timestampz	

user_permissions		
PK user_id	uuid	
PK permission_id	uuid	
granted	boolean	
assigned_by ?	uuid	
created_at	timestampz	
updated_at	timestampz	

MULTIVENT ERD - Identity and Access (2 of 2)

2 tables | 0 relationships

provider_profiles	
id	uuid
user_id	uuid
business_name	text
description ?	text
contact_email ?	text
contact_phone ?	text
location ?	text
verification_status	account_status
created_at	timestampz
updated_at	timestampz
terms_accepted	boolean
terms_version ?	text
terms_accepted_at ?	timestampz
rejection_reason ?	text
reviewed_at ?	timestampz
reviewed_by ?	uuid

provider_profile_merge_archive	
original_provider_id	uuid
user_id	uuid
kept_provider_id	uuid
profile_data	jsonb
archived_at	timestampz

MULTIVENT ERD - Marketplace and Availability (1 of 2)

6 tables | 5 relationships

service_categories	
id	uuid
name	text
description ?	text
icon_name ?	text
is_active	boolean
created_at	timestampz

services	
id	uuid
provider_id	uuid
category_id ?	uuid
name	text
description ?	text
base_price ?	numeric(12,2)
location ?	text
cover_image_url ?	text
status	text
created_at	timestampz
updated_at	timestampz
gallery_urls	jsonb
pricing_model ?	text
pricing_unit ?	text
pricing_details ?	text
moderation_note ?	text
moderated_by ?	uuid
... +6 additional columns	

service_packages	
id	uuid
service_id	uuid
name	text
description ?	text
price ?	numeric(12,2)
inclusions	jsonb
is_active	boolean
created_at	timestampz
updated_at	timestampz
pricing_unit ?	text
pricing_mode	text
subtotal ?	numeric(12,2)
discount_type	text
discount_value	numeric(12,2)
discount_amount	numeric(12,2)
is_deleted	boolean
deleted_at ?	timestampz
deleted_by ?	uuid

service_package_items	
id	uuid
package_id	uuid
service_id	uuid
quantity	numeric(8,2)
unit_price	numeric(12,2)
position	integer
created_at	timestampz
updated_at	timestampz

provider_availability	
id	uuid
provider_id	uuid
service_id ?	uuid
available_date	date
start_time ?	time without time zone
end_time ?	time without time zone
is_available	boolean
notes ?	text
created_at	timestampz

provider_operating_hours	
id	uuid
provider_id	uuid
day_of_week	text
is_open	boolean
open_time ?	time without time zone
close_time ?	time without time zone
timezone	text
created_at	timestampz
updated_at	timestampz

MULTIVENT ERD - Marketplace and Availability (2 of 2)

4 tables | 0 relationships

provider_notification_preferences	
PK id	uuid
FK provider_id	uuid
FK user_id	uuid
preferences	jsonb
created_at	timestampz
updated_at	timestampz


provider_service_listing_drafts	
PK id	uuid
FK provider_id	uuid
payload	jsonb
updated_at	timestampz
created_at	timestampz

coordinator_service_profiles	
PK coordinator_id	uuid
description	text
coordination_fee	numeric(12,2)
currency	text
specializations	text[]
is_accepting_bookings	boolean
created_at	timestampz
updated_at	timestampz

coordinator_availability	
PK id	uuid
FK coordinator_id	uuid
starts_at	timestampz
ends_at	timestampz
status	text
reason ?	text
FK created_by ?	uuid
created_at	timestampz
updated_at	timestampz

MULTIVENT ERD - Event Planning and Coordination (1 of 3)

6 tables | 7 relationships



MULTIVENT ERD - Event Planning and Coordination (2 of 3)

6 tables | 2 relationships

event_schedule_checks		
PK id	uuid	
◇ event_id	uuid	
◇ client_id	uuid	
○ requested_start_at ?	timestampz	
○ requested_end_at ?	timestampz	
○ status	text	
○ conflict_count	integer	
○ checked_at ?	timestampz	
○ created_at	timestampz	
○ updated_at	timestampz	

event_schedule_check_results		
PK id	uuid	
◇ schedule_check_id	uuid	
◇ selection_id ?	uuid	
◇ provider_id ?	uuid	
◇ service_id ?	uuid	
○ provider_name	text	
○ requested_start_at ?	timestampz	
○ requested_end_at ?	timestampz	
○ is_available	boolean	
○ conflict_reason ?	text	
○ resolution ?	text	
○ resolved_at ?	timestampz	
○ created_at	timestampz	
○ updated_at	timestampz	

coordination_tasks		
PK id	uuid	
◇ event_id	uuid	
◇ assigned_to ?	uuid	
○ title	text	
○ description ?	text	
○ due_at ?	timestampz	
○ status	text	
○ created_at	timestampz	
○ updated_at	timestampz	


coordinator_assignment_attempts		
PK id	uuid	
◇ event_id	uuid	
◇ coordinator_id	uuid	
○ assignment_source	text	
○ status	text	
○ requested_at	timestampz	
○ responded_at ?	timestampz	
◇ assigned_by ?	uuid	
○ note ?	text	
○ created_at	timestampz	
○ updated_at	timestampz	

coordinator_packages		
PK id	uuid	
◇ coordinator_id	uuid	
○ name	text	
○ description	text	
○ event_type	text	
○ status	text	
○ created_at	timestampz	
○ updated_at	timestampz	

coordinator_package_items		
PK id	uuid	
◇ package_id	uuid	
◇ service_id	uuid	
○ position	integer	
○ created_at	timestampz	

MULTIVENT ERD - Event Planning and Coordination (3 of 3)

2 tables | 1 relationships



PK key

FK/UQ diamond

? nullable

MULTIVENT ERD - Booking and Finance (1 of 2)

6 tables | 5 relationships

bookings		
PK id	uuid	
event_id	uuid	
client_id	uuid	
provider_id	uuid	
service_id	uuid	
package_id ?	uuid	
requested_date ?	date	
requested_time ?	time without time zone	
amount ?	numeric(12,2)	
status	booking_status	
client_notes ?	text	
provider_notes ?	text	
created_at	timestampz	
updated_at	timestampz	
provider_amount ?	numeric(12,2)	
commission_rate ?	numeric(7,6)	
commission_amount ?	numeric(12,2)	
... +14 additional columns		

payments		
PK id	uuid	
FK booking_id ?	uuid	
payer_id	uuid	
amount	numeric(12,2)	
currency	text	
provider	text	
provider_reference ?	text	
status	payment_status	
paid_at ?	timestampz	
verified_at ?	timestampz	
created_at	timestampz	
updated_at	timestampz	
event_id ?	uuid	
checkout_url ?	text	
metadata	jsonb	
coordinator_id ?	uuid	
payment_scope ?	text	
... +8 additional columns		

financial_transactions		
PK id	uuid	
FK payment_id ?	uuid	
FK booking_id ?	uuid	
event_id ?	uuid	
provider_id ?	uuid	
transaction_type	text	
payment_method ?	text	
gross_amount	numeric(12,2)	
commission_rate	numeric(7,6)	
commission_amount	numeric(12,2)	
provider_net_amount	numeric(12,2)	
amount_received	numeric(12,2)	
amount_released	numeric(12,2)	
status	text	
transaction_at	timestampz	
metadata	jsonb	
coordinator_id ?	uuid	
... +6 additional columns		

cash_remittances		
PK id	uuid	
event_id	uuid	
FK booking_id ?	uuid	
coordinator_id	uuid	
amount_expected	numeric(12,2)	
amount_received	numeric(12,2)	
received_at ?	timestampz	
FK received_by ?	uuid	
status	text	
reference_number ?	text	
notes ?	text	
created_at	timestampz	
updated_at	timestampz	
verified_at ?	timestampz	
FK verified_by ?	uuid	
dispute_reason ?	text	

provider_payment_receipts		
PK id	uuid	
FK booking_id	uuid	
event_id	uuid	
provider_id	uuid	
amount	numeric(12,2)	
source	text	
reference_number ?	text	
notes ?	text	
received_at	timestampz	
FK recorded_by ?	uuid	
created_at	timestampz	

provider_payout_accounts		
PK id	uuid	
provider_id	uuid	
account_type	text	
institution_name	text	
account_name	text	
account_number	text	
ownership_confirmed	boolean	
confirmed_at ?	timestampz	
created_at	timestampz	
updated_at	timestampz	

MULTIVENT ERD - Booking and Finance (2 of 2)

1 tables | 0 relationships

provider_payout_requests		
o id	uuid	
◇ provider_id	uuid	
o amount	numeric(12,2)	
o currency	text	
o status	text	
o requested_at	timestampz	
o processed_at ?	timestampz	
o notes ?	text	
o created_at	timestampz	
o updated_at	timestampz	

MULTIVENT ERD - Communication, Feedback, and Operations (1 of 2)

6 tables | 2 relationships

conversations		
PK id	uuid	
FK event_id ?	uuid	
FK booking_id ?	uuid	
title ?	text	
created_at	timestampz	
updated_at	timestampz	

conversation_participants		
FK conversation_id	uuid	
FK user_id	uuid	
created_at	timestampz	

messages		
PK id	uuid	
FK conversation_id	uuid	
FK sender_id	uuid	
body	text	
read_at ?	timestampz	
created_at	timestampz	

notifications		
PK id	uuid	
FK user_id	uuid	
title	text	
body ?	text	
resource_type ?	text	
resource_id ?	uuid	
status	notification_status	
created_at	timestampz	

reviews		
PK id	uuid	
FK booking_id	uuid	
FK reviewer_id	uuid	
FK provider_id	uuid	
FK service_id ?	uuid	
rating	integer	
comment ?	text	
tags	jsonb	
created_at	timestampz	
updated_at	timestampz	
analysis_status	text	
sentiment_label ?	text	
sentiment_score ?	numeric	
topic_assignments	jsonb	
analysis_metadata	jsonb	
analyzed_at ?	timestampz	

coordinator_reviews		
PK id	uuid	
FK event_id	uuid	
FK coordinator_id	uuid	
FK reviewer_id	uuid	
rating	integer	
comment ?	text	
created_at	timestampz	
updated_at	timestampz	

MULTIVENT ERD - Communication, Feedback, and Operations (2 of 2)

6 tables | 1 relationships

event_feedback		
PK id	uuid	
FK event_id	uuid	
FK client_id	uuid	
overall_comment ?	text	
analysis_status	text	
sentiment_label ?	text	
sentiment_score ?	numeric	
topic_assignments	jsonb	
analysis_metadata	jsonb	
analyzed_at ?	timestampz	
created_at	timestampz	
updated_at	timestampz	

service_review_summaries		
PK service_id	uuid	
PK sentiment_label	text	
summary	text	
source_review_count	integer	
source_latest_analyzed_at	timestampz	
provider	text	
generated_at	timestampz	
updated_at	timestampz	

support_tickets		
PK id	uuid	
ticket_number	bigint	
user_id	uuid	
FK event_id ?	uuid	
FK booking_id ?	uuid	
category	text	
subject	text	
description	text	
status	text	
priority	text	
FK assigned_to ?	uuid	
resolved_at ?	timestampz	
created_at	timestampz	
updated_at	timestampz	
first_responded_at ?	timestampz	
last_message_at ?	timestampz	
closed_at ?	timestampz	

support_messages		
PK id	uuid	
FK ticket_id	uuid	
FK sender_id	uuid	
body	text	
is_internal	boolean	
created_at	timestampz	

audit_logs		
PK id	uuid	
FK actor_id ?	uuid	
actor_role ?	user_role	
action	text	
resource_type	text	
resource_id ?	uuid	
previous_state ?	jsonb	
new_state ?	jsonb	
result ?	text	
metadata	jsonb	
created_at	timestampz	

system_settings		
PK id	uuid	
key	text	
value	jsonb	
description ?	text	
FK updated_by ?	uuid	
updated_at	timestampz	