

Recess! Tools!

"Give us the tools, and we'll finish the job." ~Churchill

Apps (</~harwood/recess/recess/apps/>)

Database (</~harwood/recess/recess/database/>)

Code

(</~harwood/recess/recess/code/>)

Routes (</~harwood/recess/recess/routes/>)

degree

Class: [DegreeApplication \(/~harwood/recess/recess/code/class/degree.DegreeApplication\)](/~harwood/recess/recess/code/class/degree/DegreeApplication)

Models ([new \(/~harwood/recess/recess/apps/app/DegreeApplication/model/gen\)](/~harwood/recess/recess/apps/app/DegreeApplication/model/gen))

Location: [degree.models. \(/~harwood/recess/recess/code/package/degree.models\)](/~harwood/recess/recess/code/package/degree.models)

- [device \(/~harwood/recess/recess/code/class/degree.models.device\)](/~harwood/recess/recess/code/class/degree.models.device)
- [metric \(/~harwood/recess/recess/code/class/degree.models.metric\)](/~harwood/recess/recess/code/class/degree.models.metric)
- [stage \(/~harwood/recess/recess/code/class/degree.models.stage\)](/~harwood/recess/recess/code/class/degree.models.stage)
- [user \(/~harwood/recess/recess/code/class/degree.models.user\)](/~harwood/recess/recess/code/class/degree.models.user)
- [session_stage \(/~harwood/recess/recess/code/class/degree.models.session_stage\)](/~harwood/recess/recess/code/class/degree.models.session_stage)
- [session \(/~harwood/recess/recess/code/class/degree.models.session\)](/~harwood/recess/recess/code/class/degree.models.session)
- [text \(/~harwood/recess/recess/code/class/degree.models.text\)](/~harwood/recess/recess/code/class/degree.models.text)
- [participant \(/~harwood/recess/recess/code/class/degree.models.participant\)](/~harwood/recess/recess/code/class/degree.models.participant)
- [reading \(/~harwood/recess/recess/code/class/degree.models.reading\)](/~harwood/recess/recess/code/class/degree.models.reading)

Controllers ([new \(/~harwood/recess/recess/apps/DegreeApplication/controller/gen\)](/~harwood/recess/recess/apps/DegreeApplication/controller/gen))

Location: [degree.controllers. \(/~harwood/recess/recess/code/package/degree.controllers\)](/~harwood/recess/recess/code/package/degree.controllers)

- [sessionController \(/~harwood/recess/recess/code/class/degree.controllers.sessionController\)](/~harwood/recess/recess/code/class/degree.controllers.sessionController)

- [UserController \(/~harwood/recess/recess/code/class/degree.controllers.userController\)](#)
- [StageController \(/~harwood/recess/recess/code/class/degree.controllers.stageController\)](#)
- [ParticipantController \(/~harwood/recess/recess/code/class/degree.controllers.participantController\)](#)
- [Session StageController \(/~harwood/recess/recess/code/class/degree.controllers.session_stageController\)](#)
- [DegreeHomeController \(/~harwood/recess/recess/code/class/degree.controllers.DegreeHomeController\)](#)
- [TextController \(/~harwood/recess/recess/code/class/degree.controllers.textController\)](#)
- [ReadingController \(/~harwood/recess/recess/code/class/degree.controllers.readingController\)](#)
- [MetricController \(/~harwood/recess/recess/code/class/degree.controllers.metricController\)](#)
- [DeviceController \(/~harwood/recess/recess/code/class/degree.controllers.deviceController\)](#)

Views

Location: /home/harwood/public_html/recess/apps/degree/views/

Routes

Route Prefix: degree/

HTTP	Route	Controller	Method
GET	/~harwood/recess/degree	DegreeHomeController (/~harwood/recess/recess/code/class/degree.controllers.DegreeHomeController)	index (/~harwood/recess/recess/code/class/degree.controllers.DegreeHomeController#method_index)
GET	/~harwood/recess/degree/device	deviceController (/~harwood/recess/recess/code/class/degree.controllers.deviceController)	index (/~harwood/recess/recess/code/class/degree.controllers.deviceController#method_index)
POST	/~harwood/recess/degree/device	deviceController (/~harwood/recess/recess/code/class/degree.controllers.deviceController)	insert (/~harwood/recess/recess/code/class/degree.controllers.deviceController#method_insert)
GET	/~harwood/recess/degree/device/new	deviceController (/~harwood/recess/recess/code/class/degree.controllers.deviceController)	newForm (/~harwood/recess/recess/code/class/degree.controllers.deviceController#method_newForm)

HTTP	Route	Controller	Method
GET	/~harwood/recess /degree/device/\$id	deviceController (/~harwood/recess/recess /code/class /degree.controllers.deviceController)	details (/~harwood/recess/recess/code/class /degree.controllers.deviceController#method_details)
PUT	/~harwood/recess /degree/device/\$id	deviceController (/~harwood/recess/recess /code/class /degree.controllers.deviceController)	update (/~harwood/recess/recess/code/class /degree.controllers.deviceController#method_update)
DELETE	/~harwood/recess /degree/device/\$id	deviceController (/~harwood/recess/recess /code/class /degree.controllers.deviceController)	delete (/~harwood/recess/recess/code/class /degree.controllers.deviceController#method_delete)
GET	/~harwood/recess /degree/device /\$id/edit	deviceController (/~harwood/recess/recess /code/class /degree.controllers.deviceController)	editForm (/~harwood/recess/recess/code/class /degree.controllers.deviceController#method_editForm)
GET	/~harwood/recess /degree/metric	metricController (/~harwood/recess/recess /code/class /degree.controllers.metricController)	index (/~harwood/recess/recess/code/class /degree.controllers.metricController#method_index)
POST	/~harwood/recess /degree/metric	metricController (/~harwood/recess/recess /code/class /degree.controllers.metricController)	insert (/~harwood/recess/recess/code/class /degree.controllers.metricController#method_insert)
GET	/~harwood/recess /degree /metric/new	metricController (/~harwood/recess/recess /code/class /degree.controllers.metricController)	newForm (/~harwood/recess/recess/code/class /degree.controllers.metricController#method_newForm)
GET	/~harwood/recess /degree/metric/\$id	metricController (/~harwood/recess/recess /code/class /degree.controllers.metricController)	details (/~harwood/recess/recess/code/class /degree.controllers.metricController#method_details)
PUT	/~harwood/recess /degree/metric/\$id	metricController (/~harwood/recess/recess /code/class /degree.controllers.metricController)	update (/~harwood/recess/recess/code/class /degree.controllers.metricController#method_update)
DELETE	/~harwood/recess /degree/metric/\$id	metricController (/~harwood/recess/recess /code/class /degree.controllers.metricController)	delete (/~harwood/recess/recess/code/class /degree.controllers.metricController#method_delete)
GET	/~harwood/recess /degree/metric /\$id/edit	metricController (/~harwood/recess/recess /code/class /degree.controllers.metricController)	editForm (/~harwood/recess/recess/code/class /degree.controllers.metricController#method_editForm)

HTTP	Route	Controller	Method
GET	/~harwood/recess /degree/participant	participantController (/~harwood/recess/recess/code/class/degree.controllers.participantController)	index (/~harwood/recess/recess/code/class/degree.controllers.participantController#method_index)
POST	/~harwood/recess /degree/participant	participantController (/~harwood/recess/recess/code/class/degree.controllers.participantController)	insert (/~harwood/recess/recess/code/class/degree.controllers.participantController#method_insert)
GET	/~harwood/recess /degree /participant/new	participantController (/~harwood/recess/recess/code/class/degree.controllers.participantController)	newForm (/~harwood/recess/recess/code/class/degree.controllers.participantController#method_newForm)
GET	/~harwood/recess /degree /participant/\$id	participantController (/~harwood/recess/recess/code/class/degree.controllers.participantController)	details (/~harwood/recess/recess/code/class/degree.controllers.participantController#method_details)
PUT	/~harwood/recess /degree /participant/\$id	participantController (/~harwood/recess/recess/code/class/degree.controllers.participantController)	update (/~harwood/recess/recess/code/class/degree.controllers.participantController#method_update)
DELETE	/~harwood/recess /degree /participant/\$id	participantController (/~harwood/recess/recess/code/class/degree.controllers.participantController)	delete (/~harwood/recess/recess/code/class/degree.controllers.participantController#method_delete)
GET	/~harwood/recess /degree/participant /\$id/edit	participantController (/~harwood/recess/recess/code/class/degree.controllers.participantController)	editForm (/~harwood/recess/recess/code/class/degree.controllers.participantController#method_editForm)
GET	/~harwood/recess /degree/reading	readingController (/~harwood/recess/recess/code/class/degree.controllers.readingController)	index (/~harwood/recess/recess/code/class/degree.controllers.readingController#method_index)
POST	/~harwood/recess /degree/reading	readingController (/~harwood/recess/recess/code/class/degree.controllers.readingController)	insert (/~harwood/recess/recess/code/class/degree.controllers.readingController#method_insert)
GET	/~harwood/recess /degree /reading/new	readingController (/~harwood/recess/recess/code/class/degree.controllers.readingController)	newForm (/~harwood/recess/recess/code/class/degree.controllers.readingController#method_newForm)
GET	/~harwood/recess /degree	readingController (/~harwood/recess/recess/code/class/degree.controllers.readingController)	details (/~harwood/recess/recess/code/class/degree.controllers.readingController#method_details)

HTTP	Route	Controller	Method
	/reading/\$id		
PUT	/~harwood/recess /degree /reading/\$id	readingController (/~harwood/recess/recess/code/class/degree.controllers.readingController)	update (/~harwood/recess/recess/code/class/degree.controllers.readingController#method_update)
DELETE	/~harwood/recess /degree /reading/\$id	readingController (/~harwood/recess/recess/code/class/degree.controllers.readingController)	delete (/~harwood/recess/recess/code/class/degree.controllers.readingController#method_delete)
GET	/~harwood/recess /degree/reading /\$id/edit	readingController (/~harwood/recess/recess/code/class/degree.controllers.readingController)	editForm (/~harwood/recess/recess/code/class/degree.controllers.readingController#method_editForm)
GET	/~harwood/recess /degree/session	sessionController (/~harwood/recess/recess/code/class/degree.controllers.sessionController)	index (/~harwood/recess/recess/code/class/degree.controllers.sessionController#method_index)
POST	/~harwood/recess /degree/session	sessionController (/~harwood/recess/recess/code/class/degree.controllers.sessionController)	insert (/~harwood/recess/recess/code/class/degree.controllers.sessionController#method_insert)
GET	/~harwood/recess /degree /session/new	sessionController (/~harwood/recess/recess/code/class/degree.controllers.sessionController)	newForm (/~harwood/recess/recess/code/class/degree.controllers.sessionController#method_newForm)
GET	/~harwood/recess /degree /session/\$id	sessionController (/~harwood/recess/recess/code/class/degree.controllers.sessionController)	details (/~harwood/recess/recess/code/class/degree.controllers.sessionController#method_details)
PUT	/~harwood/recess /degree /session/\$id	sessionController (/~harwood/recess/recess/code/class/degree.controllers.sessionController)	update (/~harwood/recess/recess/code/class/degree.controllers.sessionController#method_update)
DELETE	/~harwood/recess /degree /session/\$id	sessionController (/~harwood/recess/recess/code/class/degree.controllers.sessionController)	delete (/~harwood/recess/recess/code/class/degree.controllers.sessionController#method_delete)
GET	/~harwood/recess /degree/session /\$id/edit	sessionController (/~harwood/recess/recess/code/class/degree.controllers.sessionController)	editForm (/~harwood/recess/recess/code/class/degree.controllers.sessionController#method_editForm)

HTTP	Route	Controller	Method
GET	/~harwood/recess /degree /sessionStage	session_stageController (/~harwood/recess/recess/code/class/degree.controllers.session_stageController)	index (/~harwood/recess/recess/code/class/degree.controllers.session_stageController#method_index)
POST	/~harwood/recess /degree /sessionStage	session_stageController (/~harwood/recess/recess/code/class/degree.controllers.session_stageController)	insert (/~harwood/recess/recess/code/class/degree.controllers.session_stageController#method_insert)
GET	/~harwood/recess /degree /sessionStage/new	session_stageController (/~harwood/recess/recess/code/class/degree.controllers.session_stageController)	newForm (/~harwood/recess/recess/code/class/degree.controllers.session_stageController#method_newForm)
GET	/~harwood/recess /degree /sessionStage /\$stage_id	session_stageController (/~harwood/recess/recess/code/class/degree.controllers.session_stageController)	details (/~harwood/recess/recess/code/class/degree.controllers.session_stageController#method_details)
PUT	/~harwood/recess /degree /sessionStage /\$stage_id	session_stageController (/~harwood/recess/recess/code/class/degree.controllers.session_stageController)	update (/~harwood/recess/recess/code/class/degree.controllers.session_stageController#method_update)
DELETE	/~harwood/recess /degree /sessionStage /\$stage_id	session_stageController (/~harwood/recess/recess/code/class/degree.controllers.session_stageController)	delete (/~harwood/recess/recess/code/class/degree.controllers.session_stageController#method_delete)
GET	/~harwood/recess /degree /sessionStage /\$stage_id/edit	session_stageController (/~harwood/recess/recess/code/class/degree.controllers.session_stageController)	editForm (/~harwood/recess/recess/code/class/degree.controllers.session_stageController#method_editForm)
GET	/~harwood/recess /degree/stage	stageController (/~harwood/recess/recess/code/class/degree.controllers.stageController)	index (/~harwood/recess/recess/code/class/degree.controllers.stageController#method_index)
POST	/~harwood/recess /degree/stage	stageController (/~harwood/recess/recess/code/class/degree.controllers.stageController)	insert (/~harwood/recess/recess/code/class/degree.controllers.stageController#method_insert)

HTTP	Route	Controller	Method
GET	/~harwood/recess /degree/stage/new	stageController (/~harwood/recess/recess /code/class /degree.controllers.stageController)	newForm (/~harwood/recess/recess/code/class /degree.controllers.stageController#method_newForm)
GET	/~harwood/recess /degree/stage/\$id	stageController (/~harwood/recess/recess /code/class /degree.controllers.stageController)	details (/~harwood/recess/recess/code/class /degree.controllers.stageController#method_details)
PUT	/~harwood/recess /degree/stage/\$id	stageController (/~harwood/recess/recess /code/class /degree.controllers.stageController)	update (/~harwood/recess/recess/code/class /degree.controllers.stageController#method_update)
DELETE	/~harwood/recess /degree/stage/\$id	stageController (/~harwood/recess/recess /code/class /degree.controllers.stageController)	delete (/~harwood/recess/recess/code/class /degree.controllers.stageController#method_delete)
GET	/~harwood/recess /degree/stage /\$id/edit	stageController (/~harwood/recess/recess /code/class /degree.controllers.stageController)	editForm (/~harwood/recess/recess/code/class /degree.controllers.stageController#method_editForm)
GET	/~harwood/recess /degree/text	textController (/~harwood/recess/recess /code/class /degree.controllers.textController)	index (/~harwood/recess/recess/code/class /degree.controllers.textController#method_index)
POST	/~harwood/recess /degree/text	textController (/~harwood/recess/recess /code/class /degree.controllers.textController)	insert (/~harwood/recess/recess/code/class /degree.controllers.textController#method_insert)
GET	/~harwood/recess /degree/text/new	textController (/~harwood/recess/recess /code/class /degree.controllers.textController)	newForm (/~harwood/recess/recess/code/class /degree.controllers.textController#method_newForm)
GET	/~harwood/recess /degree/text/\$id	textController (/~harwood/recess/recess /code/class /degree.controllers.textController)	details (/~harwood/recess/recess/code/class /degree.controllers.textController#method_details)
PUT	/~harwood/recess /degree/text/\$id	textController (/~harwood/recess/recess /code/class /degree.controllers.textController)	update (/~harwood/recess/recess/code/class /degree.controllers.textController#method_update)
DELETE	/~harwood/recess /degree/text/\$id	textController (/~harwood/recess/recess /code/class /degree.controllers.textController)	delete (/~harwood/recess/recess/code/class /degree.controllers.textController#method_delete)

HTTP	Route	Controller	Method
GET	/~harwood/recess/degree /text/\$id/edit	textController (/~harwood/recess/recess/code/class/degree.controllers.textController)	editForm (/~harwood/recess/recess/code/class/degree.controllers.textController#method_editForm)
GET	/~harwood/recess/degree/user	UserController (/~harwood/recess/recess/code/class/degree.controllers.userController)	index (/~harwood/recess/recess/code/class/degree.controllers.userController#method_index)
POST	/~harwood/recess/degree/user	UserController (/~harwood/recess/recess/code/class/degree.controllers.userController)	insert (/~harwood/recess/recess/code/class/degree.controllers.userController#method_insert)
GET	/~harwood/recess/degree/user/new	UserController (/~harwood/recess/recess/code/class/degree.controllers.userController)	newForm (/~harwood/recess/recess/code/class/degree.controllers.userController#method_newForm)
GET	/~harwood/recess/degree/user/\$id	UserController (/~harwood/recess/recess/code/class/degree.controllers.userController)	details (/~harwood/recess/recess/code/class/degree.controllers.userController#method_details)
PUT	/~harwood/recess/degree/user/\$id	UserController (/~harwood/recess/recess/code/class/degree.controllers.userController)	update (/~harwood/recess/recess/code/class/degree.controllers.userController#method_update)
DELETE	/~harwood/recess/degree/user/\$id	UserController (/~harwood/recess/recess/code/class/degree.controllers.userController)	delete (/~harwood/recess/recess/code/class/degree.controllers.userController#method_delete)
GET	/~harwood/recess/degree/user/\$id/edit	UserController (/~harwood/recess/recess/code/class/degree.controllers.userController)	editForm (/~harwood/recess/recess/code/class/degree.controllers.userController#method_editForm)

Trying to [uninstall degree \(/~harwood/recess/recess/apps/uninstall/DegreeApplication\)](#) ?

Resources

[RecessFramework.org \(http://www.recessframework.org/\)](http://www.recessframework.org/)

[Recess Blog \(http://www.recessframework.org/blog\)](http://www.recessframework.org/blog)

[Kris' Blog \(http://www.krisjordan.com/\)](http://www.krisjordan.com/)

[Mailing Group \(http://groups.google.com/group/recess-framework\)](http://groups.google.com/group/recess-framework)

[Report Bugs \(http://recess.lighthouseapp.com/\)](http://recess.lighthouseapp.com/)

[Recess Source \(http://github.com/recess/recess/\)](http://github.com/recess/recess/)

[Recess PHP Framework \(http://www.recessframework.org/\)](http://www.recessframework.org/) is © 2008 [Kris Jordan \(http://www.krisjordan.com/\)](http://www.krisjordan.com/) . All rights reserved. Recess is open source under the [MIT license \(http://www.opensource.org/licenses/mit-license.php\)](http://www.opensource.org/licenses/mit-license.php) .