MINILEDGER / DESIGN SYSTEM / 00

Clear by design.

Fintech Fresh · Light theme · Mobile operations and accounting

MiniLedger

Every amount clear.
Every entry accountable.

01 Trust 02 Readable numbers 03 Auditability

AVAILABLE BALANCE

128,450.00

USD · •••• 4821

01 Semantic color

Canvas token = CSS variable name. Example: primary → --primary → bg-primary.

background #F6F7F9	foreground #0F172A	card #FFFFFF	muted #EEF0F4	muted-foreground #64748B
primary #4F46E5	primary-foreground #FFFFFF	secondary #EEF2FF	accent #E0E7FF	ring #4F46E5
border #E2E8F0	input #E2E8F0	destructive #E11D48	secondary-foreground #3730A3	accent-foreground #3730A3

02 Meaning, beyond color

Credit
#16A34A
Tint #F0FDF4

Debit
#E11D48
Tint #FFF1F2

Warning
#D97706
Tint #FFFBEB

Information
#2563EB
Tint #EFF6FF

Use semantic foregrounds on small text. Base credit is reserved for large bold amounts and icons. Always pair color with a sign, icon or label.

03 Plus Jakarta Sans

display 40 / 48 · 700	The ledger, at a glance.
h1 32 / 42 · 700	Account overview
h2 24 / 31 · 700	Journal entries
h3 20 / 26 · 600	Transaction details
body 16 / 24 · 400	Review the details before posting.
body-sm 14 / 21 · 400	Created by Maya Chen · Operations
caption 12 / 17 · 500	LAST UPDATED 09:41 WIB
amount-lg 32 / 42 · 700	USD 128,450.00
amount-md 20 / 26 · 600	+1,250.00

Amounts, balances, account numbers and IDs use font-variant-numeric: tabular-nums. The .pen schema has no OpenType switch; the CSS handoff enforces this feature.

04 Rhythm, shape & elevation

4 8 12 16 24 32 48 64

sm · 8px elevation/sm	md · 12px elevation/md	lg · 16px elevation/lg	pill · 999px elevation/sm

4px grid · 16px mobile padding · 12px cards, fields and buttons · 44px minimum touch target · sm / md / lg shadows: 0 2 6, 0 4 12, 0 8 24.

05 Mobile contract

390 × 844 base viewport · 360px minimum width
Safe areas: env(safe-area-inset-top / bottom); canvas specimens use 47 / 34px.
All modal flows open in bottom Drawers. Lists replace tables. No screen templates.

MINILEDGER / DESIGN SYSTEM / 01

Actions that feel certain.

Button variants, mobile targets and consistent feedback.

01 Button

VARIANT	Default	Pressed	Focus	Disabled	Error context
default	Post entry	Post entry	Post entry	Post entry	Retry
secondary	Post entry	Post entry	Post entry	Post entry	Retry
outline	Post entry	Post entry	Post entry	Post entry	Retry
ghost	Post entry	Post entry	Post entry	Post entry	Retry
destructive	Reverse	Reverse	Reverse	Reverse	Retry

Error is a failed-action context: retain the action variant and pair it with a persistent Alert. Disabled controls do not respond or focus. Focus uses a 2px ring with a 2px visual offset.

02 Sizes with touch built in

Post entry
Small · 44px

Post entry
Default · 48px

Post entry
Large · 56px

+
Icon · 48px

03 Every variant, every size

default	Post entry	Post entry	Post entry	+
secondary	Continue	Post entry	Continue	+
outline	Continue	Post entry	Continue	+
ghost	Continue	Post entry	Continue	+
destructive	Reverse	Reverse	Reverse	+

04 Interaction contract

Posting entry…

aria-busy=true · prevent repeat submission

One primary action per task. Use precise verbs: Post entry, Save draft, Reverse entry. Keep Cancel as outline or ghost. Destructive operations use a confirmation Drawer.

pressed → :active · focus → :focus-visible
disabled → disabled · error → associated Alert
loading → aria-busy; keep the control width stable.

Entry was not posted
Check your connection and try again.

shadcn: Button variant={default | secondary | outline | ghost | destructive}; size={sm | default | lg | icon}. MiniLedger overrides all heights and radii with tokens.

MINILEDGER / DESIGN SYSTEM / 02

Confident input.

Readable fields, explicit validation and controls sized for real hands.

01 Labels, helper text & errors

Entry reference

Use a persistent Label. Helpers explain the expected input; errors explain how to fix it. Placeholders never replace labels.

02 Input · Textarea · Select

Input

default

Entry reference

pressed

Entry reference

focus

Entry reference

disabled

Entry reference

error

REF-2026-0042

This reference is already in use.

Textarea

default

Add a note for the audit trail…

pressed

Add a note for the audit trail…

focus

Add a note for the audit trail…

disabled

Add a note for the audit trail…

error

Add a note for the audit trail…

Add a reason for the reversal.

Select

default

USD · US Dollar

pressed

USD · US Dollar

focus

USD · US Dollar

disabled

USD · US Dollar

error

USD · US Dollar

Choose an available currency.

Input text is 16px. Focus stays visible while typing. aria-invalid=true and aria-describedby connect field errors. Select opens a bottom Drawer on mobile.

03 Form field

Entry reference

Entry reference

A unique reference makes this entry easy to trace.

Entry reference

REF-2026-0042

Use a unique reference for this entry.

Entry reference

Entry reference

A unique reference makes this entry easy to trace.

04 Checkbox & Switch

off · on · pressed · focus · disabled · error

off · on · pressed · focus · disabled · error

The whole 72 × 44 wrapper is interactive; the mark is smaller. Associate visible labels. Checkbox may be mixed; Switch is immediate and binary.

05 Tabs

default

All Credits Debits

pressed

All Credits Debits

focus

All Credits Debits

shadcn: Label + Input / Textarea / Select; Checkbox; Switch; TabsList + TabsTrigger. FormField composes FormLabel, FormControl, FormDescription and FormMessage. Non-interactive labels have no pressed or focus state.

MINILEDGER / DESIGN SYSTEM / 03

A shared visual language.

Status, surfaces and feedback that make the ledger easy to scan.

01 Badge & ledger status

default secondary outline destructive

Pending Posted Reversed Failed

Status is never encoded by color alone. Pending waits for processing; Posted is recorded; Reversed links to its reversal; Failed requires attention. Badges are labels, not tap targets.

02 Card · Avatar · Separator

Card title

A single, clearly grouped idea.

Use a Card for related information. Keep ordinary list rows on the page surface.

View details

MC MC

Avatar fallback uses initials; keep the full name in nearby text.

Separator groups content; it carries no state.

Skeleton reserves the final layout. Respect reduced motion and expose one loading announcement.

03 Alert

Exchange rate updated
Rates are current as of 09:41 WIB.

All entries balanced
Your journal is ready to post.

Approval required
A second reviewer must approve this entry.

Unable to post entry
Resolve the balance difference and retry.

Use Alert for persistent, actionable context. Announce failures with role=alert. Informational updates use role=status.

04 Progress

3 of 4 entries checked 75%

Review complete 100%

Review interrupted 75%

Expose value and task label to assistive technology.

Expose value and task label to assistive technology.

Show a persistent error beside the task.

05 Sonner

Entry posted
JE-2026-0042 is now in the ledger.

Posting failed
No entry was recorded. Try again.

Reference copied
JE-2026-0042

Toaster position: top-center, below the top safe area. Announce politely; errors persist until dismissed. A toast confirms an action; the ledger status remains the source of truth.

MINILEDGER / DESIGN SYSTEM / 04

Numbers you can trust.

Purpose-built ledger components. Clear signs, currency and provenance.

01 Amount display

+1,250.00
USD

−240.00
USD

0.00
USD

+1,250.00
USD

−240.00
USD

—
USD

Right-align the whole numeric value. Use + for credits and the minus sign for debits; zero has no sign. A balance shows its actual sign, not a transaction direction. Never combine currencies in a total. Unavailable is —, never 0.00.

02 Currency amount input

Amount

USD 0.00

Amount

USD 1,250.00

Amount

USD 1,250.00

Enter an amount greater than zero.

Native numeric keypad: inputMode=decimal, type=text. Store the exact decimal string or integer minor units. Keep sign outside the editable input. Validate on blur / submit; preserve typed decimals until blur. Precision follows currency (USD 2, JPY 0, KWD 3).

03 Account card

Operating account
•••• 4821

Available balance
128,450.00
USD

A stable identity, a masked number and one currency-specific balance. Name and balance are separate groups so long account names can wrap.

Use the full account number only in an authorized detail view. Accessible labels announce the currency and full amount.

Posted

pressed

Operating account
•••• 4821
Available balance
128,450.00
USD

focus

Operating account
•••• 4821
Available balance
128,450.00
USD

disabled

Operating account
•••• 4821
Available balance
128,450.00
USD

Account card error uses a persistent Alert and an unavailable balance. Never display stale balances as current.

04 Transaction list item

Customer receipt
09 Nov 2026 · 09:41 WIB
Posted
+1,250.00
USD

Supplier payment
09 Nov 2026 · 09:35 WIB
Pending
−240.00
USD

Transfer reversal
08 Nov 2026 · 16:08 WIB
Reversed
+85.00
USD

The entire row is the tap target. Allow names to wrap and keep the amount on its own line at 360px. Pressed uses secondary; focus uses ring; failed rows retain the failed status and expose a retry action in details.

05 Journal entry line & difference

Cash & cash equivalents
Account 1001
DEBIT · Dr
USD 1,250.00

Customer deposits
Account 2101
CREDIT · Cr
USD 1,250.00

Balanced
USD 0.00

Difference
USD 25.00

Journal amounts are unsigned; Dr / Cr defines the side. Difference = total debits − total credits, per currency. Keep Post entry disabled until the exact difference is zero.

06 Audit trail timeline item

Entry created
Maya Chen · Operations
09 Nov 2026 · 09:30 WIB
JE-2026-0042

Entry posted
Arif Rahman · Approver
09 Nov 2026 · 09:41 WIB
JE-2026-0042


Entry reversed
Maya Chen · Operations
10 Nov 2026 · 10:12 WIB
JE-2026-0042

Always show event, actor, exact timestamp with zone, and immutable entry ID. Reversals reference the original entry. Long identifiers wrap; copying them gives a Sonner confirmation.

Made for mobile.

Navigation, safe areas and bottom-sheet patterns. Component specimens only.

01 Top app bar & bottom tab bar



390 × 844 base viewport
360px minimum width
16px content gutter
44 × 44 minimum touch target

Top padding: env(safe-area-inset-top)
Bottom padding: max(16px, env(safe-area-inset-bottom))
Use viewport-fit=cover and dynamic viewport units.

Canvas samples use 47px top / 34px bottom. Runtime insets come from the device. Never place actions in the inset itself.

02 Filter chip

Currency | Posted × | Posted | Posted | Posted | Unavailable

A selected chip removes its filter when tapped. Keep the entire chip as one target. Chip groups wrap in code; never shrink touch targets to fit a row.

03 Empty state

No transactions yet

Posted transactions will appear here with their full audit trail.

Create entry

No matching entries

Try another date, status or account filter.

Clear filters

Explain the empty condition and offer one useful next action. Loading uses Skeleton; failed loading uses an Alert with Retry.

04 Calendar & bottom Drawers

09 Nov 2026

Posting date

Choose a date in the ledger's time zone.

November 2026

M	T	W	T	F	S	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

Apply date

Destructive confirmation

Reverse this entry?

This records an equal, opposite entry and preserves the original audit trail.

JE-2026-0042
USD 1,250.00

Reason for reversal

Explain why this entry needs reversing…

Required. Your reason will be added to the audit trail.

Reverse entry

Cancel

DrawerHeader
DrawerTitle
DrawerDescription
Content slot
DrawerFooter

Full-width bottom sheet. Overlay uses --overlay. Cap height to the usable viewport; allow inner scrolling.

Trap focus while open. Restore focus to the trigger on close. Close button is 44px. Keep footer above the keyboard and bottom inset.

Date picker = Button + Drawer + Calendar. Mobile Select uses the same Drawer shell with 44px options.

05 Date control states

9 default | 9 selected | 9 pressed | 9 focus | 9 disabled | 9 error

focus: 09 Nov 2026

disabled

error: 09 Nov 2026

Select a date in an open period.

Calendar days have at least 44px hit areas: 7 × 44 = 308px, within a 328px content width at 360px. Always show the selected date; expose disabled dates and validation text.

06 Select · open state

Currency

USD US Dollar ✓

EUR Euro

JPY Japanese Yen

Use the Select trigger styling with a controlled Drawer list on mobile. Selecting an option commits the value, closes the Drawer and returns focus to the trigger.

Label the list and options, expose the current selection, and announce validation errors. Keep single-choice values separate from filter chip toggles.

Use the underlying library's supported selection semantics when composing the adapter. The visual system does not depend on a particular shadcn primitive implementation.

Ready to build.

Responsive component checks, state recipes and the React + Tailwind contract.

01 360px support

These are isolated component specimens, not screen templates. A 360px viewport leaves 328px after the two 16px content gutters.

328px content width

Settlement account · Jakarta
•••• 4821

Available balance

9,999,999.99

USD

International customer settlement
09 Nov 2026 · 09:41 WIB

Posted

+99,999.99

USD

USD 1,250.00

360px Drawer width

Posting date

Choose a date in the ledger's time zone.

November 2026

M	T	W	T	F	S	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

Apply date

Home Accounts Entries Audit More

Names and IDs wrap. Amounts stay right-aligned. Currency codes remain visible. Long amounts can move to their own row.

Calendar: 328 / 7 = 46.9px per day. Five-tab navigation: 65.6px per item. Both remain above 44px.

In React, allow shrinkable content with min-w-0. Never ellipsize a financial amount; use a larger numeric row or a smaller predefined amount style.

02 Shared state recipes

currency-input / pressed

USD 0.00

currency-input / disabled

date-picker / pressed

09 Nov 2026

tabs / disabled

tabs / error

All Credits Debits

Content could not load. Keep the selection and show an Alert in its panel.

transaction / pressed

Customer receipt
09 Nov 2026 · 09:41 WIB

Posted

+1,250.00

USD

transaction / focus

Customer receipt
09 Nov 2026 · 09:41 WIB

Posted

+1,250.00

USD

transaction / disabled

Operating account
•••• 4821

Balance unavailable

—

USD

Balance could not load
Retry to retrieve the latest balance.

Supplier payment failed
09 Nov 2026 · 09:35 WIB

Failed

-240.00

USD

A failed request has no posted ledger impact. Retry requires a deliberate action.

States are shared recipes across sizes. Apply :active for pressed, :focus-visible for focus, disabled for unavailable actions, and aria-invalid + persistent text for input errors. Passive components have semantic variants, not artificial pressed states.

03 shadcn/ui mapping

Actions & forms	Button · Input · Textarea · Label · Select · Checkbox · Switch · Tabs
Status & surfaces	Badge · Card · Avatar · Separator · Skeleton · Alert · Progress
Overlays & dates	Drawer · Calendar · Button-triggered date picker · Sonner
Ledger compositions	Amount · CurrencyInput · AccountCard · TransactionItem · JournalLine · Difference · AuditItem
App compositions	TopAppBar · BottomTabBar · EmptyState · FilterChip

CSS variables follow shadcn names. Canvas groups use category/name; CSS uses --name or --category-name. Tailwind maps them through @theme inline. All component dimensions are resolved from tokens and retain token-binding metadata.

04 Verification checklist

- Layout: fixed board widths; flex content; no collapsed component frames.
- Containment: component text wraps; no clipped content at 328px content width.
- Contrast: semantic text uses darker foregrounds; signs and labels reinforce meaning.
- Alignment: 4px grid, 16px component padding, right-aligned numeric columns.
- Interaction: 44px minimum targets; safe areas; focus, disabled and error recipes.
- Auditability: actor, immutable reference, timestamp with zone and reversal context.
- Handoff: light tokens only; CSS tabular numerals for values and identifiers.