kmahdi

(https:// profile.intra.42.fr)

# SCALE FOR PROJECT READY SET BOOLE (/ PROJECTS/READY-SET-BOOLE)

You should evaluate 1 student in this team



Git repository

git@vogsphere-v2-bg.1337.ma:vogsphere/intra-uuid-bb7eae6c-a149-48eb-

## Introduction

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the person (or the group) evaluated the eventual dysfunctions of the work. Take the time to discuss and debate the problems you have identified.
- You must consider that there might be some difference in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade him/her as honestly as possible. The pedagogy is valid only and only if peer-evaluation is conducted seriously.

# **Guidelines**

- Only grade the work that is in the student or group's GiT repository.
- Double-check that the GiT repository belongs to the student or the group. Ensure that the work is for the relevant project and also check that "git clone" is used in an empty folder.
- Check carefully that no malicious aliases was used to fool you and make you evaluate something other than the content of the official repository.
- To avoid any surprises, carefully check that both the evaluating and the evaluated students have reviewed the possible scripts used to facilitate the grading.
- If the evaluating student has not completed that particular project yet, it is mandatory for this student to read the entire subject prior to starting the defence.
- Use the flags available on this scale to signal an empty repository, non-functioning program, a norm error, cheating etc. In these cases, the grading is over and the final grade is 0 (or -42 in case of cheating). However, with the exception of cheating, you are

encouraged to continue to discuss your work (even if you have not finished it) in order to identify any issues that may have caused this failure and avoid repeating the same mistake in the future.

- Remember that for the duration of the defence, no segfault, no other unexpected, premature, uncontrolled or unexpected termination of the program, else the final grade is 0. Use the appropriate flag.

You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explicit the reasons with the evaluated student and make sure both of you are okay with this.

- You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution.

You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e fence. In case of memory leaks, tick the appropriate flag.

## **Attachments**

subject.pdf (https://cdn.intra.42.fr/pdf/pdf/146150/en.subject.pdf)

## Exercise 00 - Adder

## Complexity

Ask the student to justify the complexity of the function. It must be at most O(1) in time and O(1) in space.

 $\times$ No

## **Used operators**

Check that the only operators that were used in the function are:

- · & (bitwise AND)
- | (bitwise OR)
- ^ (bitwise XOR)
- << (left shift)</li>
- >> (right shift)
- = (assignment)
- == , != , < , > , <= , >= (comparison operators)
- The increment operator (only to increment the index of a loop)

Check for the use of any forbidden mathematical functions (see the subject).

## **Basic tests**

Check the behaviour of the function with the following parameters:

- 'adder(0, 0)' gives '0'
- 'adder(1, 0)' gives '1'
- 'adder(0, 1)' gives '1'
- 'adder(1, 1)' gives '2'
- 'adder(1, 2)' gives '3'
- 'adder(2, 2)' gives '4'

2 of 11

× No
×No
× No
× No
×No
×No

# Exercise 02 - Gray code

#### Basic tests

Check the behaviour of the function. The binary representation of the returned number must correspond to the encoding of the given parameter in Gray code.

You can use an online Binary -> Gray code converter to make evaluation easier.

ck for the use of any forbi	
€	imesNo
cercise 03 -	
nplexity	
the student to justify the of tO(n) in time.	
€	imesNo
ic tests	
ck the behaviour of the fu	
<ul> <li>'0!' gives 'true'</li> <li>'1!' gives 'false'</li> <li>'00 ' gives 'false'</li> <li>'10 ' gives 'true'</li> <li>'01 ' gives 'true'</li> <li>'11 ' gives 'true'</li> <li>'11&amp;' gives 'false'</li> <li>'11&amp;' gives 'false'</li> <li>'10^' gives 'true'</li> <li>'00&gt;' gives 'true'</li> <li>'01&gt;' gives 'true'</li> <li>'01&gt;' gives 'true'</li> <li>'10&gt;' gives 'true'</li> <li>'10&gt;' gives 'true'</li> <li>'10&gt;' gives 'true'</li> <li>'11&gt;' gives 'true'</li> <li>'11=' gives 'true'</li> <li>'11=' gives 'true'</li> <li>'10=' gives 'false'</li> <li>'01=' gives 'false'</li> <li>'01=' gives 'false'</li> <li>free to perform more test</li> </ul>	
ck for the use of any forbi	
€	imesNo
nposition  ck the behaviour of the fu  '11&0 ' gives 'true'  '10&1 ' gives 'true'  '11&1 ' gives 'true'  '11&1 1^' gives 'false'  '01&1 1=' gives 'true'  '01&1&1&4' gives 'false'	
<ul> <li>'10&amp;1 ' gives 'true'</li> <li>'11&amp;1 ' gives 'true'</li> <li>'11&amp;1 1^' gives 'false'</li> <li>'01&amp;1 1=' gives 'true'</li> </ul>	

	✓ Yes		imesNo	
Exercise 04 -	Truth table	9		
Complexity				
Ask the student to justify the the assignment (not the disp				
	⊗ Yes		imesNo	
Basic tests				
Check the behaviour of the f	unction with the followi	ng formulas:		
• 'A' must print:				
A				
0 0   1 1				
; ' '				
• 'A!' must print:				
<b>A</b>				
0 1   1 0				
1				
• 'AB ' must print:				
A   B				
   0   0   0				
0 1 1				
1 0 1   1 1 1				
1.1.1.1				
• 'AB&' must print:				
A B				
0 0 0   0 1 0				
1 0 0   1 1 1				
'				
• 'AB^' must print:				
A B				
0 0 0   0 1 1				
1 0 1				
1 1 0				

• 'AB>' must print: |A|B|| |---|---| |0|0|1| |0|1|1| |1|0|0| |1|1|1| • 'AB=' must print: |A|B|| |---|---| |0|0|1| |0|1|0| |1|0|0| |1|1|1| • 'AA=' must print: | A | | |---| |0|1| |1|1| Feel free to perform more tests on your own. Check for the use of any forbidden mathematical functions (see the subject).  $\times$ No Composition Check the behaviour of the function with the following formulas: • 'ABC==' must print: |A|B|C|| |---|---| |0|0|0|0| |0|0|1|1| |0|1|0|1| |0|1|1|0| |1|0|0|1| |1|0|1|0| |1|1|0|0| |1|1|1|1| • 'AB>C>' must print: |A|B|C|| |---|---| |0|0|0|0| |0|0|1|1| |0|1|0|0| |0|1|1|1|

 $\times$ No

| 1 | 0 | 0 | 1 | | 1 | 0 | 1 | 1 | | 1 | 1 | 0 | 0 | | 1 | 1 | 1 | 1 |

• 'AB>A>A>' must print:

| A | B || |---|---| | 0 | 0 | 1 | | 0 | 1 | 1 | | 1 | 0 | 1 | | 1 | 1 | 1 |

By the way, the last formula is called Pierce's Law. You may want to check out what this is if you want to go deeper in mathematical logic.

Feel free to perform more tests on your own.

✓ Yes

# **Exercise 05 - Negation Normal Form**

#### **Basic tests**

Check the behaviour of the function with the following formulas:

- 'A'
- 'A!'
- 'AB&!'
- 'AB|!'
- 'AB>!'
- 'AB=!'

For each case, every occurrence of '!' must be placed after a variable, and the truth table must be the same.

Feel free to perform more tests on your own.

Check for the use of any forbidden mathematical functions (see the subject).

⊗ Yes × No

## Composition

Check the behaviour of the function with the following formulas:

- 'ABC||'
- 'ABC||!'
- 'ABC|&'
- 'ABC&|'
- 'ABC&|!'
- 'ABC^^'
- 'ABC>>'

For each case, every occurrence of '!' must be placed after a variable, and the truth table must be the same.

Feel free to perform more tests on your own.

7 of 11

⊘ Yes	imesNo
Exercise 06 - Conjunctive N	lormal Form
Basic tests	
Check the behaviour of the function with the following form	nulas:
• 'A'	
• 'A!' • 'AB&!'	
• 'AB !'	
<ul><li>'AB&gt;!'</li><li>'AB=!'</li></ul>	
For each case, every occurence of '!' must be placed after every conjunction must be located at the end of the formul truth table must be the same.  Feel free to perform more tests on your own	
Check for the use of any forbidden mathematical functions	(see the subject).
⊘ Yes	imesNo
Composition	
Check the behaviour of the function with the following form	uulas:
• 'ABC  '	
<ul><li>'ABC  !'</li><li>'ABC &amp;'</li></ul>	
• 'ABC& '	
• 'ABC& !'	
<ul><li>'ABC^^'</li><li>'ABC&gt;&gt;'</li></ul>	
For each case, every occurence of '!' must be placed after every conjunction must be located at the end of the formul truth table must be the same.	
Feel free to perform more tests on your own.	
⊘ Yes	imesNo
Exercise 07 - SAT	
Complexity	
Ask the student to justify the complexity of the function. It $r$ most $O(2^n)$ in time.	must be at
⊗ Yes	imesNo
Basic tests	
Check the behaviour of the function with the following form	nulas:

- 'A' gives 'true'
- 'A!' gives 'true'
- 'AA|' gives 'true'
- 'AA&' gives 'true'
- 'AA!&' gives 'false'
- 'AA^' gives 'false'
- 'AB^' gives 'true'
- 'AB=' gives 'true'
- 'AA>' gives 'true'
- 'AA!>' gives 'true'

Feel free to perform more tests on your own. For each case, every occurence of '!' must be placed after a variable, every conjunction must be located at the end of the formula, and the truth table must be the same.

Check for the use of any forbidden mathematical functions (see the subject).

 $\times$ No

## Composition

Check the behaviour of the function with the following formulas:

- 'ABC||' gives 'true'
- 'AB&A!B!&&' gives 'false'
- 'ABCDE&&&&' gives 'true'
- 'AAA^^' gives 'true'
- 'ABCDE^^^' gives 'true'

Feel free to perform more tests on your own. For each case, every occurrence of '!' must be placed after a variable, every conjunction must be located at the end of the formula, and the truth table must be the same.

✓ Yes

 $\times$ No

# **Exercise 08 - Powerset**

#### Complexity

Ask the student to justify the complexity of the function. It must be at most  $O(2^n)$  in time and space.

✓ Yes

 $\times$ No

## Basic tests

Check the function's behaviour with different sets. Each times, the number of subsets in the resulting powerset must be equal '2^n' where 'n' is the length of the set.

The order of the elements in the returned array doesn't matter.

Try the following:

- '[]' gives '[[]]' (1 subset)
- '[0]' gives '[[], [0]]' (2 subset)
- '[0, 1]' gives '[[], [0], [1], [0, 1]]' (4 subset)
- '[0, 1, 2]' gives '[[], [0], [1], [2], [0, 1], [1, 2], [0, 2], [0, 1, 2]]' (8 subset)

9 of 11

Feel free to	perform	more tests	on	your	own.

Check for the use of any forbidden mathematical functions (see the subject).

✓ Yes

 $\times$ No

# **Exercise 09 - Set evaluation**

#### **Basic tests**

Try the following:

- 'A' with '[[]]', the function must return '[]'
- 'A!' with '[[]]', the function must return '[]'
- 'A' with '[[42]]', the function must return '[42]'
- 'A!' with '[[42]]', the function must return '[]'
- 'A!B&' with '[[1, 2, 3], [2, 3, 4]]' the function must return '[4]'
- 'AB|' with '[[0, 1, 2], []]', the function must return '[0, 1, 2]'
- 'AB&' with '[[0, 1, 2], []]', the function must return '[]'
- 'AB&' with '[[0, 1, 2], [0]]', the function must return '[0]'
- 'AB&' with '[[0, 1, 2], [42]]', the function must return '[]'
- 'AB^' with '[[0, 1, 2], [0]]', the function must return '[1, 2]'
- 'AB>' with '[[0], [1, 2]]', the function must return '[1, 2]'
- 'AB>' with '[[0], [0, 1, 2]]', the function must return '[0, 1, 2]'

Feel free to perform more tests on your own.

Check for the use of any forbidden mathematical functions (see the subject).

arphi Yes

 $\times$ No

#### Composition

Try the following:

- 'ABC||' with '[[], [], []]', the function must return '[]'
- 'ABC||' with '[[0], [1], [2]]', the function must return '[0, 1, 2]'
- 'ABC||' with '[[0], [0], [0]]', the function must return '[0]'
- 'ABC&&' with '[[0], [0], []]', the function must return '[]'
- 'ABC&&' with '[[0], [0], [0]]', the function must return '[0]'
- 'ABC^^' with '[[0], [0], [0]]', the function must return '[0]'
- 'ABC>>' with '[[0], [0], [0]]', the function must return '[0]'

Feel free to perform more tests on your own.

✓ Yes

 $\times$ No

# **Exercise 10 - Curve**

### **Basic tests**

Ask the student to explain why is a space filling curve continuous and why is his implementation continuous.

Try passing pairs of values to the function. For each unique pair of values, the function must return a unique value between 0 and 1 (included).

	,	Yes		×N	o		
Exer	cise 11 -	Inverse	function				
Basic tes	sts						
'inverse_	orevious function to map(map(x, y))'. Fo must return the exac	or every pair of val	executing the function ues 'x' and 'y', this				
Check fo	r the use of any fork	oidden mathematic	cal functions (see the	subject).			
	(	<b>∀ Yes</b>		imesN	0		
Rati	•		defense				
Don't forg	et to check the flag o	orresponding to the	e defense				
	<b>✓</b> Ok			★ Outstanding project			
Empty	work <b>L</b> Incon	nplete work	Invalid compilation	Cheat	<b>‡</b> Crash <b>♦</b>	Leaks	
	<b>Ø</b> Forbidden	function		Can't support / e	explain code		
	<b>Clusion</b> comment on this evalu	nation ( 2048 chars r	nax )				
			Finish evaluation				
eneral of Use	Privacy policy (https:// profile.intra.42.fr/	Declaration on the use of cookies (https://	General term of use of the site (https://	Legal notices (https:// profile.intra.42.fr/	Rules of procedure (https://	Terms of vide	