```
1 <?xml version="1.0" encoding="UTF-8" ?>
 2 < jsp:root xmlns:jsp="http://java.sun.com/JSP/Page"</pre>
      xmlns:c="http://java.sun.com/jsp/jstl/core"
4
      xmlns:fn="http://java.sun.com/jsp/jstl/functions"
      xmlns:fmt="http://java.sun.com/jsp/jstl/fmt" version="2.0">
 5
 6
      <jsp:directive.page contentType="text/html; charset=UTF-8"</pre>
          pageEncoding="UTF-8" session="false" />
 7
8
      <jsp:output doctype-root-element="html"</pre>
           doctype-public="-//W3C//DTD XHTML 1.0 Transitional//EN"
9
10
           doctype-system="http://www.w3.org/TR/xhtml1/DTD/xhtml1-
  transitional.dtd"
           omit-xml-declaration="true" />
11
12
      <![CDATA[<!DOCTYPE html>]]>
13
      <html xmlns="http://www.w3.org/1999/xhtml">
14 <c:set var="rootURLPath" value="$
  {pageContext.request.contextPath}"></c:set>
15
16 < jsp:include page="../includes/Header.jspx">
      <jsp:param name="title" value="Foods R Us!" />
17
      <jsp:param name="rootURLPath" value="${rootURLPath}" />
18
19 </isp:include>
20
21 <body>
22
      <jsp:include page="../includes/Nav.jspx">
          <jsp:param name="rootURLPath" value="${rootURLPath}" />
23
24
      </isp:include>
25
26
      <fmt:setLocale value = "en US"/>
27
28
      <main class="bd-main">
29
      <section class="hero is-small is-primary is-bold">
30
           <div class="hero-body">
31
               <div class="container">
32
                   <h1 class="title">Purchase Order Confirmation</h1>
33
               </div>
34
           </div>
35
      </section>
      <div class="container">
36
37
          <section>
38
               <c:set var="error" value="${error}" scope="request" />
39
               <jsp:include page="../includes/Error.jspx" />
40
          </section>
41
          <c:if test="${!empty orderCreated}">
               The Purchase Order has been
42
```

```
completed!
43
            Thank you!
44
            Here is the <a class="is-link"</pre>
  href="${rootURLPath}/PurchaseOrders?orderNum=$
  {orderCreated}">link</a> to view this purchase order.
45
         </c:if>
         <c:if test="${empty orderCreated}">
46
47
            <section id="cart-products">
                <c:if test="${!empty order.getItems()}">
48
49
                   <table
50
                       class="table is-bordered is-striped is-
  hoverable is-fullwidth"
51
                       id="cartItems">
52
                       <thead>
53
                          54
                              Product Number
55
                              Product Name
56
                              Price
57
                              Extended Price
58
                              Quantity
59
                          60
                       </thead>
61
                       62
                          <c:forEach items="${order.getItems()}"</pre>
  var="product"
                              varStatus="loop">
63
                              64
65
                                  ${product.number}
                                  ${product.name}
66
                                  <fmt:formatNumber
67
  type="currency" value="${product.price}"></fmt:formatNumber>
68
                                 <fmt:formatNumber
  type="currency" value="${product.totalPrice}">
  fmt:formatNumber>
69
                                 <tmt:formatNumber
  type="currency" value="${product.quantity}"></fmt:formatNumber></</pre>
  td>
70
                              71
                          </c:forEach>
72
                       73
                   74
75
                   <div class="has-text-right has-background-</pre>
  light" style="margin-bottom: 15px; padding: 10px;">
```

```
76
                         text-weight-bold">Summary
                         77
78
                             <strong>Total: </strong>
79
                             <span><fmt:formatNumber</pre>
   type="currency" value="${order.total}"></fmt:formatNumber></span>
80
                         81
                         82
                             <strong>Shipping: </strong>
83
                             <span><fmt:formatNumber</pre>
   type="currency" value="${order.shipping}"></fmt:formatNumber></</pre>
   span>
84
                         85
                         86
                             <strong>HST (incl. Shipping): 
   strong>
87
                             <span><fmt:formatNumber</pre>
   type="currency" value="${order.HST}"></fmt:formatNumber></span>
88
                         89
                         90
                             <strong>Grand Total: </strong>
91
                             <span><fmt:formatNumber</pre>
   type="currency" value="${order.grandTotal}"></fmt:formatNumber></</pre>
   span>
92
                         93
                     </div>
94
95
                     <form action="Checkout">
                         <!-- <div class="field">
96
                             <div class="control">
97
98
                                 <label class="checkbox">
                                    <input type="checkbox" />
99
100
                                    I agree to the <a
   href="#">terms and conditions</a>
101
                                 </label>
102
                             </div>
                         </div>
103
104
105
                         <div class="field">
106
                             <div class="control">
                                 <label class="radio">
107
                                    <input type="radio" id="yes"</pre>
108
   name="confirm" />
109
                                    Yes
```

```
110
                                    </label>
111
                                    <label class="radio">
112
                                        <input type="radio" id="no"</pre>
113
   name="confirm" />
114
                                       No
115
                                    </label>
116
                               </div>
                           </div> -->
117
118
119
                           <div class="field is-grouped">
                                <div class="control">
120
                                   <input type="submit"</pre>
121
   value="Confirm" name="confirm" class="button is-link" />
122
                                </div>
123
                                <div class="control">
124
                                    <input type="submit"</pre>
   value="Cancel" name="cancel" class="button is-link" />
125
                               </div>
126
                           </div>
127
                       </form>
                   </c:if>
128
129
130
                   <c:if test="${empty order.getItems()}">
                       131
   capitalized has-text-weight-bold">Empty Cart
                   </c:if>
132
133
               </section>
134
           </c:if>
       </div>
135
136
       </main>
137
       <jsp:include page="../includes/Footer.jspx">
138
           <jsp:param name="rootURLPath" value="${rootURLPath}" />
139
140
       </jsp:include>
141 </body>
       </html>
142
143 </ jsp: root>
144
```