# TrustGate

## Verify before money moves.

A layered check that flags scam and social-engineering messages before anyone pays: rules, a text classifier and an AI analyst, in English and Turkish.

**Challenge area** Detection of deepfakes, misinformation, scams and social-engineering campaigns

**Also** Agentic AI for cyber defence with human oversight

Round 1 · solo entry · live demo: trustgate-k45p.onrender.com

# Scams no longer look like scams

Generative AI perfects the voice, the face and the wording. The ask stays the same.

**$15.9bn**

reported to the US FTC as fraud losses in 2025, from 3 million reports

US FTC, March 2026

**£576m**

lost to authorised push payment fraud in the UK in 2025, up 19%

UK Finance, 2026

**$25.6m**

sent in 15 transfers after one deepfake video call at Arup

CNN, May 2024

## What it cannot hide is the ask:

- Pay a new account
- Act now
- Keep it secret
- Read out the code
- Click this link

*TrustGate looks for these tactics. It does not guess whether a machine wrote the text.*

# TrustGate checks the ask, before you pay

Paste an SMS, WhatsApp message or e-mail in English or Turkish. Add the sender, links or payment details if you have them.

## What you get back

- A 0–100 risk score and a verdict
- An action for payment flows: proceed, hold or block
- Red flags highlighted on the original text
- Safe next steps for this kind of scam
- A ready-to-forward warning for family or colleagues

**SAFE → proceed**

No meaningful risk found.

**SUSPICIOUS → hold**

Verify through a channel you already trust.


**DANGEROUS → block**

Do not pay or reply.

Built for people and families, finance and accounts-payable teams, and AI agents that pay (through an API).

# Three independent layers, one decision

Each layer gives its own signal. The fusion has floors that no single layer can talk down.




### Injection shield


Hidden text revealed, an integrity code in every answer, and when a message targets AI the analyst can only add risk.

### Two-phase answer

Rules + classifier answer at once (about 50 ms); the AI analyst refines it a few seconds later (about 7 s).

# What the user sees

The live app (trustgate-k45p.onrender.com) with its 'Dangerous' example, a fake bank-security text. All names are fictional.




1. **Score, verdict and action**
   95 / 100, dangerous: do not pay or reply.


2. **Scam type in plain words**
   Fake bank security team.

3. **What to do now**
   Steps for this scam, such as calling the number on the back of your card.

4. **Red flags on the original text**
   Colour-coded by severity, plus a button that writes the warning for family.

# Measured on 1,219 unseen messages

1,069 real messages (English e-mail, Turkish SMS) and 150 synthetic ones, run once and reported as measured.




**47 of 48**
real scams got a warning

**0.89**
F1 on real English e-mail (precision 0.84, recall 0.96)


**11.5%**
false alarms on safe real messages, mostly commercial spam

**50 ms · 7 s**
instant and full answer; $0.25–0.65 of LLM cost per 1,000 checks

Labels: independent AI labellers; a blind re-label of 10% agreed on 97% (κ 0.93). No test message overlaps the classifier's training data. Full report: eval/README.md.

# Each layer catches what the others miss

The rules and the AI analyst, run on its own, are independent detectors. Together they cover more than either.




### The rules cover the AI

A polite courier SMS. The AI analyst alone: 20 / 100, fooled by the tone. Link analysis: the courier's name sits in the subdomain of an unrelated domain. Result: suspicious.

### The AI covers the rules

"Reply with the 6-digit code to cancel the payment." No rule fired. The AI analyst: 70 / 100, bank impersonation. Result: suspicious.


### The classifier tips the balance

A charity appeal whose donation link is on another domain. Rules 25, AI alone 30, both under 35. The classifier: 98. The instant answer: suspicious.

**Seeing the rules' findings makes the analyst better:** recall 0.65 → 0.80 on the synthetic set, false alarms 159 → 119 on real messages.

# AI agents pay; a human stays in the loop

For 'agentic AI with human oversight': the agent asks TrustGate before it pays.




**An AI shopping agent is about to pay**

↓

**TrustGate checks it: initiator = ai_agent**


↓

| | |
|---|---|
| **proceed** | the agent continues |
| **hold** | the agent pauses; the owner confirms |
| **block** | the payment is stopped |

- Instructions to AI inside a message are evidence, never commands.
- Under attack the analyst can only add risk; rule floors still hold.
- 12 of 12 injection attacks held in an earlier blind round. Here: 10 of 11 risky agent cases flagged, 0 of 6 safe ones.

# Turkish is built in, not translated

The same tactics, with Turkish patterns, including Turkish typed without Turkish letters.




**0.80** F1 in Turkish, against 0.78 in English (synthetic set)

**24 of 25** synthetic Turkish scams flagged

**11 of 15** real Turkish SMS that needed a warning were flagged; 10.9% false alarms on the rest, mostly marketing

- Letter folding (ı→i, ş→s): HESABINIZ, hesabınız and hesabiniz match alike.
- The warning for family is written in Turkish too.
- Known gap: the language detector took 23% of real Turkish SMS for English.

# Private and safe by design

Built for messages people would rather not share.

### Static link analysis only

Never visits, resolves or downloads a link. The tests block network access to prove it.

### No message logging

Logs keep verdicts, scores and timings, never the text.

### Untrusted input stays data

Fenced prompts, a strict Content-Security-Policy and size limits on every field.

### No secrets in the code

Keys come from the environment. Any OpenAI-compatible endpoint works, including a self-hosted one.

### No "written by AI?" guesswork

It judges what a message asks you to do, not who or what wrote it.

### An evaluation that exposes no one

Real test messages are never published: only ids, labels and hashes.

*In live mode the message text goes to the configured LLM provider; TrustGate itself stores nothing.*

# Known limitations, measured

What does not work yet, with the numbers. Each item has a fix planned for the final.

## The detector

- Subtle 'check first' messages: only 20 of 50 synthetic ones flagged.
- Scams under-graded: 47 of 48 real scams got a warning, but only 7 were called dangerous.
- False alarms on 11.5% of safe real messages, mostly marketing; about 1 legitimate message in 20.
- A bank's fraud-warning newsletter was called dangerous: the rules read the scam phrases it warns about.
- Language detection missed 23% of real Turkish SMS.

## The evaluation

- Labels from independent AI agents, re-checked by another AI on 10%; no human check yet.
- No real WhatsApp data; the real Turkish set is from about 2011 and almost all safe.
- Synthetic cases written by AI agents may be cleaner than real scams.
- One run, at temperature 0.1; latency measured off-platform.

*Every number here is in eval/README.md, with 95% intervals and one result row per message.*

# Next: fix, prove, plug into payments

Before the final (31 October – 1 November) and after it.

### Fix

- 'Verify first' signals: new bank details, moving to WhatsApp, third-party deposits, unsolicited offers
- A 'dangerous' floor for a confident analyst backed by a rule
- Marketing-aware prompt; negation-aware rules; better Turkish detection

### Prove

- Tune only on separate development data
- A human check of 50 labels
- Re-run the frozen test set once and report both runs side by side

### Plug in

- PayPal sandbox: authorise first, then proceed captures, hold asks the owner, block voids
- Browser and mail extension
- A feedback button to grow a modern labelled dataset

## Thank you.

**Try it:** trustgate-k45p.onrender.com **Code and evaluation:** github.com/hasancomert/trustgateforfinance