

# Cucumber Report

25 Ağu 2024 18:21:54

Start : Ağu 25, 6:21:33.236 ÖS

End : Ağu 25, 6:21:53.520 ÖS

Duration : 20.284 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 1  
FAILED - 19  
SKIPPED - 0

PASSED - 6  
FAILED - 19  
SKIPPED - 94




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add Product to Cart</u>	20.095 s	5	1	4	0	39	6	4	29
<u>As a user, I want to add products to favorites</u>	0.038 s	3	0	3	0	16	0	3	13
<u>User Login</u>	0.073 s	7	0	7	0	35	0	7	28
<u>As a User I want to filter computer on Trendyol web site</u>	0.057 s	5	0	5	0	29	0	5	24


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Cart	5	1	4	0	1	0	1	0
@Favorite	3	0	3	0	1	0	1	0
@positive	1	0	1	0	1	0	1	0
@Login	7	0	7	0	1	0	1	0
@negative	6	0	6	0	1	0	1	0
@PLP_Filtering	5	0	5	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Add Product to Cart</u>	5	1	4	0	20.095 s
2	<u>As a user, I want to add products to favorites</u>	3	0	3	0	0.038 s
3	<u>User Login</u>	7	0	7	0	0.073 s
4	<u>As a User I want to filter computer on Trendyol web site</u>	5	0	5	0	0.057 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add Product to Cart</u>	<u>Unregistered user goes to the empty cart page and deletes</u>	4	4	0	0	9.469 s
2	<u>Add Product to Cart</u>	<u>Registered user goes to the empty cart page and deletes</u>	5	2	1	2	10.559 s
3	<u>Add Product to Cart</u>	<u>Unregistered user adds a product to the cart and deletes</u>	8	0	1	7	0.003 s
4	<u>Add Product to Cart</u>	<u>Registered user adds a product to the cart and deletes</u>	10	0	1	9	0.004 s
5	<u>Add Product to Cart</u>	<u>User updates the quantity of a product in the cart and deletes</u>	12	0	1	11	0.006 s
6	<u>As a user, I want to add products to favorites</u>	<u>Registered user adds the product to favorites</u>	6	0	1	5	0.009 s
7	<u>As a user, I want to add products to favorites</u>	<u>Registered deletes the product from favorites</u>	5	0	1	4	0.007 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>As a user, I want to add products to favorites</u>	<u>Unregistered user adds the product to favorites</u>	5	0	1	4	0.006 s
9	<u>User Login</u>	<u>Successful login with valid credentials</u>	5	0	1	4	0.004 s
10	<u>User Login</u>	<u>Unsuccessful login with invalid email and invalid password credentials</u>	5	0	1	4	0.004 s
11	<u>User Login</u>	<u>Unsuccessful login with invalid email and invalid password credentials</u>	5	0	1	4	0.005 s
12	<u>User Login</u>	<u>Unsuccessful login with invalid email and invalid password credentials</u>	5	0	1	4	0.005 s
13	<u>User Login</u>	<u>Unsuccessful login with invalid email and invalid password credentials</u>	5	0	1	4	0.004 s
14	<u>User Login</u>	<u>Unsuccessful login with invalid email and invalid password credentials</u>	5	0	1	4	0.006 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>User Login</u>	<u>Unsuccessful login with invalid email and invalid password credentials</u>	5	0	1	4	0.007 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>As a User I want to filter computer on Trendyol web site</u>	<u>The user verifies that navigated to Dizüstü Bilgisayar page</u>	4	0	1	3	0.014 s
17	<u>As a User I want to filter computer on Trendyol web site</u>	<u>The user verifies that laptop brands are filterable</u>	5	0	1	4	0.010 s
18	<u>As a User I want to filter computer on Trendyol web site</u>	<u>The user verifies that products are sorted low to high</u>	7	0	1	6	0.003 s
19	<u>As a User I want to filter computer on Trendyol web site</u>	<u>The user verifies that products are sorted high to low</u>	7	0	1	6	0.005 s
20	<u>As a User I want to filter computer on Trendyol web site</u>	<u>Scenario: The user verifies that products have free delivery</u>	6	0	1	5	0.003 s



## Add Product to Cart



<b>FAILED</b>	DURATION - 20.095 s	Scenarios Total - 5 Pass - 1 Fail - 4 Skip - 0		Steps Total - 39 Pass - 6 Fail - 4 Skip - 29	
/ 6:21:33.236 ÖS // 6:21:53.331 ÖS /					

## Unregistered user goes to the empty cart page and deletes

<b>PASSED</b>	DURATION - 9.469 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:21:33.236 ÖS // 6:21:42.705 ÖS /				
Add Product to Cart				
@Cart				



#	Step / Hook Details	Status	Duration
1	Given the user opens the "url" homepage	PASSED	5.316 s
2	When clicks on the KABUL ET button	PASSED	0.074 s
3	And the user clicks "Sepetim" page	PASSED	3.463 s
4	Then The user is shown a message indicating that the cart is empty	PASSED	0.021 s

## Registered user goes to the empty cart page and deletes

<b>FAILED</b>	DURATION - 10.559 s		Steps Total - 5 Pass - 2 Fail - 1 Skip - 2	
/ 6:21:42.732 ÖS // 6:21:53.291 ÖS /				
Add Product to Cart				
@Cart				

#	Step / Hook Details	Status	Duration
1	Given the user opens the "url" homepage	PASSED	4.681 s
2	When clicks on the KABUL ET button	PASSED	0.119 s
3	Then user logs in successfully  <pre>java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, findElement {value=//p[contains(text(),'Hesabım')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.getText(Unknown Source) at pages.LoginPage.loginAllSteps(LoginPage.java:54) at stepDefinitions.LoginPageSD.userLogsInSuccessfully(LoginPageSD.java:33) at ?.user logs in successfully(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/ features/Cart.feature:15) * Not displayable characters are replaced by '?'. </pre>	FAILED	5.757 s
4	And the user clicks "Sepetim" page	SKIPPED	0.000 s
5	Then The user is shown a message indicating that the cart is empty	SKIPPED	0.000 s



**Unregistered user adds a product to the cart and deletes**

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
<div>/ 6:21:53.305 ÖS // 6:21:53.308 ÖS /</div>			
<div>Add Product to Cart</div>			
<div>@Cart</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "url" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/ folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:58616/devtoo..., se.cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/ resources/features/Cart.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	And the user searches for "Grano Fūme Komitatör"	SKIPPED	0.000 s
4	And the user clicks product	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And the user clicks Anladım button	SKIPPED	0.000 s
6	When the user clicks on "Sepete Ekle"	SKIPPED	0.000 s
7	Then the user clicks on Sepetim and verifies product name and price added to cart	SKIPPED	0.000 s
8	And the user deletes all products from chart	SKIPPED	0.000 s

### Registered user adds a product to the cart and deletes

<div>FAILED</div> <div>DURATION - 0.004 s</div>		<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
<div>/ 6:21:53.314 ÖS // 6:21:53.318 ÖS /</div>			
<div>Add Product to Cart</div>			
<div>@Cart</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "url" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/ folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/Cart.feature:5) * Not displayable characters are replaced by '?'.		
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	Then user logs in successfully	SKIPPED	0.000 s
4	And the user searches for "Grano FÜme Komitatör"	SKIPPED	0.000 s
5	And the user clicks product	SKIPPED	0.000 s
6	And the user clicks Anladım button	SKIPPED	0.000 s
7	When the user clicks on "Sepete Ekle"	SKIPPED	0.001 s
8	Then the user is shown a notification that the product was successfully added to the cart	SKIPPED	0.000 s
9	Then the user clicks on Sepetim and verifies product name and price added to cart	SKIPPED	0.000 s
10	And the user deletes all products from chart	SKIPPED	0.000 s



### User updates the quantity of a product in the cart and deletes

<b>FAILED</b> DURATION - 0.006 s / 6:21:53.325 ÖS // 6:21:53.331 ÖS / Add Product to Cart @Cart		Steps Total - 12 Pass - 0 Fail - 1 Skip - 11	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given the user opens the "url" homepage  java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/Cart.feature:5) * Not displayable characters are replaced by '?'.		
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	Then user logs in successfully	SKIPPED	0.000 s
4	And the user searches for "Grano FÜme Komitatör"	SKIPPED	0.000 s
5	And the user clicks product	SKIPPED	0.000 s
6	And the user clicks Anladım button	SKIPPED	0.000 s
7	When the user clicks on "Sepete Ekle"	SKIPPED	0.000 s
8	Then the user is shown a notification that the product was successfully added to the cart	SKIPPED	0.000 s
9	Then the user clicks on Sepetim and verifies product name and price added to cart	SKIPPED	0.000 s
10	Then the user is correct that the price of the product is increased when the number of products is increased	SKIPPED	0.000 s
11	Then The user is correct that the price of the product is increased when the number of products decreases	SKIPPED	0.000 s
12	And the user deletes all products from chart	SKIPPED	0.000 s

### As a user, I want to add products to favorites

<b>FAILED</b> DURATION - 0.038 s / 6:21:53.338 ÖS // 6:21:53.376 ÖS /	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 16 Pass - 0 Fail - 3 Skip - 13	
---	--	---	--	---

## Registered user adds the product to favorites



<div>FAILED</div> <div>DURATION - 0.009 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
<div>/ 6:21:53.338 ÖS // 6:21:53.347 ÖS /</div>			
<div>As a user, I want to add products to favorites</div>			
<div>@Favorite</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "url" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/ folders/dw/hs1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:58616/devtoo..., se.cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)     at pages.HomePage.setup(HomePage.java:31)     at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14)     at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/ resources/features/Favourite.feature:5)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	Then user logs in successfully	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
4	And the user searches for "Buzdolabi"	SKIPPED	0.000 s
5	And the user clicks favorite button	SKIPPED	0.001 s
6	Then the user clicks "Favorilerim" page and verifies favorite products match	SKIPPED	0.000 s

### Registered deletes the product from favorites



FAILED		DURATION - 0.007 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 6:21:53.357 ÖS // 6:21:53.364 ÖS /						
As a user, I want to add products to favorites						
@Favorite						

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "url" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/ folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:58616/devtoo..., se.cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) </pre>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/Favourite.feature:5) * Not displayable characters are replaced by '?'.		
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	Then user logs in successfully	SKIPPED	0.000 s
4	And the user clicks "Favorilerim" page	SKIPPED	0.000 s
5	And the user deletes all products from favorite	SKIPPED	0.000 s



### Unregistered user adds the product to favorites

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 6:21:53.370 ÖS // 6:21:53.376 ÖS /				
As a user, I want to add products to favorites				
@Favorite				



#	Step / Hook Details	Status	Duration
1	Given the user opens the "url" homepage  java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/hs1j0c4n77v..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:58616/devtoo..., se.cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/ resources/features/Favourite.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	And the user searches for "Ütü"	SKIPPED	0.000 s
4	And the user clicks favorite button	SKIPPED	0.000 s
5	Then Verifies that the user is directed to the "loginUrl"	SKIPPED	0.000 s

## User Login

<b>FAILED</b>	DURATION - 0.073 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 35 Pass - 0 Fail - 7 Skip - 28	
/ 6:21:53.384 ÖS // 6:21:53.457 ÖS /					



## Successful login with valid credentials

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 6:21:53.384 ÖS // 6:21:53.388 ÖS /				
User Login				
@positive @Login				

#	Step / Hook Details	Status	Duration
1	Given the user opens the "loginUrl" homepage	FAILED	0.002 s
	java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed		

#	Step / Hook Details	Status	Duration
	<p>from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/giris?cb=https%3A%2F%2Fwww.trendyol.com%2F}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)  at pages.HomePage.setup(HomePage.java:31)  at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14)  at ?.the user opens the "loginUrl" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/Login.feature:5)  * Not displayable characters are replaced by '?'. </p>		
2	And clicks on the KABUL ET button	SKIPPED	0.000 s
3	When the user enters "validEmail" email and "validPassword" password login credentials	SKIPPED	0.000 s
4	And clicks on the Giris Yap button	SKIPPED	0.000 s
5	Then the user verifies that logged in by checking their name "Hesabım"	SKIPPED	0.000 s



## Unsuccessful login with invalid email and invalid password credentials

<div>FAILED</div> <div>DURATION - 0.004 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
<div>/ 6:21:53.396 ÖS // 6:21:53.400 ÖS /</div>			
<div>User Login</div>			
<div>@negative @Login</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "loginUrl" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/giris?cb=https%3A%2F%2Fwww.trendyol.com%2F}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "loginUrl" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/ test/resources/features/Login.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
2	And clicks on the KABUL ET button	SKIPPED	0.000 s
3	When the user enters "invalidEmail" email and "invalidPassword" password login credentials	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And clicks on the Giris Yap button	SKIPPED	0.001 s
5	Then the user should see an error message "E-posta adresiniz ve/veya şifreniz hatalı." indicating invalid credentials	SKIPPED	0.000 s



### Unsuccessful login with invalid email and invalid password credentials

<b>FAILED</b>	<b>DURATION - 0.005 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 6:21:53.405 ÖS // 6:21:53.410 ÖS /				
User Login				
@negative @Login				

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "loginUrl" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/giris?cb=https%3A%2F%2Fwww.trendyol.com%2F}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at ?.the user opens the "loginUrl" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/Login.feature:5) * Not displayable characters are replaced by '?'. 2 And clicks on the KABUL ET button		
2	And clicks on the KABUL ET button	SKIPPED	0.000 s
3	When the user enters "validEmail" email and "invalidPassword" password login credentials	SKIPPED	0.000 s
4	And clicks on the Giris Yap button	SKIPPED	0.000 s
5	Then the user should see an error message "E-posta adresiniz ve/veya şifreniz hatalı." indicating invalid credentials	SKIPPED	0.000 s

### Unsuccessful login with invalid email and invalid password credentials

FAILED	DURATION - 0.005 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 6:21:53.417 ÖS // 6:21:53.422 ÖS /				
User Login				
@negative @Login				

#	Step / Hook Details	Status	Duration
1	Given the user opens the "loginUrl" homepage <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/giris?cb=https%3A%2F%2Fwww.trendyol.com%2F}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/hs1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "loginUrl" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/Login.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	And clicks on the KABUL ET button	SKIPPED	0.000 s
3	When the user enters "invalidEmail" email and "validPassword" password login credentials	SKIPPED	0.000 s
4	And clicks on the Giris Yap button	SKIPPED	0.000 s
5	Then the user should see an error message "E-posta adresiniz ve/veya şifreniz hatalı." indicating invalid credentials	SKIPPED	0.000 s

### Unsuccessful login with invalid email and invalid password credentials

<b>FAILED</b> DURATION - 0.004 s / 6:21:53.427 ÖS // 6:21:53.431 ÖS / User Login @negative @Login		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given the user opens the "loginUrl" homepage <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/giris?cb=https%3A%2F%2Fwww.trendyol.com%2F}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "loginUrl" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/Login.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	And clicks on the KABUL ET button	SKIPPED	0.000 s
3	When the user enters "emptyEmail" email and "emptyPassword" password login credentials	SKIPPED	0.000 s
4	And clicks on the Giris Yap button	SKIPPED	0.000 s
5	Then the user should see an error message "Lütfen geçerli bir e-posta adresi giriniz." indicating invalid credentials	SKIPPED	0.000 s

### Unsuccessful login with invalid email and invalid password credentials

<b>FAILED</b> DURATION - 0.006 s / 6:21:53.440 ÖS // 6:21:53.446 ÖS / User Login @negative @Login		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given the user opens the "loginUrl" homepage <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/giris?cb=https%3A%2F%2Fwww.trendyol.com%2F}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: </pre>	FAILED	0.002 s





#	Step / Hook Details	Status	Duration
	<p>localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)  at pages.HomePage.setup(HomePage.java:31)  at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14)  at ?.the user opens the "loginUrl" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/Login.feature:5)  * Not displayable characters are replaced by '?'. </p>		
2	And clicks on the KABUL ET button	SKIPPED	0.000 s
3	When the user enters "validEmail" email and "emptyPassword" password login credentials	SKIPPED	0.000 s
4	And clicks on the Giris Yap button	SKIPPED	0.000 s
5	Then the user should see an error message "Lütfen şifrenizi giriniz." indicating invalid credentials	SKIPPED	0.000 s

### Unsuccessful login with invalid email and invalid password credentials



<b>FAILED</b> DURATION - 0.007 s / 6:21:53.450 ÖS // 6:21:53.457 ÖS / User Login @negative @Login		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "loginUrl" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/giris?cb=https%3A%2F%2Fwww.trendyol.com%2F}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "loginUrl" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/ test/resources/features/Login.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
2	And clicks on the KABUL ET button	SKIPPED	0.000 s
3	When the user enters "maxCharacterEmail" email and "maxCharacterPassword" password login credentials	SKIPPED	0.000 s
4	And clicks on the Giris Yap button	SKIPPED	0.000 s
5	Then the user should see an error message "E-posta adresiniz ve/veya şifreniz hatalı." indicating invalid credentials	SKIPPED	0.000 s

**As a User I want to filter computer on Trendyol web site**

<b>FAILED</b>	<b>DURATION - 0.057 s</b>	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 29 Pass - 0 Fail - 5 Skip - 24	
/ 6:21:53.463 ÖS // 6:21:53.520 ÖS /					



### The user verifies that navigated to Dizüstü Bilgisayar page

<div>FAILED</div> <div>DURATION - 0.014 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:21:53.463 ÖS // 6:21:53.477 ÖS /				
As a User I want to filter computer on Trendyol web site				
@PLP_Filtering				

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "url" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/ folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) </pre>	<b>FAILED</b>	0.009 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/PLP.feature:5) * Not displayable characters are replaced by '?'.		
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	And the user searches for "Dizüstü Bilgisayar"	SKIPPED	0.000 s
4	Then the user verifies that on the "Dizüstü Bilgisayar" page	SKIPPED	0.000 s



### The user verifies that laptop brands are filterable

<b>FAILED</b> DURATION - 0.010 s / 6:21:53.487 ÖS // 6:21:53.497 ÖS / As a User I want to filter computer on Trendyol web site @PLP_Filtering		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given the user opens the "url" homepage java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/ resources/features/PLP.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	And the user searches for "Dizüstü Bilgisayar"	SKIPPED	0.000 s
4	And the user write "Apple" on the left side	SKIPPED	0.000 s
5	Then the user verifies that correct "Apple" filtering	SKIPPED	0.000 s

### The user verifies that products are sorted low to high

<b>FAILED</b> DURATION - 0.003 s / 6:21:53.502 ÖS // 6:21:53.505 ÖS / As a User I want to filter computer on Trendyol web site @PLP_Filtering		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
--	---	--	---

#	Step / Hook Details	Status	Duration
1	Given the user opens the "url" homepage <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/ folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at pages.HomePage.setup(HomePage.java:31) at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14) at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/PLP.feature:5) * Not displayable characters are replaced by '?'.		
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	And the user searches for "Dizüstü Bilgisayar"	SKIPPED	0.000 s
4	And the user write "Apple" on the left side	SKIPPED	0.000 s
5	And the user clicks sorting drop down menu	SKIPPED	0.000 s
6	And the user clicks "En düşük fiyat" price in the dropdown menu	SKIPPED	0.000 s
7	Then the user verifies that all products sorted low to high	SKIPPED	0.000 s

### The user verifies that products are sorted high to low



<b>FAILED</b> DURATION - 0.005 s / 6:21:53.509 ÖS // 6:21:53.514 ÖS / As a User I want to filter computer on Trendyol web site @PLP_Filtering		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given the user opens the "url" homepage java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<p>Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58616/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)  at pages.HomePage.setup(HomePage.java:31)  at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14)  at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/resources/features/PLP.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	And the user searches for "Dizüstü Bilgisayar"	SKIPPED	0.000 s
4	And the user write "Apple" on the left side	SKIPPED	0.000 s
5	And the user clicks sorting drop down menu	SKIPPED	0.000 s
6	Then the user clicks "En yüksek fiyat" price in the dropdown menu	SKIPPED	0.000 s
7	Then the user verifies that all products sorted high to low	SKIPPED	0.000 s

**Scenario: The user verifies that products have free delivery**



<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
<div>/ 6:21:53.517 ÖS // 6:21:53.520 ÖS /</div>			
<div>As a User I want to filter computer on Trendyol web site</div>			
<div>@PLP_Filtering</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given the user opens the "url" homepage</p> <pre> java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchWindowException : no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6a0205049392d3245e5ae22d6f8e80, get {url=https://www.trendyol.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/ folders/dw/ns1j0c4n77v...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58616}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:58616/devtoo..., se.cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e6a0205049392d3245e5ae22d6f8e80   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)   at pages.HomePage.setup(HomePage.java:31)   at stepDefinitions.HomePageSD.the_user_opens_the_homepage(HomePageSD.java:14)   at ?.the user opens the "url" homepage(file:///Users/hasan/Desktop/TechcareerAutomation/techcareer-bootcamp-project-cucumber/src/test/ resources/features/PLP.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
2	When clicks on the KABUL ET button	SKIPPED	0.000 s
3	And the user searches for "Dizüstü Bilgisayar"	SKIPPED	0.000 s
4	And the user write "Apple" on the left side	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
5	And the user clicks the Kargo Bedava filter	SKIPPED	0.000 s
6	Then the user clicks each product and verifies that all products have free delivery	SKIPPED	0.000 s