

MakePreBooking Documentation

Introduction

The **MakePre Booking** method is an API method used in flight ticket reservation processes after the `UpdatePassenger` method. It allows creating a reservation record before the final ticketing is completed.

Limits and Features

Parameters

- **SessionId** – The session ID for the current request.
- **SessionToken** – The session token required for authorization.
- **ProductId** – The ID of the product to be allocated. This should be set based on the Search method's results.

Basic Request Structure

Below is an example of a basic `MakePreBooking` request using SOAP:

```
<soapenv:Body>
  <tem:MakePrebooking>
    <tem:request>
      <trev:AuthenticationHeader>
        <trev:SessionId>4947934</trev:SessionId>
        <trev:SessionToken>v</trev:SessionToken>
      </trev:AuthenticationHeader>
      <trev:ExtraParamList>
        <trev:ExtendedData>
          <trev:Name>IntendedShoppingFileId</trev:Name>
          <trev:Type>True</trev:Type>
          <trev:Value>fd8bc049-c48e-4ab4-9112-83fa3bf15869</trev:Value>
        </trev:ExtendedData>
        <trev:ExtendedData>
          <trev:Name>DoReservation</trev:Name>
          <trev:Type>true</trev:Type>
          <trev:Value>true</trev:Value>
        </trev:ExtendedData>
      </trev:ExtraParamList>
      <trev1:Form>
        <trev1:Branded>
          <trev1:IO_Air_Branding_Form>
            <trev1:BrandedFareItemId>cdb7564f-d749-46b7-baf3-
```

```

c8e6ebbad0ac</trev1:BrandedFareItemId>
      <trev1:ProductId>113b32ec-38a8-4ec0-9aaa-
b4ee1557e307</trev1:ProductId>
      </trev1:IO_Air_Branding_Form>
    </trev1:Branded>
    <trev1:CIPRequest/>
    <trev1:ProductIds>
      <arr:guid>113b32ec-38a8-4ec0-9aaa-b4ee1557e307</arr:guid>
    </trev1:ProductIds>
  </trev1:Form>
</tem:request>
</tem:MakePrebooking>
</soapenv:Body>

```

MakePreBooking Request

AuthenticationHeader

- **SessionId (M)** – A unique identifier used to define a specific session in which a user is granted access to an API for a certain period. You should get this parameter from the response of the Login Method.
- **SessionToken (M)** – Unique authentication used to represent a specific session in which a user has access to an API. You should get this parameter from the response of the Login Method.

From

From/Branded

- **BrandedCode (O)** – A code that represents the brand identity of a specific airline or flight. This code distinguishes between different fare levels or service packages and helps passengers understand what services or benefits they will receive.
- **BrandedFareItemId (O)** – Uniquely identifies a specific "branded fare" option, providing a unique ID corresponding to each package.
- **ProductId (M)** – A unique product identifier (ID) defined for a specific flight or service. This ID enables the identification and processing of the flight or additional service by the system.

From/ProductIds

- **Guid (M)** – The same information must be entered as the product ID.

MakePreBooking Response

Result

- **HasError** – Indicates whether an error occurred during the process.
- **true**: An error occurred; the payment transaction may have failed, and further error details should be reviewed.
- **false**: The process was completed without errors and is generally considered successful.

- **ServiceError** – Represents a technical or business-related error that occurs during the payment process. Usually returned as a code or message to help the developer understand the issue.
 - **SystemLogs** – Contains information or error messages related to system events that occur during the transaction. This field provides details about the situations encountered by the API server during the payment process.
-

ShoppingFile

1. **Id** – The unique identifier for the ShoppingFile. Used to track transactions performed during the session.
 2. **IfFinalized** – Indicates whether the reservation has been finalized or is in a state where no further changes can be made. Specifies whether passenger information can still be updated or if the transaction is locked in its final stage.
 3. **IsFlightInfoChanged** – Indicates whether the flight details have changed (e.g., flight times, airline, departure/arrival airports).
 4. **true** : There are changes in the flight details.
 5. **false** : The flight details remain the same.
 6. **IsPriceChanged** – Indicates whether the price has changed between the initial shopping process and finalization.
 7. **true** : The price has changed.
 8. **false** : The price remains the same.
 9. **IsReservationCancelled** – Indicates whether the reservation has been canceled.
 10. **true** : The reservation has been canceled.
 11. **false** : The reservation is active.
 12. **Is_CC_Payment_Enabled** – Indicates whether the credit card payment option is available.
 13. **true** : Payment can be made using a credit card.
 14. **false** : Payment via credit card is not available.
 15. **Is_RA_Payment_Enabled** – Indicates whether payment can be made using the Running Account (RA), a method used for corporate or airline-agreement payments.
 16. **true** : Payment can be made using RA.
 17. **false** : Payment via RA is not available.
 18. **MaxSc** – Indicates the maximum service class value for a specific reservation or ticket, specifying up to which service level the ticket or reservation can be updated or modified.
 19. **MinSc** – Indicates the minimum service class value for a specific reservation or ticket, specifying the lowest service level to which the ticket or reservation can be updated or modified.
 20. **RemainingSum** – Represents the remaining amount to be paid during the purchase or update of the ticket. Shows the balance the passenger needs to pay to complete the transaction and is typically updated after changes or additional services are applied.
-

ShoppingFile/AirBookings

ShoppingFile/AirBookings/AirBooking

- **BaseFare** – The cost of the ticket. This cost refers exclusively to the flight itself and does not include any additional expenses such as taxes, fees, or extra services.
- **BookingCode** – An alphanumeric code used to track your ticket, flight details, and reservation status.

- **Currency** – The currency used for ticket prices, fees and other financial transactions, enabling the system to determine or query the relevant currency.
- **ExchangeCurrencyCode** – Used to convert ticket prices, fees or other services into the currency of the user's location or the local market. Important for international flights or airlines accepting different currencies.
- **IsRefundable** – Indicates whether the ticket is refundable under certain conditions.
- **LastSellerCommission** – The commission amount/service fee determined by the seller (client).
- **NetFare** – The base fare charged to a passenger for a flight.
- **ProductId** – A unique product identifier defined for a specific flight or service.
- **SystemServiceFee** – Represents the system service fee associated with a transaction or service.
- **ServiceFee** – Represents the service fee associated with a transaction or service.
- $\text{ServiceFee} = \text{SystemServiceFee} + \text{LastSellerCommission}$
- **Status** – The current status of the reservation process.
- **Taxes** – Total amount of taxes applicable to a transaction or service.
- **TotalFare** – The complete amount to be paid for a transaction or service.
- $\text{TotalFare} = \text{BaseFare} + \text{Taxes} + \text{ServiceFee}$
- **Type** – Typically indicates the type of reservation made (e.g., flight ticket reservation).
- **CanBeReserved** – Indicates whether a specific flight is eligible for reservation.
- $\text{CanBeReserved} = \text{True}$: Selected flight is available for booking and a reservation record can be created.
- $\text{CanBeReserved} = \text{False}$: Flight is not available for reservation due to fare rules, airline restrictions, sales channel limitations or capacity limits.

ShoppingFile/AirBookings/AirBooking/TimeTable

- **CreationDate** – Shows the date and time when the ticket was initially created.
- **Prebooking_ExpiresAt** – The expiration date and time of a prebooking; indicates the deadline for completing the reservation before payment is required.
- **ReservationDate** – Indicates the date when the reservation was made.
- **Reservation_ExpiresAt** – Specifies the date and time when a reservation's validity expires, representing the period during which the reservation remains valid before payment is made.

ShoppingFile/AirBookings/BookingItems

ShoppingFile/AirBookings/BookingItems/AirBookingItem

- **BaseFare** – The cost of the ticket excluding taxes, fees or extra services.
- **ProductItemId** – A unique identifier (UUID) for a specific product item (e.g., 289af8a3-554b-469c-b28a-7ace0feb5487).
- **LastSellerCommission** – Commission amount/service fee determined by the seller.
- **SystemServiceFee** – System service fee associated with a transaction or service.
- **ServiceFee** – Represents the service fee (e.g., 3) for the transaction or service.
- $\text{ServiceFee} = \text{SystemServiceFee} + \text{LastSellerCommission}$
- **Baggage** – Details and limitations regarding the passenger's baggage allowance for the flight.
- **VQ** – Additional fees or service charges related to the journey or ticket.
- **YR** – Another type of additional fee or surcharge during the ticketing process.

ShoppingFile/AirBookings/BookingItems/AirBookingItem/PaxReference

- **Age** – Typically represents the passenger's age.

- **LocalPaxType** – Classifies passengers by age or special conditions, such as ADT (adult), CNN (child), INF (infant), SRC (senior citizen), STU (student), MIL (military) or CHD (unaccompanied child). Used to ensure correct service and fare classifications.
- **LocalSequenceNo** – Passenger's sequence number in a reservation record to identify multiple passengers in order.
- **PassengerId** – Unique identification number for the passenger.
- **PaxReferenceId** – Unique reference number assigned to the passenger.

ShoppingFile/AirBookings/BrandedFares

ShoppingFile/AirBookings/BrandedFares/BrandedFareItems

- **BrandedFareItemId** – Uniquely identifies a specific "branded fare" option.

ShoppingFile/AirBookings/BrandedFares/BrandedFareItem/BrandedFarePassengers

- **PassengerCount** – Number of passengers included in the pricing for each branded fare.
- **PassengerType** – Specifies passenger category or type.
- ADT (Adult): Passenger typically 12 years or older.
- CHD (Child): Passenger typically 2–11 years old.
- INF (Infant): Passenger under 2 years old, traveling on a lap.

ShoppingFile/AirBookings/BrandedFares/BrandedFareItem/BrandedFarePassengers/FareComponents

- **BrandId** – Identifier representing the brand identity of a specific airline or scheduled flight. Distinguishes between fare levels or service packages such as economy, premium economy and business class.
- **BookingClass** – Reservation class of a specific branded fare item, determining the class in which the passenger will travel and the associated services and flexibilities.
- **CabinClass** – Cabin class the passenger will be seated in during the flight, defining different service levels and experiences.
- **FareBasisCode** – Basic fare code that determines pricing rules and conditions of the ticket (e.g., Y26, QFL, E14NR), defining fare class and flexibility/cancellation conditions.
- **FreeBaggageAllowanceId** – Identifier defining the free baggage allowance for a flight or fare class.
- **SeatsAvailable** – Number of seats available for booking on the flight.
- **SegmentId** – Identifier representing the identity of a specific flight or flight segment, particularly useful for multi-stop or connecting flights.

ShoppingFile/AirBookings/BrandedFares/BrandedFareItem/BrandedFarePassengers/PassengerFareInfo

- **BaseFare** – Cost of the ticket excluding taxes, fees or extra services.
- **Currency** – Currency in which the specified amount for a flight or reservation is expressed.
- **PaxSequence** – Specifies the sequence order of passenger reservations.
- **PaxType** – Classification of passengers by age and status (e.g., adult, child, student, military), important for pricing and services.
- **Taxes** – Total amount of taxes for a transaction or service.
- **TotalFare** – Complete amount to be paid for a transaction or service.
- **TotalFare = BaseFare + Taxes + ServiceFee**

ShoppingFile/AirBookings/BrandedFares/BrandedFareItem/BrandedFarePassenger/Policy

- **CancellationPolicies**

- **Amount** – Monetary value associated with cancellation policies.
- **Applicability** – Conditions under which a ticket can be canceled (e.g., *BeforeDeparture*, *AfterDeparture*).
- **MinutesToDeparture** – Time remaining until departure that affects cancellation.
- **Currency** – Currency used for calculating cancellation fees.
- **IsRefundable** – Whether a ticket can be refunded under certain conditions.
- **ChangePolicies**
 - **Amount** – Monetary value associated with change policies.
 - **Applicability** – Conditions under which ticket changes can be implemented (*BeforeDeparture* or *AfterDeparture*).
 - **MinutesToDeparture** – Time remaining until departure that affects the ability to change the ticket.
 - **Currency** – Currency used for calculating change fees.
 - **IsChangeable** – Whether the ticket can be changed under certain conditions.

ShoppingFile/AirBookings/BrandedFares/BrandedFareItem/TotalFareInfo

- **TotalFare** – Complete amount to be paid for a transaction or service.
- $\text{TotalFare} = \text{BaseFare} + \text{Taxes} + \text{ServiceFee}$
- **TotalTaxes** – Total amount of all taxes added to the passenger's ticket price.

ShoppingFile/AirBookings/BrandedItem

- **BrandCode** – Code representing the brand identity of a specific airline or flight, distinguishing between fare levels or service packages.
- **BrandId** – Identifier representing the brand identity; distinguishes between service packages such as economy, premium economy and business class.
- **BrandName** – Name of a specific fare class or service package.

ShoppingFile/AirBookings/BrandedItem/BrandedRule

- **Application** – Conditions and manner under which a fare class or service package is applied.
- **N** : Not Applicable
- **F** : Free
- **C** : Chargeable
- **DisplayType** – Specifies how the fare or service package is displayed to the user.
- **RuleDescription** – Detailed description of rules and conditions associated with a fare class or service package, including baggage allowance, change and cancellation policies, services and benefits, and other conditions.
- **ServiceGroup** – Categorizes the services and benefits associated with a specific fare class or service package.

ShoppingFile/AirBookings/BrandedFares/FreeBaggageAllowance

ShoppingFile/AirBookings/BrandedFares/FreeBaggageAllowance/PaxBaggageAllowance

- **Allowance** – Describes passengers' baggage entitlements, detailing how much luggage they can carry. May include maximum weight and dimensions for carry-on and checked baggage, plus fees for excess baggage and special-item regulations.

- **Category** – Specifies the type of baggage (e.g., *Checked* for cargo hold; *Cabin* for carry-on).
- **Type** – Defines how the quantity of baggage is measured (e.g., *Weight* or *Piece*).
- **Unit** – Unit of measurement (e.g., **K** for kilograms, **N** for number of pieces).
- **PaxType** – Classification of passengers by age and status; crucial for pricing, baggage allowance and service level.

ShoppingFile/AirBookings/Segments

- **SegmentId** – Identifier representing a specific flight or flight segment, useful for multi-stop or connecting flights.
 - **ArrivalDay** – The day the airplane reaches its destination, important for flights across time zones.
 - **ArrivalTime** – The time when the flight lands at the destination airport.
 - **BookingClass** – Reservation class of the flight (Economy, Business, First or Comfort).
 - **DepartureDay** – Scheduled departure date (format **YYYY-MM-DD**).
 - **DepartureTime** – Scheduled departure time (in HH format).
 - **DestinationCode** – Code of the destination airport (e.g., JFK for New York John F. Kennedy, LHR for London Heathrow, CDG for Paris Charles de Gaulle).
 - **Duration** – Total duration of the flight in minutes.
 - **Equipment** – Type or model of aircraft used for the flight, presented in three-letter IATA codes.
 - **FareBasis** – Basic fare code determining pricing rules and conditions (combination of letters and numbers). Indicates flexibility, change and cancellation conditions.
 - **FareType** – Fare type or tariff of the booked ticket, indicating which fare category or class the ticket belongs to.
-