




1. Install AD DS.




2. Post-AD-DS installation.




3. AD installed.



4. Install Print and Document Services.



5. Installed DHCP Server Role.



6. Authorized DHCP Server.


The status of the post install configuration steps are indicated below:

```
Creating security groups ..... Done

Please restart the DHCP server service on the target computer for the security groups to be effective.

Authorizing DHCP server ..... Done
```

7. Got DHCP working.



```
Select Command Prompt
DNS Suffix Search List. . . . . : AD.ACME.EDU

Ethernet adapter Ethernet0:


Connection-specific DNS Suffix . : AD.ACME.EDU
Description . . . . . : Intel(R) 82574L Gigabit Network Connection
Physical Address. . . . . : 00-0C-29-25-8A-E4
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . : Yes
Link-local IPv6 Address . . . . : fe80::3a3d:2ba3:78f:9117%13(Preferred)
IPv4 Address. . . . . : 192.168.4.108(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : Tuesday, February 6, 2024 4:34:39 PM
Lease Expires . . . . . : Wednesday, February 14, 2024 4:34:39 PM
Default Gateway . . . . . : 192.168.4.1
DHCP Server . . . . . : 192.168.4.31
DHCPv6 IAID . . . . . : 100666409
DHCPv6 Client DUID. . . . . : 00-01-00-01-2D-3B-73-5E-00-0C-29-25-8A-E4
DNS Servers . . . . . : 192.168.4.31
Primary WINS Server . . . . . : 192.168.4.31
NetBIOS over Tcpip. . . . . : Enabled

Ethernet adapter Bluetooth Network Connection:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
Description . . . . . : Bluetooth Device (Personal Area Network)
Physical Address. . . . . : 30-03-C8-2D-84-AE
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . : Yes

C:\Users\User01>
```

8. Confirmed DNS resolution.



```
Command Prompt
C:\Users\User01>ping ad.acme.edu

Pinging ad.acme.edu [192.168.4.31] with 32 bytes of data:
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.4.31:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\User01>ping 192.168.4.31

Pinging 192.168.4.31 with 32 bytes of data:
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.4.31:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\User01>ping acmepdc01

Pinging acmepdc01.ad.acme.edu [192.168.4.31] with 32 bytes of data:
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128
Reply from 192.168.4.31: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.4.31:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\User01>
```