



1. Added DNS entries in activity 8-1 through 8-4.



Name	Type	Data	Timestamp
_msdcs			
_sites			
_tcp			
_udp			
DomainDnsZones			
ForestDnsZones			
(same as parent folder)	Start of Authority (SOA)	[55], acmepdc01.ad.acme.ed...	static
(same as parent folder)	Name Server (NS)	acmepdc01.ad.acme.edu.	static
(same as parent folder)	Host (A)	192.168.4.31	4/16/2024 3:00:00 PM
acmepdc01	Host (A)	192.168.4.31	static
AcmePDC02	Host (A)	192.168.4.32	3/28/2024 4:00:00 PM
AcmeWks1001	Host (A)	192.168.4.108	4/16/2024 3:00:00 PM
AcmeTWb01	Host (A)	192.168.4.45	
testweb	Alias (CNAME)	AcmeTWB01.ad.acme.edu	
AcmeTWb01v0	Host (A)	192.168.4.46	
b2b	Alias (CNAME)	AcmeTWB01v0.ad.acme.edu	
AcmeTWb01v2	Host (A)	192.168.4.48	
www	Alias (CNAME)	AcmeTWB01v2.ad.acme.edu	
AcmePMail01	Host (A)	192.168.4.47	
(same as parent folder)	Mail Exchanger (MX)	[10] AcmePMail01.ad.acme...	



Name	Type	Data	Timestamp
(same as parent folder)	Start of Authority (SOA)	[2], acmepdc01.ad.acme.ed...	static
(same as parent folder)	Name Server (NS)	acmepdc01.ad.acme.edu.	static
192.168.4.47	Pointer (PTR)	AcmePMail01.ad.acme.edu.	static

2. Performed MX record lookups simulating mail server activities.

```

Command Prompt - nslookup

H:\>nslookup
Default Server: UnKnown
Address: 192.168.4.31

> set type=mx
> google.com
Server: UnKnown
Address: 192.168.4.31

Non-authoritative answer:
google.com MX preference = 10, mail exchanger = smtp.google.com

smtp.google.com internet address = 142.251.6.26
smtp.google.com internet address = 142.251.6.27
smtp.google.com internet address = 172.217.212.26
smtp.google.com internet address = 172.217.212.27
smtp.google.com internet address = 172.217.214.26
smtp.google.com AAAA IPv6 address = 2607:f8b0:4001:c5a::1a
smtp.google.com AAAA IPv6 address = 2607:f8b0:4001:c5a::1b
smtp.google.com AAAA IPv6 address = 2607:f8b0:4001:c03::1b
smtp.google.com AAAA IPv6 address = 2607:f8b0:4001:c03::1a
>
> ad.acme.edu
Server: UnKnown
Address: 192.168.4.31

ad.acme.edu MX preference = 10, mail exchanger = AcmePMail01.ad.acme.edu
AcmePMail01.ad.acme.edu internet address = 192.168.4.47
>

```

3. Setup DHCP Reservation for Acme TWb01 addresses.

Client IP Address	Name	Lease Expiration	Type	Unique ID	Description
192.168.4.1	AcmeRtr01	Reservation (inactive)	None	000c2916e3...	Acme Router
192.168.4.32	AcmePDC02	Reservation (inactive)	None	000c29e816...	Chapter 7 Backup Server
192.168.4.45	AcmeTWb01	Reservation (inactive)	None	000c297f43...	Acme test Web Server 01
192.168.4.46	AcmeTWb01v0	Reservation (inactive)	None	000000000...	Acme Test Web Server 01v
192.168.4.47	AcmeTWb01v1	Reservation (inactive)	None	000000000...	Acme Test Web Server 01v1
192.168.4.48	Acme TWb01v2	Reservation (inactive)	None	000000000...	Acme Test Web Server 01 v2
192.168.4.50	CrpPtr-BusOfficeLaser	Reservation (inactive)	None	000000000...	Business Office Laser Printer for general use
192.168.4.51	CrpPtr-HR-PAF	Reservation (inactive)	None	000000000...	HR Restricted Access Printer
192.168.4.108	AcmeWks1001.ADA...	4/26/2024 3:04:46 PM	DHCP	000c29258a...	