


Activity 5-1: Implementing Secure Sign-In

1. Used netplwiz app to enable Secure Sign-in.



Activity 5-2: Creating a Local User account in settings

1. Created user account for "Bob".

Create a user for this PC

If you want to use a password, choose something that will be easy for you to remember but hard for others to guess.

Who's going to use this PC?

Bob

Make it secure.

••••••••


••••••••

In case you forget your password

What was your first pet's name? ▾

Bob

2. Signed in as Bob, and observed that the Family & Other Users option was not available because Bob is a standard user (not an Administrator).




Activity 5-3: Creating a Microsoft Account in settings


1. This activity asks to create personal account on the internet.

Activity 5-4: Using the User Accounts Applet

1. Used the Manage Accounts application to change Bob's account into an Administrator.




2. Changed the account type to Administrator to Bob account.




Activity 5-5: Using the Local Users and Groups MMC Snap-In

1. Used the Computer Management application to create a new user, Jacob Smith, and a new group, TestGroup, and add Jacob to the TestGroup.




2. Signed in as Jacob, and reset his password as required.




Activity 5-6: Modifying the Public Profile

1. Created a shortcut for Notepad in C:\Users\Public\Public Documents.




2. Cut the shortcut from the Public Documents folder, and pasted it into the Public Desktop folder. That made the shortcut appear on my desktop, and allows me to startup Notepad.




Activity 5-7: Customizing the Start Layout


1. Clicked Start, typed Notepad, and pinned it to the Start menu.



2. Named the group containing Notepad, “Tools”. The “Life at a Glance” group did not appear on my Start Menu, so I moved the Tools group above “Productivity”.



3. Moved Computer Management and PowerShell into the Tools Group.



4. Created C:\Start, and (after a couple typos) successfully exported the settings to Start.xml.

```

PS C:\Users\User1> Export-StartLayout -Path C:\Start\Start.xml
Export-StartLayout : Access is denied.
Access is denied.
At line:1 char:1
+ Export-StartLayout -Path C:\Start\Start.xml
+ ~~~~~
+ CategoryInfo          : NotSpecified: (:) [Export-StartLayout], UnauthorizedAccessException
+ FullyQualifiedErrorId : System.UnauthorizedAccessException,Microsoft.Windows.StartLayout.Commands.ExportStartLayoutCommand

PS C:\Users\User1> Export-StartLayout -Path C:\Start\Start.xml
Export-StartLayout : Access is denied.
Access is denied.
At line:1 char:1
+ Export-StartLayout -Path C:\Start\Start.xml
+ ~~~~~
+ CategoryInfo          : NotSpecified: (:) [Export-StartLayout], UnauthorizedAccessException
+ FullyQualifiedErrorId : System.UnauthorizedAccessException,Microsoft.Windows.StartLayout.Commands.ExportStartLayoutCommand

PS C:\Users\User1> Export- StartLayout -Path C:\Start\Start.xml
Export- : The term 'Export-' is not recognized as the name of a cmdlet, function, script file, or operable program.
Check the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ Export- StartLayout -Path C:\Start\Start.xml
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (Export:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\User1> Export -StartLayout -Path C:\Start\Start.xml
Export- : The term 'Export' is not recognized as the name of a cmdlet, function, script file, or operable program.
Check the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ Export -StartLayout -Path C:\Start\Start.xml
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (Export:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\User1> Export -StartLayout -path C:\Start\Start.xml
Export- : The term 'Export' is not recognized as the name of a cmdlet, function, script file, or operable program.
Check the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ Export -StartLayout -path C:\Start\Start.xml
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (Export:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\User1> Export-StartLayout -path C:\Start\Start.xml
PS C:\Users\User1>

```


5. Opened Start.xml in Notepad, and reviewed the contents.

```

Start.xml - Notepad
File Edit Format View Help
<LayoutModificationTemplate xmlns:defaultlayout="http://schemas.microsoft.com/Start/2011/
  <LayoutOptions StartTileGroupCellWidth="6" />
  <DefaultLayoutOverride>
    <StartLayoutCollection>
      <defaultlayout:StartLayout GroupCellWidth="6">
        <start:Group Name="Tools">
          <start:DesktopApplicationTile Size="2x2" Column="4" Row="0" DesktopApplicat
          <start:DesktopApplicationTile Size="2x2" Column="0" Row="0" DesktopApplicat
          <start:DesktopApplicationTile Size="2x2" Column="2" Row="0" DesktopApplicat
        </start:Group>
        <start:Group Name="Productivity">
          <start:DesktopApplicationTile Size="2x2" Column="2" Row="0" DesktopApplicat
          <start:Tile Size="2x2" Column="0" Row="0" AppUserModelID="Microsoft.Microso
          <start:Tile Size="2x2" Column="4" Row="0" AppUserModelID="Microsoft.Windows
        </start:Group>
      </defaultlayout:StartLayout>
    </StartLayoutCollection>
  </DefaultLayoutOverride>
</LayoutModificationTemplate>
Ln 19, Col 30    100%    Windows (CRLF)    UTF-8


```

6. Opened MMC, Add/Remove Snap-in, Group Policy Object Editor, and Add




7. Opened MMC, added the Group Policy Snap-in, and Browsed to Start Layout.

8. Enabled a Policy to use the Start.xml layout.




9. Switched users to Bob, and verified that the Start Menu layout included the Tools group.

10. Logged back into User1 and disabled the Start Layout policy.




Activity 5-8: Configuring PIN Authentication

1. Added a PIN (123456) to the sign-in options.



2. The system stated that the PIN did not meet complexity requirements. Created a different pin: 218793.

3. Signed-in using the new PIN.



4. Removed the PIN sign-in option.

