



Citation:

Kim, Mi and Wang, Xiangyu and Love, Peter and Li, Heng and Kang, Shih-Chung. 2013. Virtual reality for the built environment: A critical review of recent advances. *Journal of Information Technology in Construction*. 18: pp. 279-305.

Additional Information:

If you wish to contact a Curtin researcher associated with this document, you may obtain an email address from <http://find.curtin.edu.au/staff/index.cfm>

This article is published under the Open Access publishing model and distributed under the terms of the Creative Commons Attribution License <http://creativecommons.org/licenses/by/3.0/> Please refer to the licence to obtain terms for any further reuse or distribution of this work.

Alternate Location:

<http://www.itcon.org/2013/14>

Permanent Link:

http://espace.library.curtin.edu.au/R?func=dbin-jump-full&local_base=gen01-era02&object_id=196081

The attached document may provide the author's accepted version of a published work.
See Citation for details of the published work.

VIRTUAL REALITY FOR THE BUILT ENVIRONMENT: A CRITICAL REVIEW OF RECENT ADVANCES

REVISED: July 2013

PUBLISHED: August 2013 at <http://www.itcon.org/2013/14>

EDITOR: Ghang Lee

**Mi Jeong Kim, Assistant Professor,
Department of Housing and Interior Design, Kyung Hee University, Republic of Korea
mijeongkim@khu.ac.kr**

**Xiangyu Wang, Professor,
School of Built Environment, Curtin University, Australia
Xiangyu.Wang@curtin.edu.au**

**Peter ED. Love, Professor,
School of Built Environment, Curtin University, Australia
plove@iinet.net.au**

**Heng Li, Professor,
Department of Building and Real Estate, Hong Kong Polytechnic University, Hong Kong**

**Shih-Chung Kang, Associated Professor,
Department of Civil Engineering, National Taiwan University, Taiwan**

Abstract: This paper reviews the current state of the art for Virtual Reality (VR) and Virtual Environment (VE) applications in the field of the built environment. The review begins with a brief overview of technological components involved in enabling VR technology. A classification framework is developed to classify 150 journal papers in order to reveal the scholarly coverage of VR and VE from 2005 to 2011, inclusive. The classification framework summarizes achievements, established knowledge, research issues and challenges in the area. The framework is based on four layers of VR: concept and theory, implementation, evaluation and industrial adoption. These layers encompass architecture and design, urban planning and landscape, engineering, construction, facility management, lifecycle integration, training and education. This paper also discusses various representative VR research work in line with the classification framework. Finally the paper predicts future research trends in this area.

KEYWORDS: Virtual Reality, Virtual Environment, Built Environment, Critical Review, Framework

REFERENCE: Mi Jeong Kim, Xiangyu Wang, Peter ED. Love, Heng Li, Shih-Chung Kang, (2013). Virtual reality for the built environment: a critical review of recent advances, *Journal of Information Technology in Construction (ITcon)*, Vol. 18, pg. 279-304, <http://www.itcon.org/2013/14>

COPYRIGHT: © 2013 The authors. This is an open access article distributed under the terms of the Creative Commons Attribution 3.0 unported (<http://creativecommons.org/licenses/by/3.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



1. INTRODUCTION

Virtual Reality (VR) has different meanings for different people. It is defined as “the computer-generated simulation of three-dimensional images of an environment or sequence of events that someone using special

electronic equipment may view, as on a video screen, and interact with in a seemingly physical way” [1]. It is also defined as the “computer simulation of a real or imaginary system that enables a user to perform operations on the simulated system and shows the effects in real time” [2]. During the past two decades, practical applications of VR technology have spanned many fields including pilot training [3-5], driving and military applications [6-8], industrial applications [9, 10] and medical visualization [11-15]. As an area that heavily relies on visual communication, the Architecture, Engineering, Construction and facility management (AEC/FM) industry benefits significantly from advances in VR technology. In the past seven years there has been a transition from describing potential benefits of adopting VR technology and the experimental and simulation testing of prototypes to the development of actual VR applications in pilot testing and industry. This paper reviews the majority of the literature covering recent advances in VR work in various areas of the built environment from 2005 to 2011, inclusive. The purpose of this review is to identify and classify the major areas of research in the field. This review identifies the areas in which significant research has been concentrated, using statistics. It also reveals areas of research paucity. Such reviews enable the consolidation of knowledge, allowing researchers to take stock of accomplishments and trends [16-18]. This paper also identifies major research questions and issues that need to be addressed. As another contribution, implications of this review for human factors and pure VR technical disciplines are discussed.

It was approximately two decades ago that applications of VR visualization technology were brought to the attention of architects (McMillan 1994). This opened the door for numerous disciplines to interact with architects who were already looking at the possibilities of VR. The exciting visualization opportunities presented by VR technologies have captured the attention of a growing number of researchers from the architecture, engineering, construction and facilities management (AEC/FM) domain. Researchers in computer science and computer engineering—where VR concepts and technology were born—initially studied VR from the perspective of technology development, without deeply incorporating knowledge of application domains. In contrast the AEC/FM area requires that a user perspective be considered, in order to realize the ultimate goal of practical VR adoption. There are many opportunities for improving the efficiencies of VR in practice, and these require changes in the way work is carried out. This review paper summarizes how applied VR confronts technical challenges and also suggests how future objectives in this area might be pursued.

The organization of the paper is as follows: Section 2 explains the current status of VR and its enabling technologies. In Section 3 the research methodology used to search, screen, review and categorize the literature is illustrated. Section 4 presents the features of each category and subcategory within the classification framework. Section 5 interprets and discusses the results of this review and predicts future trends; this section also includes representative work examples and recommendations. Finally, Section 6 emphasizes the main insights gained from research and development related to VR in the built environment.

2. ENABLING TECHNOLOGIES OF VR IN THE BUILT ENVIRONMENT

Since 1995, using the concept of the “hype cycles”, Gartner has characterized the over-enthusiasm and subsequent disappointment that typically occur when new technologies are introduced. Hype cycles [19] can also be used to show how and when technologies move beyond hype, to offer practical benefits and become widely accepted. Public virtual world technologies have recently sat at the bottom of Gartner’s “trough of disillusionment”, during which virtual worlds had become unfashionable. However, some virtual world technologies have now matured beyond this stage to become productive in practical contexts. Throughout 2008 the corporate world was exposed to virtual world technologies, and such technologies are exerting a growing influence on how companies train, market, advertise and communicate [19].

VR is a simulation of a real world environment, generated through computer software and experienced by the user through a human-machine interface. A huge variety of VR devices can be utilized to create virtual environments with different capabilities and purposes. Depending on budget, needs and desired complexity, a wide range of hardware and software is available for creation of VR simulations. The basic technological components of VR systems are feedback displays and interaction devices. Numerous VR simulation software toolkits and engines are available for developing VR prototypes; these include Virtools, Secondlife, Visualization Toolkit (VTK) and Open Graphics Library (OpenGL). Many AEC/FM VR applications have been prototyped based on such software [20-23].

The simplest visual display device is a desktop computer monitor, sometimes with a 3D stereoscopic effect. Many such displays are not as realistic as true-stereo 3D; however, the sense of depth can be enhanced through the use of depth cues such as perspective, relative motion, occlusion and aerial perspective [24-26]. To create an immersive virtual environment, one needs a display that can provide true-stereo 3D. This can be achieved by using a head-mounted display (HMD) which allows stereo viewing via small monitors mounted in front of each eye and linking of the VR viewpoint using head tracking [27-29]. Large screen stereo projection systems, which provide compelling stereo that involves the use of lightweight polarizing glasses, are an alternative option [30, 31]. A very high end example of this type of setup is the cave automatic virtual environment (the CAVE™ system), which provides a multi-person, room-sized, high-resolution, 3D audio and video virtual environment [20]. Most work in VR has focused on the visual sense, employing virtual graphic objects and overlays. However, virtualization might apply to all other senses as well. For example haptic displays, based on tactile information, are typically presented by means of a hand held master manipulator [32] or glove-type devices [33].

Human interact with their environment through five senses—vision, hearing, touch, proprioception and smell. VR can mimic these senses, through devices employed in human- computer interactions, with various degrees of fidelity. For example, a haptic interface can impose a force feedback on a user's hand when he/she is "punching" an object in a virtual environment. There are a number of ways that six dimensional (three translational and three rotational) controlling signals can be generated. For more detailed description of these input paradigms, readers are referred to [34].

3. RESEARCH METHODOLOGY

Recently a large quantity of work has been produced on VR for the built environment, although the idea of using VR in the built environment dates back several decades. The nature of this work has migrated from early conceptual frameworks and lab-based proofs of concept to sophisticated implementation that incorporates knowledge of application domains and theories concerning human factors. It is necessary to have a comprehensive review of recent significant VR work and its application to the built environment. The main objectives of this review are:

- to provide a framework for the integration and classification of state of the art work on research concerning VR in the built environment
- to reveal areas of research concentration and paucity in this field
- to summarize issues and challenges related to VR in the built environment, and suggest how these can be pursued
- to forecast future research and development trends in this area

The selection criteria:

Papers were reviewed to determine eligibility for this study based on the following criteria:

- To ensure currency, only articles published from 2005 to 2011 were considered.
- Selected papers were required to deal with VR work in the built environment. Articles that concentrated solely on VR, as opposed to its applications in the built environment, were excluded. For example, VR papers primarily covering product design or product assembly were outside the scope of this review.
- For purposes of quality assurance, only articles from relevant leading international journals were searched to ensure that only rigorously peer reviewed material was included. Conference papers, book chapters and articles in non-leading or non-international journals were not considered.

Data sources:

Leading international journals in AEC/FM, as listed in Table 1, were identified and searched. In order to include relevant journals from other domains, for example pure VR technical journals that have papers dealing with VR for the built environment, we searched the following six online databases listed in order of the numbers of articles obtained: Science Direct, IEEE Xplore, Springer Link Online Libraries, ACM Digital Library, Wiley InterScience, Ingenta Journals, and EBSCO (Electronic Journal Service). Journals that are more computer science focused, or otherwise narrow in focus, were excluded from the list. Relevant journals identified from this search include Expert systems with applications, Presence, International Journal of Virtual Reality and Virtual Reality. Relevant articles from these journals studied VR in the built environment from the perspective of technical development. The total number of articles from this search is 23.

Table 1 Journal list searched and the associated number of articles

Journal Title	Number of articles
Advanced Engineering Informatics	5
American Society of Civil Engineers (ASCE) Journals	19
Architectural engineering and design management	5
Architectural science review	4
Artificial Intelligence for Engineering Design, Analysis and Manufacturing	2
Automation in Construction	21
Building and Environment	1
CoDesign	2
Construction management and economics	3
Design Studies	4
Environment and Planning B: Planning and Design	3
Expert system with applications	1
International Journal of Architectural Computing	27
Journal of information technology in construction	31
Presence : Teleoperators and virtual environments	5
The International Journal of Virtual Reality	9
Virtual Reality	8
Total	150

Procedures for extracting articles:

Research reviews of specific paradigms are an established form of enquiry within the information systems discipline [35]. For example, Hong et al. [36] used this approach to conduct a research review in the area of context-aware computing. Identification of articles within the journals listed in Table 1 involved keyword searches and an exhaustive search of journal titles. The keywords used were “virtual”, “virtual reality”, “visualization” and “virtual environment”. Abstracts of all articles that appeared to fit our review criteria were read, followed by reading of full articles in order to extract the main findings and emphasis of each article. Many articles that were initially identified via their titles or keywords were discarded if either the abstract or the article itself did not primarily focus on VR. For example, although containing the keyword “virtual”, virtual organization papers are not eligible because such papers contain no contents concerning VR. More than 200 papers were initially identified and, following screening, only 150 articles were determined to be suitable for content analysis.

Two independent researchers proposed their classification frameworks. Both of these researchers conducted an analysis based on their own classification frameworks. Then a matching process was used to resolve inconsistencies between the two systems and form a single classification framework. Once each category in the classification framework was finalized one of the original researchers, along with a third researcher who was not involved in developing the classification system, allocated each of the selected articles to the appropriate section of the framework. Cohen's kappa statistic was used to analyse correspondence between the researchers' allocation of articles to the categories in the classification framework. The result shows that there was a high degree of reliability between the different researchers' classifications (0.95). This is well above the recommended level of 0.80 [37].

A longitudinal perspective is also taken in this review in order to identify patterns, trends and themes in relation to quantities of publications in various research sub-areas. Table 2 lists the numbers of articles published in each selected journal from 2005 to 2011, inclusive. This time frame does not cover the early stages of work on VR in the built environment, but is extensive enough to identify the emergence of literature on a wide range of research themes according to the classification framework.

Table 2 Number of articles published in each journal between 2005 and 2011

Journal Title	2005	2006	2007	2008	2009	2010	2011	Total
Advanced Engineering Informatics			2		1	1	1	5
American Society of Civil Engineers (ASCE) Journals	5	1	3	3	4	2	1	19
Architectural engineering and design management	1	1		2	1			5
Architectural science review	1				2		1	4
Artificial Intelligence for Engineering Design, Analysis and Manufacturing			2					2
Automation in Construction	3	3	3	2	3	3	4	21
Building and Environment							1	1
CoDesign				1	1			2
Construction management and economics			1	1	1			3
Design Studies		2				1	1	4
Environment and Planning B: Planning and Design	1			1			1	3
Expert system with applications							1	1
International Journal of Architectural Computing	5	2	10	1	7	1	1	27
Journal of information technology in construction	2	6		8	3	3	9	31
Presence : Teleoperators and virtual environments		2	1	1	1			5
The International Journal of Virtual Reality		1	1	2	3	1	1	9
Virtual Reality		5	1			2	0	8
Total	18	23	24	22	27	14	22	150

Framework for classifying literature on VR in the built environment:

The classification framework used for VR and VE applications in the field of the built environment consists of the following three parts. The first part includes specific application areas in the built environment where the second part describes four layers of VR which encompass the application areas. The third part involves technological components in enabling VR technology:

1. *Application to the built environment involving:* architecture and design, landscape and urban planning, engineering-related issues, construction, facility management, lifecycle integration and training and education.
2. *The architecture layers of built environment VR systems,* as shown in Figure 1, based on standard architecture layer criteria for emerging information technology concepts or tools [36], for example context-aware computing, mobile computing and pervasive computing. This architecture consists of four layers:
 - a) concept and theory, consisting of algorithms, development specifications, conceptual frameworks, evaluation frameworks and technology transfer
 - b) implementation including hardware display, input, computing and trackers and software. involving agent-, intelligence- and knowledge-based issues, information design and interaction design
 - c) evaluation, divided into effectiveness and usability categories
 - d) industry adoption, specifically concerning whether a prototype has been industry-tested.
3. *Other technical criteria:*
 - Theory of human factors: is theory on human factors involved?

- Built environment domain knowledge: is there considerable reliance on knowledge of VR work in the built environment domain?
- Single-user VR system vs. Collaborative VR system
- Type of display is used: head-mounted display (HMD), window on the world, or projection
- Self-developed vs. Commercially-developed software
- Self-evaluation vs. Comparative evaluation




Figure 1 Architecture layer framework of VR systems in the built environment

4. RESULTS OF ARTICLE CLASSIFICATION

Classification of articles by publication year:

The number of articles by publication year is depicted in Figure 2. VR article numbers grew steadily from 2005 to 2009, inclusive, whereas the numbers of such articles from 2006 to 2008, inclusive, remained static. Surprisingly, there was a significant drop in article numbers in 2010, compared with 2009, but this was followed by a marked increase in 2011. It seemed that effort and interest concerning VR in the built environment have increased in recent years.




Figure 2 Number of VR in built environment publications from 2005 to 2011

Classification of articles by journal:

The journals searched are categorized in Table 1. Over 17 journals containing articles related to VR in the built environment were searched; (all journals produced by the American Society of Civil Engineers (ASCE) are grouped together as “ASCE Journals”). Most of them were related to the Architecture, Design, Engineering, Construction, and Facility Management. As Table 1 shows, the Journal of Information Technology in Construction published the most articles on VR systems (31 articles, 21%). The International Journal of Architectural Computing published 27 articles (18%). Automation in Construction published 21 articles (14%), which is close to the 19 articles (13%) published collectively in all ASCE journals. This distribution reveals that most articles on VR in the built environment were published in computer or IT-related journals in the AEC areas. The spread of remaining articles across journals in other areas highlights that there are many facets of VR in built environment research, relevant to a wide cross section of disciplines.




Figure 3 Number of articles in each application area from year 2005 to 2011

Classification of articles by application area:

The number of publications within each of discipline area over the seven-year period analysed is shown in Figure 3. In terms of built environment disciplines, architecture has been the area with greatest interest in VR (71 articles, 47.3%). It is likely that architecture was the first built environment discipline to embrace VR, because architects are visually oriented and appreciate the need for visual aids. The door was then opened for other inquirers to join with architects who were already looking at possibilities for virtual visualization.

While the number of articles on VR published in construction journals was smaller than the number of publications in the area of architecture and design, construction journals contained the second greatest number of VR articles (30 articles, 20%). The concept of Virtual Construction has been substantially explored in construction journals, due to offering opportunities for identifying potential problems prior to actual construction. Interestingly, many Virtual Construction systems are related to Building Information Modelling (BIM) and 4D CAD, both of which extensively visualize construction information and processes in the current standard approach to building design. For example, Staub-French et al. [38] proposed a 4D visualization approach to multiple product models by integrating 3D CAD software with linear planning software to define a project model in association with a process model. In this approach, construction sequences can be modified and the consequences of this examined using 4D CAD, facilitating a two-way flow of communication with scheduling software.

Training and education journals contained 19 articles (12.7%) which is not surprising, as virtual training is becoming increasingly important in a variety of areas. VR offers a unique capacity for real time feedback to be provided in a very intuitive form. Wang et al. [39] developed a virtual training system based on Unity3D for use in heavy equipment operations. In this system, novice trainees can see their own operation attempts in the same spatial frame of reference as that of a “virtual coach”. Training tasks were simplified during the early stages of learning, assisting trainees to focus on key elements. In contrast, a real world situation may include potential accidents and this can slow down learning if trainees’ focus is fragmented as a result.

Engineering-related journals contained 9 articles on VR applications (6%). For example, Hutchinson et al. [40] described their development of an interactive hybrid environment, termed VizClass, integrating both 2D and 3D spatial activities by coupling a series of touch-sensitive whiteboards with a semi-immersive 3D wall display. This environment was developed for studying complex engineering problems involving time-varying movement. Simple interpolation schemes are applied here to visualize time-varying building deformation, study 3D displacement history (using 3D traces) and rapidly assess maxima values (using bounding boxes). Interaction paradigms including spatially tracked gloves and whiteboards with keyboard and mouse are integrated into this system, allowing users to manipulate models and data.

Urban planning and landscape journals contained 13 VR articles (8.7%). There were very few papers in the areas of facility management (3 articles, 2%) and life cycle integration (5 articles, 3.3%). Although there has been relatively little research in the area of facilities management (FM) it is envisaged that VR, especially combined with BIM, will become a very effective tool for assisting with early design conception in the area of FM.

VR is still at an early exploration stage in the field of lifecycle integration and, consequently, there has not been much recent focus on VR in this domain. However, there has been some preliminary conceptual and exploratory work in this area. For example, as part of “the IntUBE project—Intelligent Use of Buildings’ Energy Information”, Crosbie et al. [41] proposed a conceptual framework for virtual collaborative lifecycle tools in order to improve the energy performance of built environment features including building design, operation and retrofitting via the intelligent use of buildings’ energy information. They conducted a case study in which three different design alternatives developed for a school were assessed against relevant sustainability standards and building regulations. Guo et al. [42] proposed a conceptual framework of a virtual prototyping-based information sharing platform based on analysis of the information flow in lifecycle management (LCM). VR-based LCM of projects was analysed via its application to a real-life construction project. This analysis demonstrated that VR-based LCM is an effective tool to support construction in terms of reducing duration, risks and costs of projects and improving levels of service to owners and tenants.

Classification of articles by architecture layer:

Figure 4 shows the number of articles dealing with various architecture layers from 2005 to 2011, inclusive. The numbers of articles, relative percentages within subject and global percentage of all subjects by each category of the classification framework are listed in Table 3. It is important to state that an article might fall into multiple categories. For example, an article might make both a significant “contents design” contribution and also have significance for evaluation of effectiveness and usability. Thus, the sum in the “number of articles” column in Table 3 is greater than 150, the total number of the articles. The numbers of articles in Table 3 tallies the number of articles in each category. It shows the percentage within subject indicates the percentage of papers within one category. The global percentage means that the number of papers in total number. Tables 4–7 represent all references of the VR articles. With respect to layer 1, 36.7% (55 articles) of reviewed articles concerned concept and theory. Such contributions provide researchers with a conceptual map for conducting future research. Layer 2, the implementation layer, contained the highest percentage of VR articles (81 articles, 54%). This implies that VR technology has matured sufficiently to enable implementation, either of off-the-shelf commercial packages or through user development via lower level software infrastructure. 39.3% of the review articles (59 articles, 39.3%) contained significant evaluation (Layer 3) of the effectiveness and/or usability, through scientific and formal approaches. Unfortunately, only 7.3% (11) of the published articles dealt significantly with industrial adoption or piloting. These figures suggest that VR is being used in the built environment and that this has attracted formal evaluation to quantitatively demonstrate its usefulness. Wide-spread industrial adoption of VR has not yet been realized, but this potential area of VR application is beginning to attract attention.




Figure 4 Number of articles at each architecture layer from year 2005 to 2011

The following subsection explores representative and significant work identified at each architectural layer and also discusses research issues, challenges and future trends in this field

Table 3 Number of articles by each subject of the classification framework from 2005 to 2011

Classification criteria	Number of articles	Relative Percentage of subject (%)	Global Percentage of all subject (%)
Application Areas	150	100	100
Architecture and Design	71	47.3	47.3
Urban Planning and Landscape	13	8.7	8.7
Engineering	9	6.0	6.0
Construction	30	20.0	20.0
Facility management	3	2.0	2.0
Lifecycle Integration	5	3.3	3.3
Training and Education	19	12.7	12.7
Layer 1. Concept and Theory	55	100	36.7
1.1 Algorithm and Modelling	25	45.5	16.7
1.2 Conceptual Framework	23	41.8	15.3
1.3 Evaluation Framework	0	0.0	0.0
1.4 Technology Adoption	7	12.7	4.7
Layer 2. Implementation	128	100	85.3
2.1 Software	126	98.4	84.0
2.1.1 Contents design	84	65.6	56.0
2.1.2 Agent-based VR	8	6.3	5.3
2.1.3 Knowledge-based VR	5	3.9	3.3
2.1.4 Interaction design	29	22.7	19.3
2.2 Hardware	16	12.5	10.7
Layer 3. Evaluation	49	100	32.7
3.1 Effectiveness	32	65.3	21.3
3.2 Usability	3	6.1	2.0
3.3 Effectiveness+ Usability	14	43.8	9.3

Layer 4. Industry adoption	11	7.3	7.3
Display			
HMD	2	1.4	1.3
Monitor	120	85.1	80.0
Projector	19	13.5	12.7
VR System			
Single-user system	103	74.1	68.7
Collaborative system	36	25.9	24.0
VR Toolkit			
Prototype	53	39.6	35.3
Commercial	81	60.4	54.0
Evaluation Method			
Self-evaluation	30	61.2	20.0
Comparative evaluation	19	38.8	12.7
Case study	23	28.4	15.3
Human Factors	45	30.0	30.0
Domain Knowledge	85	56.7	56.7
TOTAL	150		100.0

a. Layer 1: Concept and theory layer

This layer 1 represents the references according to the detailed categories in concept and research layer in Table 3. The concept and theory layer involves ideas about how VR should/can be adopted to solve a problem in the built environment. Within this layer, algorithms are essential to developing VR systems and research in this area includes work on artificial intelligence methodology to provide the foundations for VR to become part of intelligent systems. Conceptual framework material gives users a general idea of what VR systems will look like and how they will function; this pertains, for example to general system capabilities, user interfaces, data flow and system management. Implementation of VR systems can be built upon such conceptual roadmapping.

Layer 1, concept and theory, has been divided into four categories. Most of the articles in this layer relate to algorithms and modelling based on engineering principles (25 articles; 16.7%) and sophisticated conceptual frameworks (23 articles, 15.3%). Interestingly, no article in this layer concerned the development of a built environment VR evaluation framework or heuristic guidelines for usability evaluation, though such guidelines are well established in the pure VR area [43]. Certainly, pure VR evaluation guidelines can be adapted and customized for use in the context of the built environment. 4.7% (7 articles) of the articles reviewed examined issues and potentials of technology transfer and adoption in industry. This number is reasonable and not surprising, considering the nature of this VR study. Strategies and business models for gaining revenue by using VR systems are very few.

Table 4 Articles on the concept and theory layer

Classification criteria		References
Concept and Theory	Algorithm and Modelling	Lai and Kang[54], Rezazadeh et al.[55], Kang and Miranda[56], Alves and Bártolo[57], Torano et al.[58], Rosenman et al.[59], Rekapalli et al.[60], Kang et al.[61], Kamat and Martinez[62], Li and Zhu[63], Zhang et al.[64], Lai et al.[65], Gursel et al.[66], Kamat and Martinez[67], Liu and You[68], Mallasi[47], Thalmann et al.[69], Edward et al.[70], Xu et al.[71], Rodriguez and Amato[72], Gu and Tsai[73], Yu et al.[74], Moustakas et al.[75], Popov et al.[76], Timm and Kamat[77]
	Conceptual Framework	Li et al.[78], Maher et al.[79], Crosbie et al.[41], Guo et al.[42], Sacks et al.[80], Staub-French et al.[38], Nimr and Mohamed [81], McMeel and Cockeram[82], Okeil[83], Isaacs et al.[84], Ku and Mahabaleshwarkar[85], Toro et al.[86], Jachna et al.[87], Maher et

Algorithms and modelling methods are fundamental to visualizing the built environment in the virtual world. Such algorithms need to consider engineering needs in order to properly develop simulation or analysis methods. Algorithms also need to be based on a balance between computational efficiencies and awareness of constraints imposed by the existing hardware and software environments.

This review paper extracted and summarized high priority research issues and questions that need to be addressed by future researchers. It should be noted that the research issues and questions presented below and in other sections are not the ones addressed in the review paper here.

Research issues and questions:

- How can real world information be visualized efficiently and effectively?
- How can the ever-changing, complex geometry of the real construction site be handled?
- How can VR models and information be effectively organized for large engineering projects?
- How can an efficient scene graph management for large models in VR systems be realized?

b. Layer 2: implementation

As shown in Table 3, we divide this layer into software and hardware. Software is further divided into contents design, interaction design, agent-based VR and knowledge-based VR. Agent-based VR refers to VR systems that heavily rely on the concept and approach of the agent in order to gain certain levels of intelligence and autonomy. Agent-based VR combines conventional VR with an agent-related system. Knowledge-based VR is similar to knowledge-based system in definition, but it is more geared towards its application in VR system. Certain VR system might be very complicated involving massive knowledge to be managed. Combining knowledge-based system with VR concept is an innovation. Projection-based VR system is the VR rendering and visualization with a projector and its screen.

In terms of layer 2, implementation, many more articles deal with VR software (42 articles, 28%) than with hardware (16 articles, 10.7%). Looking further into the technical details of each VR system shown in Table 3, showed that most systems (65.6%) used “contents design” software. Eight VR systems (6.3%) used “agent-based VR”. Five VR systems (3.9%) used “knowledge-based VR”, 29 systems (22.7%) used “interaction design” and 16 VR systems (12.5%) used “hardware”. Many built environment VR systems have not integrated interactive visualization with advanced 3D display components. This is confirmed by the low percentages of VR systems that have adopted the HMD (1.3%) and projection-based arrangements (12.7%).

A significant amount of the available literature focuses on technical issues such as agent architecture, multi-agent systems (MAS) learning and negotiation protocols, yet gives limited information on lessons learnt from agent-based applications. Surprisingly, only 8 articles (5.3%) involved incorporation of an agent into the virtual environment. The agent approach is one way to make VR intelligent; this is an essential component for VR, especially in collaborative systems. In the small number of articles dealing with an agent approach, this approach was generally used to support collaboration in a 3D virtual world.

Research issues and questions:

- Simulation of human behavior remains a challenging issue especially when real-time animation, such as virtual character facial modelling and locomotion, must be supported.
- There is a need for better integration of knowledge in the agent-based environment, through letting the

agent learn or by introducing features to assist memory.

- How can the agent-augmented ontology approach used to automate information extraction and document annotation? Answering this question could help users to easily track the logic behind decisions made during the virtual design and construction processes.

- How can semantics implemented to enable VR systems to support most of the commonly used data types and to store massive datasets?

- How can the collaborative possibilities of semantics architecture be explored?

Table 5 Articles on the implementation layer

Classification criteria			References
Implementation	Software	Contents design	Lai and Kang[54], Laing et al.[45], Huang et al.[46], Kang et al.[104], Kang and Miranda[56], Sampaio et al.[105], Alves and Bártolo[57], Li et al.[52], Korkmaz et al.[106], Rekapalli and Martinez[60], Kang et al.[61], Howard and Gaborit[24], Kamat and Martinez[62], Jáuregui et al.[25], Li and Zhu[63], Li et al.[26], Zhang et al.[64], Lai et al.[65], Gursel et al.[66], Aspin[30], Zhou et al.[107], Kamat and Martinez[67], Kang et al.[44], Liu and You[68], Iorio et al.[108], Dawood and Sikka[109], Xie et al.[110], Dawood et al.[22], Khanzode et al.[31], Shiratuddin and Thabet[111], Sørensen et al.[112], Merrick et al.[113], Jason et al.[114], Peng[115], Heldal[116], Stuerzlinger et al.[117], Stock and Bishop[118], Griffon et al.[119], Badni[120], Thalmann et al.[69], Lim et al.[121], Sunar et al.[122], Kang and Kim[123], Drettakis et al.[124], Wittkopf[125], Gu and Tsai[73], Ham and Schnabel[126], Yu et al.[74], Ch'ng and Stone[127], Forte and Pietroni[128], Hannibal et al.[129], Barros et al.[130], Wyeld et al.[131], Fukuda et al.[132], Chevrier et al.[133], Kalay and Grabowicz[134], Foni et al.[135], Stahre et al.[136], Kersten[137], Tost and Economou [138], Vecchia et al.[139], Massera[140], Mullins and Strojjan[141], Walczak[142], Vosinakis et al.[143], Gül and Maher[144], Greenwood et al.[102], Johnsson et al.[103], Franz et al.[145], Westerdahl et al.[146], Rafi et al.[147], Russell et al.[89], Gül et al.[148], Timm and Kamat[77], Muramoto et al.[149], Sher et al.[90], Horne and Hamza[150], Lucas and Thabet[94], Breland et al.[151], Franz and Wiener[152], Cubukcu and Nasar[153], Stamps[154], Gül[155], Ibrahim et al.[156]
		Agent-based VR	Maher et al.[79], Toraño et al.[58], Rosenman et al.[59], Wang et al.[157], Edward et al.[70], Rodriguez and Amato[72], Calderón et al.[92], Obonyo[95]
		Knowledge-based VR	Mallasi[47], Toro et al.[86], Kleinermann et al.[158], Xu et al.[71], Popov et al.[76]
	Hardware	Interaction design	Gu et al.[159], Setareh et al.[28], Setareh et al.[160], Shen and Grafe[27], Calderón et al.[161], Conniff et al.[162], Rahimiana and Ibrahim[163], Wahlström et al.[164], Champion et al.[165], Hutchinson et al.[40], Chen and Bowman [166], Schroeder et al.[167], Bartolo and Wang[168], Interrante et al.[29], Vries et al.[169], Ioannidis et al.[170], Kieferle et al.[171], Paterson[172], Pechlivanidou et al.[173], Fischer[174], Calderon et al.[175], Hernández et al.[176], Moustakas et al.[75], Crotch et al.[177], Rahaman and Tan[178], Reffat[179], Sampaio et al.[180], Arain and Burkle[181], Fruchter et al.[96]
			Fumarola and Poelman[182], Gu et al.[159], Setareh et al.[28], Setareh et al.[160], Xie et al.[110], Sørensen et al.[112], Ye et al.[183], Wahlström et al.[164], Hutchinson et al.[40], Vries et al.[169], Kieferle et al.[171], Kersten[137], Fischer[174], Hernández et al.[176], Moustakas et al.[75], Muramoto et al.[149]

c. Layer 3: evaluation

Evaluation is classified as either effectiveness evaluation or usability evaluation. Effectiveness evaluation concerns productivity improvement, performance time, number of errors and other quantitative indicators of how effectively a VR system can facilitate a certain activity. Usability evaluation involves investigating user needs

based on user interviews, field studies of users and expert appraisal of VR systems. Emerging VR devices and services introduce a new level of complexity to usability evaluation. Some researchers in this area have investigated general guidelines for evaluating VR systems, while others have evaluated novel VR interfaces and ways of interacting. It was suggested that a hybrid evaluation method, comprised of cognitive walkthrough and heuristic evaluation, would be useful for evaluating VR interfaces.

74.6% of the articles surveyed on built environment VR evaluation related to effectiveness evaluation. 25.4% of the articles surveyed focused on usability evaluation. The remainder of literature on evaluation (9.3%) concerns both effectiveness and usability evaluation. More extensive usability evaluation literature, to augment the material covering effectiveness evaluation, would be of value. Further, an evaluation subcategory is to look at if self-evaluation or comparative evaluation is involved. Self-evaluation means to evaluate the effectiveness and system performance itself. Comparative evaluation refers to comparison of a VR tool with a well-established benchmark (e.g. a typical work method/tool, or CAD software). Comparative evaluation is likely to be more reliable than self-evaluation, as comparisons can introduce an element of more objective appraisal [44-46]. 30 articles (61.2%) concerned self-evaluation, while 19 articles (38.8%) involved comparative evaluation.

Table 6 Articles at the evaluation layer

Classification criteria		References
Evaluation	Effectiveness	Lai and Kang[54], Laing et al.[45], Rezazadeh et al.[55], Gu et al.[159], Kang and Miranda[56], Li et al.[26], Zhang et al.[64], Woksepp and Olofsson[53], Kang et al.[44], Iorio et al.[108], Dawood and Sikka[109], Khanzode et al.[31], Rahimiana and Ibrahim[163], Rodriguez and Amato[72], Wittkopf[125], Bartolo and Wang[168], Yu et al.[74], Hannibal et al.[129], Pechlivanidou et al.[173], Tost and Economou[138], Vecchia et al.[139], Mullins and Strojan[141], Gül and Maher[144], Franz et al.[145], Rafi et al.[147], Gül et al.[148], Sher et al.[90], Cerovšek et al.[91], Breland et al.[151], Franz and Wiener[152], Stamps[154], Fruchter et al.[96]
	Usability	Westerdahl et al.[146], Lucas and Thabet[94], Cubukcu and Nasar[153]
	Effectiveness+Usability	Howard and Gaborit[24], Setareh et al.[28], Dawood et al.[22], Conniff et al.[162], Wahlström et al.[164], Champion et al.[165], Hutchinson et al.[40], Høidal[116], Stuerzlinger et al.[117], Drettakis et al.[124], Schroeder et al.[167], Interrante et al.[29], Muramoto et al.[149], Gül[155]

Research issues and questions:

- How can usability evaluation guidelines specifically pertaining to VR in the built environment take domain knowledge into account?
- How can the usability of shared collaborative virtual environments (CVEs) be improved—by improving the systems and features of the environment, or by improving user awareness of their activities and setting?
- How can designers of virtual working environments most effectively leverage the collaborative potential of virtual tools to increase these tools' performance in complex design tasks?
- There are needs of evaluation methods for evaluating the factors at the low end – communication and awareness of each other's actions.

d. Layer 4: industrial adoption

With respect to layer 4, only 11 of the articles reviewed (7.3%) significantly involved an industrial practitioner testing their VR system in an actual project. This shows a need for establishment of stronger ties between industry and academia. Demonstration of benefits gained through using VR tools in practical projects has the

potential to convince industry to adopt such tools as part of daily routines. It should be noted that case studies were excluded from this review if these studies only collected practitioners' opinions of a particular VR system, asked practitioners to participate in a study, or used information from a practical industrial project as the basis for VR prototyping and implementation. In order to qualify for this review, studies were required to primarily involve testing of VR systems in practical industrial circumstances.

Table 7 Articles on the industry adoption layer

Classification criteria	References
Industry adoption	Li et al.[78], Huang et al.[46], Howard and Gaborit[24], Setareh et al.[160], Lai et al.[65], Xie et al.[110], Khanzode et al.[31], Li et al.[101], Hernández et al.[176], Messner et al.[184], Woksepp and Olofsson[93]

Other Technical Criteria:

In terms of VR displays, 80% of the reviewed articles (120 articles) featured standard monitoring, 12.7 % (19 articles) used projection-based displays such as interactive walls or CAVE and only 1.3% (2 articles) used head-mounted displays (HMD)

Most of the VR systems described in the literature are single-user-based (103 articles, 74.1%) with almost three times as much use as collaborative VR systems (36 articles, 25.9%). Therefore, more attention should be spent on collaborative system, because multidisciplinary collaboration is a trend that we predict will become a standard. There is also a trend to break down silo work. Figure 5 shows the number of articles involving collaborative VR systems from 2005-2011, inclusive.

39.6% of the articles reviewed (53 articles) covered self-developed VR systems. This relates to the modelling described in the first layer of VR architecture, described above. 60.4% of the articles reviewed (81 articles) were based on customization of off-the-shelf commercial software. This is unsurprising, as the work-readiness and sophistication of commercial software are attractive in terms of built environment VR applications. Furthermore, technologies and tools related to VR are standardized due to the large amount of commercial software used as a basis for prototyping.

Surprisingly, only 30% of the articles reviewed (45 articles) substantially involved human factors, models, theories and practices. 56.7% of the articles reviewed (85 articles) were serious domain knowledge studies, involving extraction and application of VR systems in the built environment. This percentage is low but is expected to be higher. Otherwise, it will be simply proof-of-concept application. Opportunities exist for improving practices through new efficiencies and through devising new ways of executing work tasks. Attention to human resource capabilities and other attendant human factors have the potential to yield successful technology development decisions and integration.




Figure 5 Number of articles involving collaborative VR system from 2005 to 2011

5. DISCUSSION

With respect to VR architecture work at the concept and theory level, technologies and tools have been standardized due to a high percentage of commercial software being used as a basis for prototyping. However, more efforts are needed for standardizing VR architecture to enable easier implementation of VR systems in the built environment. Consideration of concepts and theory underpinning this prototyping—such as context modelling methodology, inference algorithms, agents and interactions between agents—has been improving over the period from 2005 to 2011. Due to the added value, there is greater demand for integrating CAD with VR technology [47].

In terms of the implementation level, there is insufficient VR in the built environment with respect to interaction and devices. This lack of VR richness in the built environment is due to a lack of VR integration into the real environment. For example, on-site sensors can be used for office-based VR, this might be specific useful for construction monitoring and new paradigm of design and communicating design in architecture [48-51]. A standard for interactions between VR and real environments has not yet been achieved, therefore greater research focus on integration between the real and the virtual is required. The immediate future of VR may increasingly lie in the built environment, therefore VR has to catch up with the real world need for VR technology. However, researchers are now beginning to realize the impossibility of developing VR systems and applications solely in indoor and lab environments.

Feedback from project planners [52] indicates that it would be helpful if construction planning schedules could be developed together with site planning in VR systems. Good site layout planning can increase the productivity of construction activities, improve safety and avoid obstructive material and equipment movements on-site. Hence, a computer-aided environment can support site layout design.

In terms of VR at the evaluation level, most work is related to the evaluation of VR effectiveness for tasks in the built environments. Only about a quarter of the reviewed work focused on usability evaluation. Usability evaluation or human-computer interaction (HCI) research is critical, as past research has shown that there may be differences between the manner in which real and virtual spaces are evaluated and that these differences may be additionally influenced by delivery and viewing methods [45]. HCI needs to be used to facilitate interactions between users and VR systems. HCI design needs to be conducted through iterative prototyping and testing to

figure out the best way to build user-friendly interfaces [53]. Surprisingly, less than 10% of the work reviewed concerns both effectiveness and usability evaluation together. Increased work on usability evaluation would enhance the worth of effectiveness evaluation. Furthermore, comparative evaluation should be encouraged, to promote fairness and objectivity [44-46].

In terms of VR work at the industry adoption level, only 7.3% of the articles reviewed significantly involved an industrial practitioner and tested their system in a practical project. This shows a need to establish stronger ties between industry and academia. The results/ benefits gained from using the implemented VR tools in practical projects can educate or convince industrial to accept and even widely adopt the tool into their daily practice routines. Furthermore, there are very few strategic business models for gaining the revenue by adopting VR technologies in industry.

Published studies on VR in the built environment are, for the most part, small-scale and do not involve industry. These studies are primarily geared toward proof of concept testing or examination of feasibility. However, such studies are appropriate for testing new technologies in the early stages of application. VR systems, no matter how sophisticated they are, might fail if appropriate consideration is not given to user requirements. However, the viability of VR systems will depend very much on how familiar VR developers and users are with the scientific rationale behind VR applications in the built environment; such understanding will be key to designing appropriate system features and successful VR support. Additionally, considerable domain knowledge is required to understand the potential capabilities of various VR technologies and which functions are necessary for various applications. Thus, scientific evaluation of VR systems is required to ensure their success. Small-scale experiments can give some answers regarding the use of VR in the built environment, but collaboration between built environment practitioners, human factor researchers, computer engineers and others is need to fully realise the potential in this area. Organising collaboration on this scale is not a trivial task. In terms of the types of AEC/FM problems that have been investigated in studies of VR applications, VR architecture has received most of the attention. The record of success in applying VR to the built environment has been good to date, and there is promise for further success in this area.

6. SUMMARY

This review details the wide variety of built environment applications for which VR systems are now being developed and tested. It was found that a total of 150 articles were published in the normative built environment literature from 2005 to 2011, inclusive. Published studies in this area, for the most part, still consist of small studies without industrial practitioners-based control groups, geared toward feasibility or proof of concept testing. Journal articles were classified according to concept and theory, implementation, evaluation of effectiveness and usability and industrial adoption. This classification has enabled identification of gaps in the VR literature and the proposal of future research directions. The use of VR for facilities management and lifecycle integration is in its infancy, but has great potential. Much work remains to be done to identify which types of practices will benefit most from VR, and which system features are critical in this context.

7. ACKNOWLEDGEMENTS

This research was supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education, Science and Technology (2011-0005888)

8. REFERENCES

- Agnes M. (2003). Webster's New World College Dictionary, John Wiley & Sons Incorporated.
Mifflin H. (2001). The American Heritage Dictionary, Dell Publishing Company.

- Dahn D.A. (1990). A Low-Cost Part-Task Flight Raining System: An Application of a Head Mounted Display, Air Force Institute of Technology.
- Haber R.N. (1986). Flight Simulation, Scientific American 255, 96-103.
- Platt P.A. (1990). Real-Time Flight Simulation and the Head-Mounted Display - an Inexpensive Approach to Military Pilot Training, Air Force Institute of Technology.
- Sardella J.M. and High D.L. (2000). Integration of Fielded Army Aviation Simulators with Modsaf: The Eighth Army Training Solution, Interservice/Industry Training Systems and Education Conference.
- Manojlovich J., Prasithsangaree P., Hughes S., Chen J., and Lewis M. (2003). Utsaf: A Multi-Agent-Based Framework for Supporting Military-Based Distributed Interactive Simulations in 3d Virtual Environments, Winter Simulation Conference, 960-968.
- Zyda M., Hiles J., Mayberry A., Wardynski C., Capps M., Osborn B., Shilling R., Robaszewski M., and Davis M. (2003). Themoves Institute's Armygame Project: Entertainment R&D for Defense, IEEE Computer Graphics and Applications.
- Wang Q.H. and Li J.R. (2004). A Desktop Vr Prototype for Industrial Training Applications, Virtual Reality(7) 187-197.
- Li J.R., Tor S.B., and Khoo L.P. (2002). A Hybrid Disassembly Sequence Planning Approach for Maintenance, Journal of Computing Information Science in Engineering 2, 28-37.
- Asana T., Yano H., and Iwata H. (1997). Basic Technology of Simulation System for Laparoscopic Surgery in Virtual Environment with Force Display, Medicine Meets Virtual Reality 5, 207-215.
- Basdogan C., Ho C.-H., and Srinivasan M. (1999). Simulation of Tissue Cutting and Bleeding for Laparoscopic Surgery Using Auxiliary Surfaces, Medicine Meets Virtual Reality 7, 38-44.
- Cleary K. and Lathan C.C. (1998). Simulator/Planner for Ct-Directed Needle Biopsy of the Spine, SPIE Conference 3262 on Surgical-Assist Systems. San Jose, CA, 218-224.
- John N.W. (2008). Design and Implementation of Medical Training Simulators, Virtual Reality 12, 269-279.
- Jackson A., John N.W., and Thacker N.A.R. (2002). Developing a Virtual Reality Environment in Petrous Bone Surgery, Otol Neurotol 23, 111-121.
- Alavi M. and Carlson P. (1992). A Review of Mis Research and Disciplinary Development, Journal of Management Information Systems Vol. 8, No. 4, 45-62.
- Banker R.D. and Kauffman R.J. (2004). The Evolution of Research on Information Systems: A Fiftieth-Year Survey of the Literature in "Management Science", Management Science Vol. 50, No. 3, 281-298.
- Wareham J., Zheng J.G., and Straub D. (2005). Critical Themes in Electronic Commerce Research: A Meta-Analysis Journal of Information Technology Vol. 20, No. 1, 1-19.
- Gartner. (2008). Understanding Gartner's Hype Cycles.
- Cruz-Neira C., Sandin D., DeFanti T., Kenyon R., and Hart J. (1992). The Cave: Audio Visual Experience Automatic Virtual Environment., Communications of the ACM Vol. 35, No. 6, 65-72.
- Dai F. (1998). Virtual Reality for Industrial Applications: Springer.
- Dawood N., Scott D., Sriprasert E., and Mallasi Z. (2005). The Virtual Construction Site (Vircon) Tools : An Industrial Evaluation, Journal of Information Technology in Construction 10, 43-54.
- Agil M., Balbed M., Ibrahim N., and Yusof A.M. (2008). Implementation of Virtual Environment Using Virttools the Fifth International Conference on Computer Graphics, Imaging and Visualisation, 101-106.
- Howard T.L.J. and Gaborit N. (2007). Using Virtual Environment Technology to Improve Public Participation in Urban Planning Process Journal of Urban Planning and Development (American Society of Civil Engineers, ASCE) Vol. 133, No. 4, 233-241.

- Jáuregui D.V., White K.R., Pate J.W., and Woodward C.B. (2005). Documentation of Bridge Inspection Projects Using Virtual Reality Approach *Journal of Infrastructure Systems* (American Society of Civil Engineers, ASCE) Vol. 11, No. 3, 172-179.
- Li C.-M., Yeh I.-C., Chen S.-F., Chiang T.-Y., and Lien L.-C. (2008). Virtual Reality Learning System for Digital Terrain Model Surveying Practice *Journal of Professional Issues in Engineering Education and Practice* (American Society of Civil Engineers) Vol. 134, No. 4, 335-345.
- Shen Q. and Grafe M. (2007). To Support Multidisciplinary Communication in Vr-Based Virtual Prototyping of Mechatronic Systems, *Advanced Engineering Informatics* Vol. 21, No. 2, 201-209.
- Setareh M., Bowman D.A., and Kalita A. (2005). Development of a Virtual Reality Structural Analysis System *Journal of Architectural Engineering* (American Society of Civil Engineers, ASCE) Vol. 11, No. 4, 156-164.
- Interrante V., Ries B., Lindquist J., Kaeding M., and Anderson L. (2008). Elucidating Factors That Can Facilitate Veridical Spatial Perception in Immersive Virtual Environments, *Presence: Teleoperator and Virtual Environments* Vol. 17, No. 2, 176-198.
- Aspin R. (2007). Supporting Collaboration, in Colocated 3d Visualization, through the Use of Remote Personal Interfaces, *Journal of Computing in Civil Engineering* (American Society of Civil Engineers, ASCE) Vol. 21, No. 6, 393-401.
- Khanzode A., Fischer D.M., and Reed D. (2008). Benefits and Lessons Learned of Implementing Building Virtual Design and Construction (Vdc) Technologies for Coordination of Mechanical, Electrical, and Plumbing (Mep) Systems on a Large Healthcare Project, *Journal of Information Technology in Construction* 13, 324-342.
- Brooks J.F.P., Ouh-Young M., Batter J.J., and Kilpatrick P.J. (1990). Project Grope — Haptic Displays for Scientific Visualization, *Computer Graphics* Vol. 24, No. 4, 177-185.
- Shimoga K.B. (1992). Finger Force and Touch Feedback Issues in Dexterous Telemanipulation: A Survey, in *Proceedings of the NASA-CIRSSE International Conference on Intelligent Robotic Systems for Space Exploration: Troy, N*, 159-178.
- Hinckley K., Pausch R., Goble J.C., and Kassell N.F. (1994). Design Hints for Spatial Input, *Proceedings of ACM Symposium on User Interface Software & Technology (UIST '94)*, 213-222.
- Scornavacca E., Barnes S.J., and Huff S.L. (2006). Mobile Business Research Published in 2000-2004: Emergence, Current Status, and Future Opportunities, *Communications of the Association for Information Systems* Vol. 17, No. 1, 635-646.
- Hong J.-y., Suh E.-h., and Kim S.-J. (2009). Context-Aware Systems: A Literature Review and Classification, *Expert Systems with Applications* 36, 8509-8522.
- Krippendorff K. (2004). *Content Analysis: An Introduction to Its Methodology* (2nd Ed.), Thousand Oaks, CA: Sage.
- Staub-French S., Russell A., and Tran N. (2008). Linear Scheduling and 4d Visualization, *Journal of Computing in Civil Engineering* (American Society of Civil Engineers, ASCE) Vol. 22, No. 3, 192-205.
- Wang X., Dunston P.S., Proctor R., and Hou L. (2011). Reflections on Using a Game Engine to Develop a Virtual Training System for Construction Excavator Operators, in *Proceedings of the 28th International Symposium on Automation and Robotics in Construction (ISARC 2011)*: Seoul, Korea.
- Hutchinson T., Kuester F., Hsieh T.-J., and Chadwick R. (2006). A Hybrid Reality Environment and Its Application to the Study of Earthquake Engineering, *Virtual Reality* 9(1), 17-33.
- Crosbie T., Dawood N., and Dawood S. (2011). Improving the Energy Performance of the Built Environment: The Potential of Virtual Collaborative Life Cycle Tools, *Automation in Construction*, Vol. 20, No. 2, 205-216.

- Guo H.L., Li H., and Skitmore M. (2010). Life-Cycle Management of Construction Projects Based on Virtual Prototyping Technology, *Journal of Management in Engineering* (American Society of Civil Engineers, ASCE) Vol. 26, 41-47.
- Gabbard J. (1997). *A Taxonomy of Usability Characteristics in Virtual Environments*, Virginia Polytechnic Institute and State University.
- Kang J.H., Anderson S.D., and Clayton M.J. (2007). Empirical Study on the Merit of Web-Based 4d Visualization in Collaborative Construction Planning and Scheduling, *Journal of Construction Engineering and Management* (American Society of Civil Engineers, ASCE) Vol. 133, No. 6, 447-461.
- Laing R., Conniff A., Craig T., Diaz C.G., and Scott S. (2007). Design and Use of a Virtual Heritage Model to Enable a Comparison of Active Navigation of Buildings and Spaces with Passive Observation, *Automation in Construction* , Vol. 16, No. 6, 830-841.
- Huang T., Kong C.W., Guo H.L., Baldwin A., and Li H. (2007). A Virtual Prototyping System for Simulating Construction Processes, *Automation in Construction*, Vol. 16, No. 5, 576-585.
- Mallasi Z. (2009). Towards Minimizing Space-Time Conflicts between Site Activities Using Simple Generic Algorithm – the Best Execution Strategy, *Journal of Information Technology in Construction* 14, 154-179.
- Kim M.J. and Maher M.L. (2008). The Impact of Tangible User Interfaces on Designers'spatial Cognition *Human-Computer Interaction*, 101-137.
- Ullmer B. and Ishii H. (1997). Emerging Frameworks for Tangible User Interfaces, *IBM Systems Journal* 39, 915-931.
- Buur J., Jensen M., and . Djajadiningrat T. (2004). Hands-Only Scenarios and Video Action Walls: Novel Methods for Tangible User Interaction Design, *DIS '04: Designing Interactive Systems: Processes, Practices, Methods & Techniques* Cambridge, Massachusetts, USA2004, 185-192.
- Fitzmaurice G. (1996). *Graspable User Interfaces*, University of Toronto: Toronto.
- Li H., Chan N., Huang T., Guo H.L., Lu W., and Skitmore M. (2009). Optimizing Construction Planning Schedules by Virtual Prototyping Enabled Resource Analysis, *Automation in Construction*, Vol. 18, No. 7, 912-918.
- Woksepp S. and Olofsson T. (2008). Credibility and Applicability of Virtual Reality Models in Design and Construction, *Advanced Engineering Informatics*, Vol. 22, No. 4, 520-528.
- Lai K.-C. and Kang S.-C. (2009). Collision Detection Strategies for Virtual Construction Simulation, *Automation in Construction*, Vol. 18, No. 6, 724-736.
- Rezazadeh I.M., Wang X., Firoozabadi M., and Hashemi Golpayegani M.R. (2011). Using Affective Human-Machine Interface to Increase the Operation Performance in Virtual Construction Crane Training System: A Novel Approach, *Automation in Construction*, Vol. 20, No. 3, 289-298.
- Kang S. and Miranda E. (2006). Planning and Visualization for Automated Robotic Crane Erection Processes in Construction, *Automation in Construction*, Vol. 15, No. 4, 398-414.
- Alves N.M. and Bártolo P.J. (2006). Integrated Computational Tools for Virtual and Physical Automatic Construction, *Automation in Construction*, Vol. 15, No. 3, 257-271.
- Toraño J., Diego I., Menéndez M., and Gent M. (2008). A Finite Element Method (Fem) - Fuzzy Logic (Soft Computing) - Virtual Reality Model Approach in a Coalface Longwall Mining Simulation, *Automation in Construction*, Vol. 17, No. 4, 413-424.
- Rosenman M.A., Smith G., Maher M.L., Ding L., and Marchant D. (2007). Multidisciplinary Collaborative Design in Virtual Environments, *Automation in Construction*, Vol. 16, No. 1, 37-44.

- Rekapalli P.V. and Martinez Julio C. (2011). Discrete-Event Simulation-Based Virtual Reality Environments for Construction Operations: Technology Introduction, *Journal of Construction Engineering and Management* (American Society of Civil Engineers, ASCE), Vol. 137, No. 3, 214-224.
- Kang S.-C., Chi H.-L., and Miranda E. (2009). Three-Dimensional Simulation and Visualization of Crane Assisted Construction Erection Processes, *Journal of Computing in Civil Engineering* (American Society of Civil Engineers, ASCE), Vol. 23, No. 4, 363-371.
- Kamat V.R. and Martinez J.C. (2005). Dynamic 3d Visualization of Articulated Construction Equipment *Journal of Computing in Civil Engineering* (American Society of Civil Engineers, ASCE), Vol. 9, No. 4, 356-368.
- Li X. and Zhu H. (2009). Modeling and Visualization of Underground Structures *Journal of Computing in Civil Engineering* (American Society of Civil Engineers, ASCE) Vol. 23, No. 6, 348-354.
- Zhang H., Wang H., Chen D., and Zacharewicz G. (2010). A Model-Driven Approach to Multidisciplinary Collaborative Simulation for Virtual Product Development, *Advanced Engineering Informatics*, Vol. 24, No. 2, 167-179.
- Lai J.-S., Chang W.-Y., Chan Y.-C., Kang S.-C., and Tan Y.-C. (2011). Development of a 3d Virtual Environment for Improving Public Participation: Case Study - the Yuansantze Flood Diversion Works Project, *Advanced Engineering Informatics*, Vol. 25, No. 2, 208-223.
- Gursel I., Sariyildiz S., Akin, M., and Stouffs R. (2009). Modeling and Visualization of Lifecycle Building Performance Assessment, *Advanced Engineering Informatics*, Vol. 23, No. 4, 396-417.
- Kamat V.R. and Martinez J.C. (2005). Large-Scale Dynamic Terrain in Three-Dimensional Construction Process Visualizations, *Journal of Computing in Civil Engineering* (American Society of Civil Engineers, ASCE), Vol. 19, No. 2, 160-171.
- Liu Y. and You Z. (2009). Visualization and Simulation of Asphalt Concrete with Randomly Generated Three-Dimensional Models, *Journal of Computing in Civil Engineering* (American Society of Civil Engineers, ASCE), Vol. 23, No. 4, 340-347.
- Thalmann M.N., Foni A., Papagiannakis G., and Yazli C.N., (2007). Real Time Animation and Illumination in Ancient Roman Sites *The International Journal of Virtual Reality*, Vol. 6, No. 1, 11-24.
- Edward L., Lourdeaux D., Barthès J.-P., Lenne D., and Burkhardt J.-M. (2008). Modelling Autonomous Virtual Agent Behaviours in a Virtual Environment for Risk, *The International Journal of Virtual Reality*, Vol. 7, No. 3, 13-22.
- Xu W., Zhu Q., and Zhang Y. (2010). Semantic Modeling Approach of 3d City Models and Applications in Visual Exploration, *The International Journal of Virtual Reality*, Vol. 9, No. 3, 67-74.
- Rodriguez S. and Amato N.M. (2011). Utilizing Roadmaps in Evacuation Planning, *The International Journal of Virtual Reality*, Vol. 10, No. 1, 67-73.
- Gu N. and Tsai J.J.-H. (2009). Interactive Graphical Representation for Architectural Style Study in 3d Virtual Worlds, *Architectural Science Review*, Vol. 52, No. 2, 99-107.
- Yu D., Li H., and Yang M. (2011). A Virtual Supply Airflow Rate Meter for Rooftop Air-Conditioning Units, *Building and Environment*, Vol. 46, No. 6, 1292-1302.
- Moustakas K., Tzovaras D., and Nikolakis G. (2007). Simulating the Use of Ancient Technology Works Using Advanced Virtual Reality Technologies *International Journal of Architectural Computing*, Vol. 5, No. 2, 256-282.
- Popov V., Juocevicius V., Migilinskas D., Ustinovichius L., and Mikalauskas S. (2010). The Use of a Virtual Building Design and Construction Model for Developing an Effective Project Concept in 5d Environment, *Automation in Construction*, Vol. 19, No. 3, 357-367.

- Timm B.W. and Kamat V.R. (2008). General-Purpose Construction Simulation and Visualization Tools for Modelling and Animating Urban Vehicular Traffic Operations, *Journal of Information Technology in Construction* 13, 564-577.
- Li H., Huang T., Kong C.W., Guo H.L., Baldwin A., Chan N., and Wong J. (2008). Integrating Design and Construction through Virtual Prototyping, *Automation in Construction*, Vol. 17, No. 8, 915-922.
- Maher M.L., Liew P.-S., Gu N., and Ding L. (2005). An Agent Approach to Supporting Collaborative Design in 3d Virtual Worlds, *Automation in Construction*, Vol. 14, No. 2, 189-195.
- Sacks R., Treckmann M., and Rozenfeld P.D. O. (2009). Visualization of Work Flow to Support Lean Construction *Journal of Construction Engineering and Management* (American Society of Civil Engineers, ASCE), Vol. 135, No. 12, 1307-1315.
- Nimr A.A.E. and Mohamed Y. (2011). Application of Gaming Engines in Simulation Driven Visualization of Construction Operations, *Journal of Information Technology in Construction* 16, 23-38.
- McMeel D. and Cockeram J. (2011). Unstable Building: Virtual Environments and Real Relevance, *Journal of Information Technology in Construction* 16, 231-242.
- Okeil A. (2010). Hybrid Design Environments: Immersive and Non-Immersive Architectural Design, *Journal of Information Technology in Construction* 15, 202-216.
- Isaacs J.P., Gilmour D.J., Blackwood D.J., and Falconer R.E. (2011). Immersive and Non Immersive 3d Virtual City: Decision Support Tool for Urban Sustainability, *Journal of Information Technology in Construction* 16, 151-162.
- Ku K. and Mahabaleshwarkar P.S. (2011). Building Interactive Modeling for Construction Education in Virtual Worlds, *Journal of Information Technology in Construction* 16, 189-208.
- Toro C., Posada J., Wundrak S., and Stork A. (2006). Improving Virtual Reality Applications in Cad through Semantics., *The International Journal of Virtual Reality*, Vol. 5, No. 4, 39-46.
- Jachna T.J., Santo Y., and Schadewitz N. (2007). Deep Space *International Journal of Architectural Computing* , Vol. 5, No. 1, 146-160.
- Maher M.L., Rosenman M., and Merrick K. (2007). Agents for Multidisciplinary Design in Virtual Worlds, *Artificial Intelligence for Engineering Design, Analysis and Manufacturing* , Vol. 21, No. 3, 267-277.
- Russell A., Staub-French S., Tran N., and Wong W. (2009). Visualizing High-Rise Building Construction Strategies Using Linear Scheduling and 4d Cad, *Automation in Construction*, Vol. 18, No. 2, 219-236.
- Sher W., Sherratt S., Williams A., and Gameson R. (2009). Heading into New Virtual Environments: What Skills Do Design Team Members Need?, *Journal of Information Technology in Construction* 14, 17-29.
- Cerovšek T., Zupančič T., and Kilar V. (2010). Framework for Model-Based Competency Management for Design in Physical and Virtual Worlds, *Journal of Information Technology in Construction* 15, 1-22.
- Calderón C., Cavazza M., and Diaz D. (2006). Clp a Technology for the Interactive Resolution of Spatial Configuration Tasks in a Virtual Environment, *Journal of Information Technology in Construction* 11, 325-411.
- Woksepp S. and Olofsson T. (2006). Using Virtual Reality in a Large-Scale Industry Project, *Journal of Information Technology in Construction* 11, 627-640.
- Lucas J. and Thabet W. (2008). Implementation and Evaluation of a Vr Task-Based Training Tool for Conveyor Belt Safety Training, *Journal of Information Technology in Construction* 13, 637-659.
- Obonyo E. (2010). Towards Agent-Augmented Ontologies for Educational Vdc Applications, *Journal of Information Technology in Construction* 15, 318-334.
- Fruchter R., Saxena K., Breidenthal M., and Demian P. (2007). Collaborative Design Exploration in an Interactive Workspace, *Artificial Intelligence for Engineering Design, Analysis and Manufacturing* , Vol. 21, No. 3, 279-293.

- Naji K.K.. (2005). Virtual Environments for Improving Construction Site Safety, *Architectural Engineering and Design Management*, Vol. 1, No. 2, 93-102.
- Taylor J.E. (2007). Antecedents of Successful Three-Dimensional Computer-Aided Design Implementation in Design and Construction Networks, *Journal of Construction Engineering and Management* (American Society of Civil Engineers, ASCE), Vol. 133, No. 12, 993-1002.
- Goulding J., Sexton M., Zhang X., Kagioglou M., Aouad G.F., and Barrett P. (2007). Technology Adoption: Breaking Down Barriers Using a Virtual Reality Design Support Tool for Hybrid Concrete, *Construction Management and Economics*, Vol. 25, No. 12, 1239-1250.
- Li H., Lu W., and Huang T. (2009). Rethinking Project Management and Exploring Virtual Design and Construction as a Potential Solution, *Construction Management and Economics*, Vol. 27, No. 4, 363-371.
- Li H.a.G., Skibniewski H.a., M. J, and Skitmore M. (2008). Using the Ikea Model and Virtual Prototyping Technology to Improve Construction Process Management, *Construction Management and Economics*, Vol. 26, No. 9, 991-1000.
- Greenwood D., Horne M., Thompson E.M., Allwood C.M., Wernemyr C., and Westerdahl B. (2008). Strategic Perspectives on the Use of Virtual Reality within the Building Industries of Four Countries, *Architectural Engineering and Design Management*, Vol. 4, No. 2, 85-98.
- Johnsson H., Janols H., and Stehn L. (2006). 3d Computer Visualization in Timber Construction—Some Important Parameters, *Architectural Engineering and Design Management*, Vol. 2, No. 3, 161-175.
- Kang L.S., Moon H.S., Dawood N., and Kang M.S. (2010). Development of Methodology and Virtual System for Optimised Simulation of Road Design Data, *Automation in Construction*, Vol. 19, No. 8, 1000-1015.
- Sampaio A.Z., Ferreira M.M., Rosário D.P., and Martins O.P. (2010). 3d and Vr Models in Civil Engineering Education: Construction, Rehabilitation and Maintenance, *Automation in Construction*, Vol. 19, No. 7, 819-828.
- Korkmaz S., Messner O.I., Riley D.R., and Magent C. (2010). High-Performance Green Building Design Process Modeling and Integrated Use of Visualization Tools *Journal of Architectural Engineering* (American Society of Civil Engineers, ASCE), Vol. 16, No. 1, 37-45.
- Magent G. X, Tan Z., Cen M., and Li C. (2006). Customizing Visualization in Three-Dimensional Urban Gis Via Web-Based Interaction, *Journal of Urban Planning and Development* (American Society of Civil Engineers, ASCE), Vol. 132, No. 2, 97-103.
- Iorio J., Peschiera G., Taylor J.E., and Korpela L. (2011). Factors Impacting Usage Patterns of Collaborative Tools Designed to Support Global Virtual Design Project Networks, *Journal of Information Technology in Construction* 16, 209-230.
- Dawood N. and Sikka S. (2008). Measuring the Effectiveness of 4d Planning as a Valuable Communication Tool, *Journal of Information Technology in Construction* 13, 620-636.
- Xie H., Shi W., and Issa R.R.A. (2011). Using Rfid and Real-Time Virtual Reality Simulation for Optimization in Steel Construction, *Journal of Information Technology in Construction* 16, 291-308.
- Shiratuddin M.F. and Thabet W. (2011). Utilizing a 3d Game Engine to Develop a Virtual Design Review System, *Journal of Information Technology in Construction* 16, 39-68.
- Sørensen K.B., Christiansson P., and Svidt K. (2009). Prototype Development of an Ict System to Support Construction Management Based on Virtual Models and Rfid, *Journal of Information Technology in Construction* 14, 263-288.
- Merrick K.E., Gu N., and Wang X. (2011). Case Studies Using Multiuser Virtual Worlds as an Innovative Platform for Collaborative Design, *Journal of Information Technology in Construction* 16, 165-188.
- Jason Lucas G.R.A., Walid Thabet A.P., and Poonam Worlikar G.R.A. (2008). A Vr-Based Training Program for Conveyor Belt Safety, *Journal of Information Technology in Construction* 13, 381-407.

- Peng C. (2006). In-Situ 3d Concept Design with a Virtual City, *Design Studies*, Vol. 27, No. 4, 439-455.
- Heldal I. (2007). Supporting Participation in Planning New Roads by Using Virtual Reality Systems, *Virtual Reality*, Vol. 11, No. 2, 145-159.
- Stuerzlinger W., Zaman L., Pavlovych A., and Oh J.-Y. (2006). The Design and Realization of Covid: A System for Collaborative Virtual 3d Design, *Virtual Reality*, Vol. 10, No. 2, 135-147.
- Stock C. and Bishop I. (2006). Linking Gis with Real-Time Visualisation for Exploration of Landscape Changes in Rural Community Workshops, *Virtual Reality*, Vol. 9, No. 4, 260-270.
- Griffon S., Nespoulous A., Cheylan J.-P., Marty P., and Auclair D. (2010). Virtual Reality for Cultural Landscape Visualization, *Virtual Reality*, 1-16.
- Badni K. (2006). Virtual Reality Design Techniques for Web-Based Historical Reconstructions, *Virtual Reality*, Vol. 9, No. 4, 215-225.
- Lim E., Umeki K., and Honjo T. (2009). Application of Virtual Reality and Plant Modeling for Participation in Urban Planning and Design, *The International Journal of Virtual Reality*, Vol. 8, No. 2, 91-99.
- Sunar M.S., Azahar M.A.M., Mokhtar M.K., and Daman D. (2009). Crowd Rendering Optimization for Virtual Heritage System, *The International Journal of Virtual Reality*, Vol. 8, No. 3, 57-62.
- Kang S. and Kim H. (2009). Korean Traditional Space Creator for Digital Contents, *The International Journal of Virtual Reality*, Vol. 8, No. 3, 33-37.
- Drettakis G., Roussou M., Reche A., and Tsingos N. (2007). Design and Evaluation of a Real-World Virtual Environment for Architecture and Urban Planning, *Presence: Teleoperator and Virtual Environments*, Vol. 16, No. 3, 318-332.
- Wittkopf S.K. (2005). Evaluation of Virtual Sky Domes for the Prediction of Daylight Performance with Radiosity-Based Light Simulation Software, *Architectural Science Review*, Vol. 48, No. 2, 173-177.
- Ham J.J. and Schnabel M.A. (2011). Web 2.0 Virtual Design Studio: Social Networking as Facilitator of Design Education, *Architectural Science Review*, Vol. 54, No. 2, 108-116.
- Ch'ng E. and Stone R.J. (2006). Enhancing Virtual Reality with Artificial Llife: Reconstructing a Flooded European Mesolithic Landscape, *Presence: Teleoperator and Virtual Environments*, Vol. 15, No. 3, 41-352.
- Forte M. and Pietroni E. (2009). 3d Collaborative Environments in Archaeology: Experiencing the Reconstruction of the Past, *International Journal of Architectural Computing*, Vol. 7, No. 1, 57-76.
- Hannibal C., Brown A., and Knight M. (2005). An Assessment of the Effectiveness of Sketch Representations in Early Stage Digital Design *International Journal of Architectural Computing*, Vol. 3, No. 1, 107-126.
- Barros D.R., Castañe D., and Stipech A. (2008). Hypermedia Urban Models in Virtual Environments: Case Studies of Central Areas of Argentine Cities *International Journal of Architectural Computing*, Vol. 6, No. 3, 221-241.
- Wyeld T.G., Carroll J., Gibbons C., Ledwich B., Leavy B., Hills J., and Docherty M. (2007). Doing Cultural Heritage Using the Torque Game Engine: Supporting Indigenous Storytelling in a 3d Virtual Environment *International Journal of Architectural Computing*, Vol. 5, No. 2, 418-435.
- Fukuda T., Kaga A., Izumi H., and Terashima T. (2009). Citizen Participatory Design Method Using Vr and a Blog as a Media in the Process *International Journal of Architectural Computing*, Vol. 7, No. 2, 217-233.
- Chevrier C., Charbonneau N., Grussenmeyer P., and Perrin J.-P. (2010). Parametric Documenting of Built Heritage: 3d Virtual Reconstruction of Architectural Details *International Journal of Architectural Computing*, Vol. 8, No. 2, 135-150.
134. Kalay Y.E. and Grabowicz P. (2007). Oakland Blues: Virtual Preservation of Seventh Street's 1950's Jazz Scene *International Journal of Architectural Computing*, Vol. 5, No. 2, 438-453.

- Foni A.E., Papagiannakis G., Cadi-Yazli Nadjma, and Magnenat-Thalmann N (2007). Time-Dependant Illumination and Animation of Virtual Hagia-Sophia International Journal of Architectural Computing, Vol. 5, No. 2, 284-301.
- Stahre B., Billger M., and Anter K.F. (2009). To Colour the Virtual World - Difficulties in Visualizing Spatial Colour Appearance in Virtual Environments International Journal of Architectural Computing, Vol. 7, No. 2, 289-308.
- Kersten T.P. (2007). Virtual Reality Model of the Northern Sluice of the Ancient Dam in Marib/Yemen by Combination of Digital Photogrammetry and Terrestrial Laser Scanning for Archaeological Applications International Journal of Architectural Computing, Vol. 5, No. 2, 340-354.
- Tost L.P. and Economou M. (2009). Worth a Thousand Words? The Usefulness of Immersive Virtual Reality for Learning in Cultural Heritage Settings International Journal of Architectural Computing, Vol. 7, No. 1, 157-176.
- Vecchia L.D., Silva A.d., and Pereira A. (2009). Teaching/Learning Architectural Design Based on a Virtual Learning Environment International Journal of Architectural Computing, Vol. 7, No. 2, 255-266.
- Massera C.A. (2005). The Calabozo: Virtual Reconstruction of a Place Based on Testimonies International Journal of Architectural Computing, Vol. 3, No. 3, 281-298.
- Mullins M. and Stojan T.Z. (2005). Representational Thickness: A Quantitative Comparison between Physical, Cave and Panorama Environments International Journal of Architectural Computing, Vol. 3, No. 1, 127-144.
- Walczak K. (2009). Modelling Behaviour of Configurable Vr Applications International Journal of Architectural Computing, Vol. 7, No. 1, 77-103.
- Vosinakis S., Koutsabasis P., Stavrakis M., Viorres N., and Darzentas J. (2008). Virtual Environments for Collaborative Design: Requirements and Guidelines from a Social Action Perspective, CoDesign, Vol. 4, No. 3, 133-150.
- Gül L.F. and Maher M.L. (2009). Co-Creating External Design Representations: Comparing Face-to-Face Sketching to Designing in Virtual Environments, CoDesign, Vol. 5, No. 2, 117-138.
- Franz G., von der Heyde M., and Bühlhoff H.H. (2005). An Empirical Approach to the Experience of Architectural Space in Virtual Reality--Exploring Relations between Features and Affective Appraisals of Rectangular Indoor Spaces, Automation in Construction, Vol. 14, No. 2, 165-172.
- Westerdahl B., Suneson K., Wernemyr C., Roupé M., Johansson M., and Martin Allwood C. (2006). Users' Evaluation of a Virtual Reality Architectural Model Compared with the Experience of the Completed Building, Automation in Construction, Vol. 15, No. 2, 150-165.
- Rafi A., Anuar K., Samad A., Hayati M., and Mahadzir M. (2005). Improving Spatial Ability Using a Web-Based Virtual Environment (Wbve), Automation in Construction, Vol. 14, No. 6, 707-715.
- Gül L.F., Gu N., and Williams A. (2008). Virtual Worlds as a Constructivist Learning Platform: Evaluations of 3d Virtual Worlds on Design Teaching and Learning, Journal of Information Technology in Construction 13, 578-593.
- Muramoto K., Jemtrud M., Kumar S., Balakrishnan B., and Wiley D. (2008). Emerging Technologies in a Tele-Collaborative Design Studio between the Pennsylvania State University and Carleton University, Journal of Information Technology in Construction 13, 660-673.
- Horne M. and Hamza N. (2006). Integration of Virtual Reality within the Built Environment Curriculum, Journal of Information Technology in Construction 11, 311-324.
- Breland J.S., Shiratuddin M.F., and Kitchens K.M. (2008). A Study of User Perceptions of the Relationship between Bump-Mapped and Non-Bump-Mapped Materials, and Lighting Intensity in a Real-Time Virtual Environment., Journal of Information Technology in Construction 13, 594-619.

- Franz G. and Wiener J.M. (2008). From Space Syntax to Space Semantics: A Behaviorally and Perceptually Oriented Methodology for the Efficient Description of the Geometry and Topology of Environments, *Environment and Planning B: Planning and Design*, Vol. 35, No. 4, 574-592.
- Cubukcu E. and Nasar J.L. (2005). Influence of Physical Characteristics of Routes on Distance Cognition in Virtual Environments, *Environment and Planning B: Planning and Design*, Vol. 35, No. 5, 777.
- Stamps A.E. (2010). Slines, Entropy, and Environmental Exploration, *Environment and Planning B: Planning and Design*, Vol. 37, No. 4, 704-722.
- Gül L.F. (2009). Evaluating Design Behaviour When Using Emerging Collaboration Technologies, *Architectural Engineering and Design Management*, Vol. 5, No. 3, 107-123.
- Ibrahim Y.M., Kaka A.P., Aouad G., and Kagioglou M. (2008). As-Built Documentation of Construction Sequence by Integrating Virtual Reality with Time-Lapse Movies *Architectural Engineering and Design Management*, Vol. 4, No. 2, 73-84.
- Wang R., Wang X., and Kim M.J. (2011). Motivated Learning Agent Model for Distributed Collaborative Systems, *Expert System with applications*, Vol. 38, No. 2, 1079-1088.
- Kleineremann F., Mansouri H., Troyer O.D., Pellens B., and Ibáñez-Martínez J. (2008). Designing and Using Semantic Virtual Environment over the Web., *The International Journal of Virtual Reality*, Vol. 7, No. 3, 53-58.
- Gu N., Kim M.J., and Maher M.L. (2011). Technological Advancements in Synchronous Collaboration: The Effect of 3d Virtual Worlds and Tangible User Interfaces on Architectural Design, *Automation in Construction*, Vol. 20, No. 3, 270-278.
- Setareh M., Bowman D.A., Kalita A., Gracey M., and Lucas J. (2005). Application of a Virtual Environment System in Building Sciences Education *Journal of Architectural Engineering (American Society of Civil Engineers, ASCE)*, Vol. 11, No. 4, 165-172.
- Calderón C., Worley N., and Nyman K. (2006). Spatial Cinematic Mediation in Real-Time Architectural Walkthroughs *Journal of Information Technology in Construction* 11, 343-360.
- Conniff A., Craig T., Laing R., and Galán-Díaz C. (2010). A Comparison of Active Navigation and Passive Observation of Desktop Models of Future Built Environments, *Design Studies*, Vol. 31, No. 5, 419-438.
- Rahimiana F.P. and Ibrahim R. (2011). Impacts of Vr 3d Sketching on Novice Designers'spatial Cognition in Collaborative Conceptual Architectural Design, *Design Studies*, Vol. 32, No. 3, 255-291.
- Wahlström M., Aittala M., Kotilainen H., Yli-Karhu T., Porkka J., and Nykänen E. (2010). Cave for Collaborative Patient Room Design: Analysis with End-User Opinion Contrasting Method, *Virtual Reality*, Vol. 14, No. 3, 197-211.
- Champion E., Bishop I., and Dave B. (2011). The Palenque Project: Evaluating Interaction in an Online Virtual Archaeology Site, *Virtual Reality*, 1-19.
- Chen J. and Bowman D.A. (2009). Domain-Specific Design of 3d Interaction Techniques: An Approach for Designing Useful Virtual Environment Applications, *Presence: Teleoperator and Virtual Environments*, Vol. 18, No. 5, 370-386.
- Schroeder R., Heldal I., and Tromp J. (2006). The Usability of Collaborative Virtual Environments and Methods for the Analysis of Interaction, *Presence: Teleoperator and Virtual Environments*, Vol. 15, No. 6, 655-667.
- Bartolo D. and Wang X. (2009). Non-Expensive Automated Virtual Environment: Investigating Correlations of Audio Directional Perception and Field-of-View, *Architectural Science Review*, Vol. 52, No. 2, 142-150.
- Vries B.d., Buma S., and Jessurun J. (2006). An Intuitive Interface for Building Management and Planning, *International Journal of Architectural Computing*, Vol. 4, No. 2, 17-26.

- Ioannidis C., Potsiou C., and Soile S. (2007). A Spatial Information System for the Archaeological Site of Mycenae International Journal of Architectural Computing, Vol. 5, No. 2, 376-394.
- Kieferle J., Wössner U., and Becker M. (2007). Interactive Simulation in Virtual Environments - a Design Tool for Planners and Architects International Journal of Architectural Computing , Vol. 5, No. 1, 116-126.
- Paterson I., (2007). Experiencing Architectural Interiors and Exteriors in Computer Games International Journal of Architectural Computing, Vol. 5, No. 1, 128-143.
- Pechlivanidou A.L., Zerefos S.C., and Zerefos S.N. (2005). Perceptual and Cognitive Factors That Influence Orientation in Computer Generated Real Architectural Space International Journal of Architectural Computing , Vol. 3, No. 2, 245-254.
- Fischer T. (2005). Teaching Programming for and with Microcontroller-Enhanced Physical Models International Journal of Architectural Computing , Vol. 3, No. 1, 57-74.
- Calderon C., Nyman K., and Worley N. (2006). The Architectural Cinematographer: Creating Architectural Experiences in 3d Real-Time Environments International Journal of Architectural Computing, Vol. 4, No. 4, 71-90.
- Hernández L.A., Taibo J., Blanco D., Iglesias J.A., Seoane A., Jaspe A., and López R. (2007). Physically Walking in Digital Spaces - a Virtual Reality Installation for Exploration of Historical Heritage International Journal of Architectural Computing, Vol. 5, No. 3, 487-506.
- Crotch J., Mantho R., and Horner M. (2009). Space Making - between the Virtual and the Physical International Journal of Architectural Computing, Vol. 7, No. 3, 403-414.
- Rahaman H. and Tan B.-K. (2011). Interpreting Digital Heritage: A Conceptual Model with End-Users' Perspective The International Journal of Architectural Computing, Vol. 9, No. 1, 99-114.
- Reffat R.M. (2008). Augmentation of Real-Time 3d Virtual Environments for Architectual Design at the Conceptual Stage, Journal of Information Technology in Construction 13, 553-563.
- Sampaio A.Z., Henriques P., and Studer P. (2005). Learning Construction Processes Using Virtual Reality Models, Journal of Information Technology in Construction 10, 141-151.
- Araín F.M. and Burkle M. (2011). Learning Construction Project Management in the Virtual World: Leveraging on Second Life, Journal of Information Technology in Construction 16, 243-258.
- Fumarola M. and Poelman R. (2011). Generating Virtual Environments of Real World Facilities: Discussing Four Different Approaches, Automation in Construction, Vol. 20, No. 3, 263-269.
- Ye J., Campbell R.I., Page T., and Badni K.S. (2006). An Investigation into the Implementation of Virtual Reality Technologies in Support of Conceptual Design, Design Studies, Vol. 27, No. 1, 77-97.
- Messner J.I., Riley D.R., and Moeck M. (2006). Virtual Facility Prototyping for Sustainable Project Delivery, Journal of Information Technology in Construction 11, 723-738.
- McMillan, K. (1994). Virtual reality: Architecture and the broader community. [Online] Available URL: <http://www.arch.unsw.edu.au/subjects/arch/specres2/mcmillan/vr-arch.htm> (April, 1997).