Cron Failure

<table>
<tr><th>Step</th><th>Summary / Description</th></tr>
<tr><td>1</td><td>

Contact IMS Team for details investigations

1. Check for the alarm open time.
2. Investigate in logs for the "Backup triggered" entries.
3. Check for Cron job running in prod.

Issue Summary:
CloudWatch alarms were triggered for the Coordinator Cron Job or Cron Job Failure.
Root Cause:
The alarms were activated due to an insufficient number of log entries being generated in the backup log file configured for CloudWatch log me
metric breaching the defined threshold.
Impact:
No functional impact to the backup process or underlying services was observed. The alert was metric-based and did not indicate a system fail
Resolution:
The reduced log volume was temporary. As expected, once normal log generation resumed, the CloudWatch alarm automatically trai the OK state based on the configured evaluation period.

</td></tr>
<tr><td>2</td><td>

1. Check the configurations via AWS CLI

1. In the AWS Console (Prod Account) -> Go to EC2 Instances -> Choose the EC2 Instance (prod) -> click on the Instance ID (Note - Instanc each deployment, please check for Instance name as "prod")



Instances (7) Info

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availa
coordinator2020	i-0f0f60365bce860b8	Running	t3.medium	2/2 checks passed	No alarms	eu-cer
prod	i-08132bfb3107eedc8	Running	r5.8xlarge	2/2 checks passed	No alarms	eu-cer
EFSMoveFolders	i-067908274f843dd64	Running	t2.small	2/2 checks passed	No alarms	eu-cer
DR	i-05a13b957bfb31f4d	Running	r5.8xlarge	2/2 checks passed	No alarms	eu-cer
coordinator2021	i-0d56be19fbae01dd7	Running	t3.medium	2/2 checks passed	No alarms	eu-cer
staging	i-025e6b0a2a5fcfbc8	Running	r5.8xlarge	2/2 checks passed	No alarms	eu-cer
coordinator	i-020d8a706c3fe2e16	Running	t3.medium	2/2 checks passed	No alarms	eu-cer

2. Click Connect

3. Use Session Manager to connect

4. Enter the the following commands below to connect to the docker container. (Click here for a summary of the code in one image)

- Run `sudo su`.
- Run `docker ps`.
- Run `docker exec -it [first four characters from the container (see screenshot below in red)] bash`.



```
[root@ip-10-242-25-202 bin]# docker ps
CONTAINER ID        IMAGE                                                                                    COMMAND
          STATUS                PORTS               NAMES
ab4678279fe5        707924879715.dkr.ecr.eu-central-1.amazonaws.com/polarion:29304_20210702.1_3cbf5c5c7ff69b733f5097fb2b32b36a230d0c79   "/opt/polarion/bin/p…"
go          Up 3 weeks                              ecs-polarion-alm-prod-PolarionTaskDefinition-HmfquguJZuWK-1-Polarion-9696f9d4bcadc488db01
69d8f8bb0978        amazon/amazon-ecs-pause:0.1.0                                                            "/pause"
go          Up 3 weeks                              ecs-polarion-alm-prod-PolarionTaskDefinition-HmfquguJZuWK-1-internalecspause-b8b0f3e3d7dc9aba5b00
9a82a708d040        amazon/amazon-ecs-agent:latest                                                           "/agent"
go          Up 3 weeks (healthy)                    ecs-agent
[root@ip-10-242-25-202 bin]# docker exec -it ab46 bash
```

- Run `cd /etc/cron.d`.
- Run `ls` and you should find a file called backup.



```
root@ip-10-242-25-206:/opt/polarion# cd /etc/cron
cron.d/        cron.daily/    cron.hourly/   cron.monthly/ cron.weekly/   crontab
root@ip-10-242-25-206:/opt/polarion# cd /etc/cron.d
root@ip-10-242-25-206:/etc/cron.d# ls
backup  nightly-backup  polarionSVNRepoStatus  sysstat
```

</td></tr>
</table>

- Run `cat backup` and check if the cron job configuration for running the backup script is correct. You can compare it to the configuration : [here](#).



2 -> *Execute every 2 min...*
`...backup.log` -> `If the file exists, the backup was started at least once.`

2. Check that the Cron Job is running

Connect to the prod instance again (see [here](#)) and connect to the container as well by running the following commands below:

- Run `sudo su`.
- Run `docker ps`.
- Run `docker exec -it [first four characters from a container (see screenshot above in red)] bash`.
- Run `service --status-all` and check if the cron job is running with `[+]`. If that is not the case, you will see `[-]` or `[?]` and the cron



3. Check the Log files for potential errors in the script

- Go to AWS CloudWatch and Log Groups.
  Choose the group `polarion/prod/polarion-backup.log`.



- In there, look for any error messages. Note that the message `WARN: Job is already running. Will skip this execution.` i be considered.
- Alternatively, go to **Log Insights**, select `polarion/prod/polarion-backup.log` and run the following query that will look for backup

```
fields @timestamp, @message
| filter @message like 'FAILED'
| sort @timestamp desc
| limit 20
```