

Escalation matrix for Polarion - Workflow and Routing

Workflow and Escalation Matrix:

Subject	Action	Communication	Work instruction	Severity	Platform	Escalation	Comments
VPN Tunnel1-Status Metric	1. Check for the alarm in cloudwatch. 2. If one either one of the tunnel is down for more than 1 hours, Email Cloudtribe team.	IMS team will send an email to Cloud-Tribe		Medium	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	This alarm is for old network setup. ignore and turn-off
VPN Tunnel Status	1. Check for the alarm in cloudwatch. 2. In case of VPN tunnel status down, all application in AWS will be inaccessible. 3. Email Cloudtribe team.	IMS team will send an email to Cloud-Tribe		Critical	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	This alarm is for old network setup. ignore and turn-off
VPN Tunnel2-Status Metric	1. Check for the alarm in cloudwatch. 2. If one either one of the tunnel is down for more than 1 hours, Email Cloudtribe team.	IMS team will send an email to Cloud-Tribe		Medium	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	This alarm is for old network setup. ignore and turn-off
Revision Delay Alarm	1. Perform revision delay checks as per the work instructions. 2. IO team to send an email to FMC team	1. IMS team to send email (refer below to Polarion escalation POC), with the investigation.	Draft_Check-PROD-Backup-EFS-integrity-(check-Polarion-backup.log)-Revision delay	Medium	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	
Cron Failure Alarm	1. Check for the alarm open time. 2. Investigate in logs for the "Backup triggered" entries. 3. Check for Cron job running in prod.	1. IMS team to send email (refer below to Polarion escalation POC), with the investigation.		Critical	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	Issue Summary: CloudWatch alarms were triggered for the Coordinator Cron Job or Cron Job Failure. Root Cause: The alarms were activated due to an insufficient number of log entries being generated in the backup log file configured for CloudWatch log metrics. This resulted in the metric breaching the defined threshold. Impact: No functional impact to the backup process or underlying services was observed. The alert was metric-based and did not indicate a system failure. Resolution: The reduced log volume was temporary. As expected, once normal log generation resumed, the CloudWatch alarm automatically transitioned back to the OK state based on the configured evaluation period. To do: No work instruction in place. Investigate on Cron restart and discuss WI for this (proposal)!!
License Usage Test	1. Check in logs for license peak and concurrent users.	IMS team will send an email to Cloud-Tribe and Miklos Spirko and Renate Floeser.		Low	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	
Thread Starvation Alarm	1. Perform investigation as per work instructions and send mail. 2. Check if system is available or not. Recheck again in 10 minutes if system is available. 3. In case Polarion is down, restart of Polarion service is required. 4. In case of polarion down, if unable to reach anyone from level 2 escalation. IO team to restart polarion service without approval during non working hour.	1. IMS team to send email (refer below to Polarion escalation POC), with the investigation.	2x DAILY - Thread Starvation	Critical	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	

ConnectionLeakAlarm	1. Perform investigation as per work instructions and send email. 2. Check if system is available or not. 3. In case Polarion is down, restart of Polarion service is required. 4. In case of polarion down, if unable to reach anyone from level 2 escalation. IO team to restart polarion service without approval during non working hour.	1. IMS team to send email (refer below to Polarion escalation POC), with the investigation.	Connection Leak alert	Critical	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	If Polarion is available, do not restart, just send out an email and wait for updates on restart when everyone is back to work.
BackupFailureAlarm	1. Check for backup triggered, backup completed logs, cron job. 2. Perform other investigation from AWS side.	1. IMS team to send email (refer below to Polarion escalation POC), with the investigation.	Backup Failure	Critical	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	Refer Cronfailure alarm and its work instructions
SessionManagerCheck	1. Perform investigation from AWS side. 2. Send email to Polarion escalation POCs.	1. IMS team to send email (refer below to Polarion escalation POC), with the investigation.	SessionManager_check	Medium Critical on Weekends	Cloudwatch		If the alarm is received on weekends, use escalation matrix level 2 to inform. On weekdays(non working hours), drop an email and wait for updates when everyone returns to office.
CoordinatorCronFailureAlarm	1. Check for the alarm open time. 2. Investigate in logs for the "Backup triggered" entries. 3. Check for Cron job running in prod.			Medium	Cloudwatch		Refer Cronfailure alarm and its work instructions
DiskSpaceAlarm	1. Perform investigation as per work instructions. 2. Check if any large files or log files needs to be deleted or if disk space expansion is required.	1. IMS team to send email (refer below to Polarion escalation POC), with the investigation.	2x DAILY - Disk space check	Medium High if utilization crosses 95%.	Cloudwatch		Discuss further. Need more information on different scenarios and work instructions.
CoordinatorBackupFailureAlarm	1. Check for backup triggered, backup completed logs, cron job. 2. Perform other investigation from AWS side.		Coordinator backupfailurecheck	Medium	Cloudwatch		Refer Cronfailure alarm and its work instructions
InfiniteLoop	1. Perform investigation as per work instructions.	1. IMS team to send email (refer below to Polarion escalation POC), with the investigation.	2x DAILY - Infinite loop check	Critical	Cloudwatch	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	Case1 - Polarion is irresponsive - If yes, perform restart of Polarion service. Case2- If performance degrade due to more usage or disk space - Discuss further and send mail. No need of immediate restart.
AWS_BackupJobFailed	1. Send email to Polarion escalation POCs with investigation. 2. In case of polarion down, if unable to reach anyone from level 2 escalation. IO team to restart polarion service without approval during non working hour.			Critical	Cloudwatch		BackUp is monitoring every 20 min
GPDM Polarion prod login page	1. Verify if outage is at single location or is it a global outage. 2. Check for the Polarion page if it is accessible. 3. Check for any cloudwatch alerts. 4. Check in Dynatrace for any open problems. 4. Send email to Polarion escalation POCs with investigation. 5. In case of polarion down, if unable to reach anyone from level 2 escalation. IO team to restart polarion service without approval during non working hour.	1. Restart of Polarion is required in case of global outage. 2. IO team to send email (refer below to Polarion escalation POC), with the investigation.	PolarionProdLoginPage	Critical in case of global outage	Dynatrace	ref. Infrastructure Escalation Matrix for LZ2 - Contact Details	

RACI Matrix for polarion Alerts

- Email notifications for problems on prod & coordinator are sent out from Dynatrace.
- Notifications and/or problems from Cloud9-instances named like "aws-cloud9-IDE-..." are to be ignored by AO-support.

Subject	Action	Severity	L1	SE	SRE	LA	AA	impact	expected time to recover
---------	--------	----------	----	----	-----	----	----	--------	--------------------------

HTTP monitor local outage for HTTP monitor prod.alm.gpdm.fresenius.com	check general polarion availability Escalation if general outage only	CRITICAL	1. Responsible for Communication to users	1. Possibly try to deduce the cause of the outage.	Info	Info		potential local outage for FMC site	n/a
HTTP monitor local outage for HTTP monitor alm.gpdm.fresenius.com	check general polarion availability Escalation if general outage only	CRITICAL	1. Responsible for Communication to users	1. Possibly try to deduce the cause of the outage.	Info	Info		potential local outage for FMC site	n/a
Memory saturation on polarion-docker of prod	automatic restart of container	CRITICAL	1. Responsible for Communication to users	1. Possibly try to deduce the cause of the outage.	Info	Info	Info	service unavailable	1:30h after restart was triggered automatically
Memory saturation on Host prod	restart docker container restart EC2-instance if necessary	CRITICAL	1. Responsible for Communication to users	1. Possibly try to deduce the cause of the outage.	Accountable	Info	Info	service unavailable	2:00h after SRE or LA took notice
RAM usage > 80%	Analyse reason as team define actions	High	1. Monitor notifications and notify the site Reliability Engineers	1. Monitor notifications and notify the site Reliability Engineers 2. Check Host on Dynatrace for cause	Accountable	Info	Info	performance decrease service unavailable	
Disk usage > 70%	analyse & take actions	High	1. Monitor notifications and notify the site Reliability Engineers	1. Monitor notifications and notify the site Reliability Engineers 2. Check Host on Dynatrace for cause	Accountable	Info	Info	potential system outage	
CPU usage > 85%	Analyse reason as team define actions	High	1. Monitor notifications and notify the site Reliability Engineers	1. Monitor notifications and notify the site Reliability Engineers 2. Check Host on Dynatrace for cause	Accountable	Info	Info	performance decrease	
Backup failed		CRITICAL	1. Monitor notifications and notify the site Reliability Engineers	1. Monitor notifications and notify the site Reliability Engineers	Accountable	Info	Info	potential data loss in case of system crash	
Tomcat Heap Size Old Gen Increase		High	1. Monitor notifications and notify the site Reliability Engineers	1. Monitor notifications and notify the site Reliability Engineers	Info	Info	Accountable		
High number of JVM loaded classes		High	1. Monitor notifications and notify the site Reliability Engineers and Application Architect	1. Monitor notifications and notify the site Reliability Engineers and Application Architect	Info	Info	Accountable		
JVM metaspace memory usage bigger 8.5GB		High	1. Monitor notifications and notify the site Reliability Engineers	1. Monitor notifications and notify the site Reliability Engineers	Info	Info	Accountable		
License usage exceeded available number		Info	1. Monitor notifications 2. Notify if any user is raising an ticket for not being able to log in	1. Monitor notifications and support L1B	Info	Info		User exceeded max. License usage	
Response time degradation on Database service polarion_history	check complexity & if general problem exists	Medium	1. Monitor problem notifications. 2. Raise a SNOW ticket and notify SRE's in case of severe impact or breaching of agreed upon thresholds. (For example, transaction time over 30 mins)	1. Support L1 in issue identification and whitelisting. 2. Raise a SNOW ticket and notify SRE's in case of severe impact or breaching of agreed upon thresholds. (For example, transaction time over 30 mins) 3. Issue Analysis	Accountable	Info	Info	max. 30 minutes	

No actions required from AO on below notification

do not escalate messages for non-production servers (prod.alm.gpdm.fresenius.com , coordinator.alm.gpdm.fresenius.com)

Whitelisted Dynatrace problems

~~Need to talk this with Miklos~~

Subject	meaning		status
OPEN Problem 544: Response time degradation on Database service polarion_history	deviation from computerized baseline	send notification if open for longer than 30 minutes	proposed

New notifications		AO checks availability of production system Case1: closes problem in Dynatrace if available and responsive and No ticket is to be raised for this case 2: If system is really down or shows any other suspicious behavior escalate accordingly	proposed
-------------------	--	--	----------

Note: In case of unplanned downtime, update the file [GPDMPolarionIncidents.xlsx](#).

Action steps based on Severity :


Severity	Actions
Critical	Level 2 escalation. In case reboot is required, IO team to follow workflow if no response from level 2 (ref. Infrastructure Escalation Matrix for LZ2 - Contact Details).
Medium	Level 1 escalation, no on-call (non-working hours) support needed.
Low	Level 1 escalation, no on-call (non-working hours) support needed.

Polarion Escalation POC:

App licat ion	Mai ling Group	Communication flow	Coverage	Level 1	Level 2
Pol arion	NA	In case of critical alerts- After level 1 escalation, if problem is not resolved or unable to connect, immediately escalate to level 2	Daily Working hour (weekdays): 5am-4 pm CET	Michael Baunach <michael.baunach@freseniusmedicalcare.com> Helmy, Ahmed <Ahmed.Helmy@fmc-ag.com> Miklos Spirko <miklos.spirko@freseniusmedicalcare.com> Segyevy, Nandor <nandor.segyevy@freseniusmedicalcare.com> Note: - IMS team Shift Roster for on call support GPDML1-Support@freseniusmedicalcare.com	Miklos- +36 70 665 4366 (wait for 10 mins if not answered, and try again) Michael Baunach - +49 152 2176 8986 (wait for 10 mins if not answered, and try again) Ahmed Helmy - +49 15150673776 (wait for 10 mins if not answered, and try again)

AO Support team can reach out to Siemens Global Support during critical issue over the phone.
 Ref. [GTAC Support - Knowledge Base Global PLM Toolchain \(Admin\)](#) - [blue.space](#)

Document Revision History

Index	Department/role	Date	Author	Signature	Comment
1.0	Infrastructure Operations	09/08/2023	Anamika Nagar		Draft
2.0	Application Owner		Michael/Miklos/Ahmed		Approved/Not Approved