

Polarion Login Issues

When a user is not able to login to Polarion Production Server, a QuickService ticket for Login Issues is created by them. Below are the scenarios that can cause Login Issues for End Users:

Pre-Requisites to be checked by AO Team:

1. User should be present in Polarion
2. User should be present in FME AD with entry in the 'cn' field= <user FID> or <username>
3. User should be member of Polarion Group <GG-DE-SCW-Polarion-ALM-Users>

Scenario-1 The user is not present in Polarion, Polarion Group but present in FME AD:

- Search the user in Polarion, and in Polarion Group <GG-DE-SCW-Polarion-ALM-Users>
- If the user is not found, AO support will raise an IT Schweinfurt request for new user creation [User Creation in Polarion](#) and ask the user to create UACF request to get the required roles in the projects using below mentioned link- [UACF request](#)

Scenario-2 User is not present in FME AD but present in Polarion:

- If the user is not available in the FME AD, AO support will raise a request with Global DTI (Marvin.Heynen@freseniusmedicalcare.com) to get the user added to the Active Directory.
- Once the user is added to the AD, AO support check if the user is part of Polarion Group. If the user is not part of the group, AO support will raise an IT Schweinfurt request for new user creation [User Creation in Polarion](#).
- Once the user is setup, execute a LDAP user sync job and confirm that new user is created in Polarion with ID equal to value of "sAMAccountName" attribute in AD, then AO support will ask the user to login to Polarion.


Scenario-3 User is present in the Polarion with FID, FME AD (with cn=<FID>) but not in the Polarion Group:

- If the user is not part of the Polarion Group, AO support will raise an IT Schweinfurt request for new user creation [User Creation in Polarion](#).
- Once the user is setup, execute a LDAP user sync job and confirm that new user is created in Polarion with ID equal to value of "sAMAccountName" attribute in AD, then AO support will ask the user to login to Polarion.

Scenario-4 User is present in Polarion with FID and in the FME AD with 'cn' value= <username>:

- AO support will check if the user is a member of the Polarion Group (check for < GG-DE-SCW-Polarion-ALM-Users > in the 'memberOf' attribute in AD). If the user is not a member of the group, AO will raise an IT Schweinfurt request for new user creation [User Creation in Polarion](#)
- Once the user is added, (and user sync job is executed in Polarion) they will be available in Polarion with two entries. One with FID and a new one with <user name>.
- In this scenario, to retain the history of the user, AO support needs to map the new account< username > to the existing account <FID>.
- Steps to set this up are as below:

1. Login to Polarion as a Global Administrator
2. Open **Users** section and search for the user. (Two entries will be found for the affected user)
3. Click on "**Login ID Configuration**" and set <user userId=<FID> loginId=<UserName> />
4. Click on **Users** and **Delete** the user entry with <Username>**Users** and **Delete** the user entry with <Username>



5. Click on **Save**.
6. Once the user is setup, AO support will ask the user to login to Polarion.

Scenario-5 User is present in the Polarion ,FME AD and Polarion Group:

- If the user is present in the Polarion ,FME AD and Polarion Group but not able to login to Polarion, AO support will ask the user to update the password using <https://adfs5.fresenius.com/adfs/portal/updatepassword>
- If the user is not able to update password AO support will reach out to the [Global DTI ServiceDesk](#) for password reset.

Scenario-6 Inactive FID Account:

- If the user is able to update his password but not able to login to Polarion, AO support will reach out to Michael Baunach to check the status of user FID account, if the user's FID account is inactive then AO support will provide [FID Reactivation Link](#) to the user.
- Once account is reactivated, AO support will ask the user to login to Polarion.

Scenario-7 Duplicate entry in AD:

- If user has two AD accounts:

one AD account with < CN: "FID"> < sAMAccountName : fid> and another AD account with < CN: "name">, < sAMAccountName : firstname.lastname>.

Example:

1. < CN: "FID"> < sAMAccountName : fid>

ybadPwdCount	Integer	1	0
y	DirectoryString	1	DE
y	DirectoryString	1	ly1453x
y	DirectoryString	1	Germany
ycodePage	Integer	1	0
ycompany	DirectoryString	1	Fresenius FMC China
ycountryCode	Integer	1	276
ydescription	DirectoryString	1	Fresenius FMC China
ydisplayName	DirectoryString	1	Yuyang Liu
y		1	...

2. < CN: "name">, < sAMAccountName : firstname.lastname>

Attribute	Syntax	Count	Value(s)
accountExpires	Integer8	1	0x3FFFFFFF
ybadPwdCount	Integer	1	0
y	DirectoryString	1	CH
y	DirectoryString	1	Yuyang Liu
y	DirectoryString	1	China
ycodePage	Integer	1	0
ycountryCode	Integer	1	156
ydescription	DirectoryString	1	...
ydisplayName	DirectoryString	1	Yuyang Liu
y distinguishedName	DN	1	CH=Yuyang Liu,OU=OrSite,OU=User Accounts,OU=HRG,OU=CH,DC=fmc,DC=fresenius,DC=com
yDSCorePropagationData	GeneralizedTime	5	7/5/2024 3:58:31 PM; 1/11/2024 11:40:03 AM; 1/6/2024 6:40:02 PM; 7/28/2023 1:55:06 AM; 7/15/2021 4:06:49 AM
yextensionAttribute 14	DirectoryString	1	AdaptiveSync
ygivenName	DirectoryString	1	Yuyang
yinstanceType	Integer	1	0
ylastLogonTimestamp	Integer8	1	8/9/2024 7:47:22 AM
ylockoutTime	Integer8	1	0x0
ymail	DirectoryString	1	yuyang.lu@fmc-easia.com
ymailNickname	DirectoryString	1	yuyang.lu
ymemberOf	DN	14	CH=SS-CH-HRG-CHAS-45,OU=Group Accounts,OU=HRG,OU=CH,DC=fmc,DC=fresenius,DC=com;CH=SS-DE-6C6-4
ymsDS-AuthenticatedADC	DN	52	CH=DOMEDHCD28,OU=Thursday,OU=Domain Controllers,DC=fmc,DC=fresenius,DC=com;CH=DOMEDHCD27,OU=
ymsDS-RevealedGSA	DN	1	CH=DOMESGSDN1,OU=Sunday,OU=Domain Controllers,DC=fmc,DC=fresenius,DC=com;CH=DOMESGSDN1,OU=Sun
yname	DirectoryString	1	Yuyang Liu
ysecurityDescriptor	NTSecurityDescriptor	1	D:A(;;)AP:A(;;)AQ:00-20-0-1AB-768-60a006e0520;S-1-5-21-3794746596-1985790629-174587685-553(DA;AP;S)0020-0-
yobjectCategory	DN	1	CH=Fresenius,CH=Schema,CH=Configuration,DC=fmc,DC=fresenius,DC=com
yobjectClass	OID	4	top:person;organizationalPerson:user
yobjectGUID	OctetString	1	{C6792878-7728-4255-6258-7649F5E17620}
yobjectSid	Sid	1	S-1-5-21-3794746596-1985790629-174587685-303686
yparentObject	DirectoryString	1	2624783496
yprimaryGroupID	Integer	1	513
yproxyAddresses	DirectoryString	1	SMTP:yuyang.lu@fmc-easia.com
ypwdLastSet	Integer8	1	8/12/2024 1:36:47 PM
ysAMAccountName	DirectoryString	1	Yuyang Lu
ysAMAccountType	Integer	1	805306368
y	DirectoryString	1	Lu

- AO team shall ask the user to update the password using [Password Update Link](#).
- If the user is not able to update password for FME\FID, AO Team has to raise an IT Schweinfurt request for < sAMAccountName : firstname.lastname>.

Fresenius Internal Authentication Portal

Update Password

The user ID or password is incorrect.

Current password: FME\jy1453x

New password: [redacted]

Confirm new password: [redacted]

Submit Cancel

- Polarion will then have two entries of the user. One with FID and a new one with username.
- In this scenario, to retain the history of the user, AO team will map the new account to the existing account.
- AO support will ask the user to login to Polarion with a new user ID (**firstname.lastname**) and window password.
- If still the user is not able to update password for FME\username, then AO Team will reach out to the [Global DTI ServiceDesk](#) for new password.
- AO support will ask the user to login to Polarion with new password received from DTI Team.

Scenario-8 Inactive AD Account/ AD account locked / AD account not available:

Note: Since AO Support Engineer are no longer handling AD topics, if AO Support Engineer receive such kind of request, they should suggest user to Reach out to either HR or their Manager.

[If user is from NA region and user is FME employee, in this case AO support engineer will suggest user to Reach out to either HR or their Manager and raise "create AD account" request using below link:

<https://apps.powerapps.com/play/e/0c33a22c-6ee2-e292-935e-34f741a8950b/a/f7a2fc6e-0882-4054-9fbb-20870a37e783?tenantId=19309433-eec0-484d-bde9-dd255cdc1ed6&source=AppSharedV3&sourcetime=1727114683523>]

- If the user is able to update password but still user is not able to login to polarion with that new password and user is getting error.

error message:

FRESENIUS MEDICAL CARE

Login to Polarion
prod.alm.gpdm.fresenius.com

Sorry, but the Username or Password is invalid.

* Username

* Password

☐ Stay logged in Log in

- Check whether the user is present in FME AD or not.
- Check whether the user is present in the Polarion Group <GG-DE-SCW-Polarion-ALM-Users> and check duplicate user entry in AD.
- If user has no duplicate entry in AD, AO support will reach out to Michael Baunach to check the status of user's AD account.

- Michael Baunach will check user's current contract end date in FDT SNOW.

Management of Externals - Employee Center (service-now.com)

Current contract end date

2025-12-31

- If the user cannot be found in FDT SNOW, then Michael Baunach will contact **Michael Rieth** to check the current contract end date of that user.
- If the user's contract expiration date is in the past, need to raise a request for reactivation
- If the user is not expected to be expired

Check user location:

If Schweinfurt (SCW) Contact IT-Schweinfurt for reactivation

```

distinguishedName      DN                1      CN=mc4074x,OU=UserAccounts,OU=SCW,OU=DE,DC=fme,DC=ads,DC=fresenius,DC=com
distinguishedName      DN                5      CN=mc4074x,OU=UserAccounts,OU=SCW,OU=DE,DC=fme,DC=ads,DC=fresenius,DC=com

```

If any else contact Global DTI ServiceDesk globalDTIservicedesk@freseniusmedicalcare.com

```

title :
distinguishedName : CN=mc4074x,OU=CN-SH,OU=_Other Countries and
                  Sites,OU=Office,OU=UserAccounts,OU=D15,OU=DE,DC=fme,DC=ads,DC=fresenius,DC=com
extensionAttribute3 : DE01001242

```