



TrackWise Training Program:

Intermediate TrackWise Configuration and Administration

Manual Version: July 2015

Information in this document is subject to change without notice and does not represent a commitment on the part of Sparta Systems, Inc. The software described in this document is furnished under a license agreement or nondisclosure agreement. The software may be used or copied only in accordance with the terms of those agreements. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or any means electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's own use, without the written permission of Sparta Systems, Inc.

© 1995-2015 Sparta Systems Inc. All Rights Reserved.

TrackWise®, TrackWise Web TrackWise, and TrackWise Coordinator are registered trademarks owned by Sparta Systems. Sparta Systems is also the exclusive owner of the trademarks ConfigForm(s), FlexField, FlexTabs, StateMachine, Parallel StateMachine, SavePlus, DateAssist, and InstantAction. All other registered trademarks or trademarks are the property of their respective holders.

Sparta Systems, Inc.
2000 Waterview Drive
Suite 300
Hamilton, New Jersey 08691

Sparta Systems Europe, Ltd.
1 Hachoshlim Street
Herzliya, Israel 46724

(888) 261-5948
support@sparta-systems.com

972.9.970.6000
europe-support@sparta-systems.com

Sparta Systems Asia Pacific Ltd.
305 Silvercord Tower 2
30 Canton Road, TST, Hong Kong

+852.2376.9345
asia-sales@spartasystems.com

Table of Contents

Preface.....	8
1. Designing a Work Plan.....	10
1.1 Overview	10
1.2 Work Plan Task List	10
1.3 Implementing the List	14
2. Best Practices and Concerns when Building a Project	16
2.1 Overview	16
2.2 Workflow Design Specifications.....	17
2.3 New and Existing Data Fields	24
2.4 Conflicting Business Rules.....	25
2.5 Process Groups and Migration.....	25
2.6 Communicating record status.....	27
3. Additional Data Field Types	30
3.1 Overview	30
3.2 Deviation Process Group.....	30
3.3 Materials Grid Field.....	31
3.4 Root Cause Grid Field	37
3.5 Additional Fields for Deviations	41
3.6 Data Fields from Initial Process Group.....	43
3.7 Configuring Reference Record Fields	46
3.8 Applying Reference Record Field Settings	51
4. Project Workflow and Group Categories	55
4.1 Overview	55
4.2 Deviation Workflow	56
4.3 Full Permission Deviation Group Category	61
4.4 Deviation Configuration Form.....	65
4.5 Impact Analysis Tab.....	71
4.6 Workflow Overview.....	74
4.7 States.....	80
4.8 Schedulable Activities	83
4.9 Performed-Only Activities	89
4.10 Associate Existing Activities to Current Process Group	95
4.11 Completing the Deviation Group Category Workflow	97

4.12	Parallel Approvals.....	100
4.13	Completing All Deviation Group Categories	103
4.14	Project Changing Activities.....	108
5.	Additional Project Settings	111
5.1	Overview	111
5.2	Adding the Group Categories to the Project.....	112
5.3	Notifications	115
5.4	Notification Template	121
5.5	Notification by Project	124
5.6	Clear Value Class	124
5.7	Lock Field Classes	127
5.8	Conditionally Required Fields Classes	130
5.9	Dependent Date Field Class	132
5.10	Concatenated Field Classes.....	134
5.11	Calculated Date Classes.....	135
5.12	Additional Project Class Settings.....	137
5.13	Project Features	138
5.14	Person Filter Class	139
5.15	Batch Edit	141
5.16	Multi Language.....	145
5.17	Re-Assign Scheduled Activities.....	148
5.18	Cleanup Admin Activities	148
6.	Virtual Group Categories	150
6.1	Overview	150
6.2	Configuring the VGC.....	150
7.	Project Verification.....	154
7.1	Overview	154
7.2	Login Preparation	154
7.3	Project Specific Settings	162
7.4	Dependent Date Field and Calculated Date Classes Test	167
7.5	Concatenated Field Classes Test	168
7.6	Virtual Group Category Test.....	168
7.7	Parent and Child Project Verification.....	171
7.8	Project Specific Settings for CAPA.....	172
8.	Coordinator Configuration.....	175
8.1	Overview	175

8.2	Admin Queries.....	178
8.3	Admin Scope and Schedules	180
8.4	Automatically Create Children PRs	181
8.5	Auto Assign Records.....	184
8.6	Past Due Notifications.....	187
8.7	Posting Activities to Progress Deviation	189
8.8	Admin Trigger Overview.....	191
8.9	Configurable Components to Progress Deviation with Closed Investigation	192
8.10	Configurable Components to Progress Deviation with Closed CAPA	196
8.11	Admin Triggers	199
8.12	Adding the Admin Triggers to Admin Activities	202
8.13	Creating the Admin Query Events.....	203
8.14	Running the Coordinator.....	204
8.15	Re-Check on Entering PR States	210
8.16	Check Recurring Activities.....	212
8.17	Check Recurring Conditions	213
8.18	When to Automate Processes.....	213
8.19	Auto Reports	214
8.20	Auto Export	218
8.21	Program Sequence	222
9.	Configuration and Coordinator Exercise	224
9.1	Reference Records	224
9.2	Grid Fields.....	225
9.3	Schedulable Activities	226
9.4	Lock Field.....	227
9.5	Virtual Group Categories.....	227
9.6	Associate Activities with a Process Group	228
9.7	Notifications	228
9.8	Auto Create Child Records	229
9.9	Auto Assign.....	230
9.10	Past Due Notifications.....	230
9.11	Post Activities	231
9.12	Admin Trigger Exercises	231
9.13	Recurring Activities	232
9.14	Auto Reports	233
9.15	Auto Export	233

10. Coordinator Configuration Workshop	234
10.1 Overview	234
11. Exercise – Update Parent Record’s Due Date.....	235
11.1 Designing TrackWise Admin Queries	235
11.2 Designing Admin Scopes	236
11.3 Designing Admin Schedules	237
11.4 Designing Admin Activity Type Part 1.	238
11.5 Designing Dynamic Queries	239
11.6 Designing Admin Triggers.....	242
11.7 Designing Admin Activity Type Part 2.	243
11.8 Designing The Admin Queries (AQ) – Putting It All Together	244
11.9 Launching the Coordinator	245
12. Exercise – Notify Project Members After 5 Deviations	249
12.1 Designing TrackWise Admin Queries	249
12.2 Designing Admin Scopes	251
12.3 Designing Admin Activity Type Part 1.	252
12.4 Setting up the Notification Class	252
12.5 Designing the Dynamic Queries	254
12.6 Designing The Admin Trigger	255
12.7 Designing The Admin Activity Type Part 2	256
12.8 Designing The Admin Query (AQ) – Putting It All Together	257
12.9 Testing The Newly Created Admin Query	258
13. Exercise – Progress PR Based on Reference Records	261
13.1 Designing TrackWise Two Admin Queries	261
13.2 Designing Admin Scopes	263
13.3 Designing the Admin Activity Type – Part 1	263
13.4 Designing The Dynamic Queries.....	264
13.5 Designing the Admin Trigger	265
13.6 Designing The Admin Activity Type – Part 2	266
13.7 Designing The Admin Query (AQ) – Putting It All Together – Part 1	267
13.8 Designing TrackWise Third Admin Query.....	268
13.9 Designing The Admin Query (AQ) - Putting It All Together – Part 2	269
13.10 Testing The Newly Created Admin Query.....	270
14. Schedule Record - Approval After Date Due Changes	272
14.1 Designing The TrackWise Admin Queries	272
14.2 Designing The Admin Scope	273

14.3	Designing The Admin Activity Type – Part 1	274
14.4	Designing The Admin Activity Type – Part 2	275
14.5	Designing The Admin Queries (AQ) – Putting It All Together	276
14.6	Testing The Newly Created Admin Queries	277
15.	Create Children Records for Multiple Departments	279
15.1	Designing The TrackWise Admin Queries	279
15.2	Designing The Admin Scope	281
15.3	Designing The Create PR Class	282
15.4	Designing The Admin Activity Type – Part 1	283
15.5	Designing The Dynamic Query	284
15.6	Designing The Admin Trigger – Always Trigger.....	285
15.7	Designing The Admin Activity Type – Part 2	286
15.8	Designing The Admin Query (AQ) – Putting It All Together	287
15.9	Testing The Newly Created Admin Query	287
16.	Let Coordinator Make A Decision	289
16.1	Creating The Additional Fields	289
16.2	Setting The Calculated Number Class	291
16.3	Designing The TrackWise Admin Query	295
16.4	Designing The Create PR Class	296
16.5	Designing The Admin Activity Type.....	297
16.6	Designing The Admin Query (AQ) – Putting It All Together	297
16.7	Testing the Newly Created Admin Query.....	298
17.	Appendix - Workflow Legend	300
18.	Appendix - Deviation Workflow	301
20.	Appendix – Investigation Workflow	304
22.	Appendix - Work Plan Task List	310
23.	Appendix – Admin Trigger Diagrams	311
24.	Notes	312

Preface

Course Introduction:

Intermediate TrackWise Configuration and Administration goes into greater depth regarding Project design from a business-specific perspective. The Project in this course is a Deviation which serves as the parent record to two children projects: CAPA and Investigations. The Deviation serves as a Project to track when an event of this nature is electronically tracked. Going beyond the basics in the Introduction to TrackWise Configuration and Administration course, this particular course relies on pre-established business rules which are typical for this industry specific tracking process.

In addition to configuring the Deviation project and learning about different configurable settings, this course addresses additional features of the Coordinator which is used to automate many rules concerning the configuration.

The Course Workbook:

The Course Workbook focuses on the creation of the Deviation project and address many of the business rules involved with such a project. In addition, there are recommended steps to establish a Project Task List. This list is used to gather the business rules with in order to configure them within TrackWise. It is essential to adapt the tracking steps from the current process into TrackWise in order to remain consistent. Whether it is to build a prototype tracking system for an aspect of the company looking to see what TrackWise is capable of adapting a former paper process to TrackWise; there are steps involved to serve as a guide.



Workbook Exercises

Workbook Exercises allows the students to follow the instructor with the steps concerning configuration.

On Your Own Exercises

Most of the chapters in this book includes On Your Own Exercises to try a concept in the chapter. Students are encouraged to ask questions as they try the configurable steps on their own.



On Your Own Exercises

Refer to the TrackWise Help option to look up any screen-based function. The About button is used when calling support to resolve an issue using the build date and version number.

TrackWise Help Option:



Version: 8.7.3

Build #: 57

September 17, 2014

Licensed To: Sparta

Environment: TW2

Server: Crystal85 (10.0.49.75)

© Copyright 1995-2015 Sparta Systems, Inc.

1. Designing a Work Plan

1.1 Overview

In Introduction to TrackWise Configuration and Administration, the main focus of the class was to build a non-industry specific project while providing the necessary steps in Web Administrator to bring it to life. The class covered the Steps to Configure a Project by using Equipment Tracking as an example of a project used to electronically track inventory of devices. The information to base the steps on was pre-defined to assist with the examples. In order for the Project Managers to get the information from the business rule and users, this chapter serves as a checklist to present to the team members involved. Think of it as a questionnaire designed to obtain these business rules so one can configure a functioning TrackWise project.

1.2 Work Plan Task List

The Work Plan Task List is a process to describe the questions and answers to design a checklist of requirements prior to designing a project. It involves several milestone steps in order to gather the information. This ranges from the workflow steps, security groups and specific business rules which need to be applied. The order of gathering this information is not intended to be the same exact order as one would configure it in Web Administrator. It reflects the most common approach of declaring, for example, the Division – Project – Group Categories – Data Fields – Business Rules and others.

Here is the breakdown of the work plan task list with a description of each step. The complete list is available in the Appendix of this book.

1. **Organizational Unit:** This first step is to address where the tracking process takes place. Early in the development of the system, there is a decision to be made as to how to keep the projects organized. Organizational Units can range from a geographic location to business unit, functional area, or department. It allows the chance to have one central repository of records or to be segmented by regions. This allows the inclusion or exclusion of users amongst more than one organizational unit based on project memberships.

Questions to consider:

- How many sites or locations are using TrackWise to track specific types of events?
- Do these locations need to be separated from other facilities?

- Is there a need to have a corporate-wide Division for global sites to access?

A corporate-wide Division could consist of projects which impact a company in the manner of CAPA, Change Control and Training Records, just to name a few. The number of sites determines how many Divisions are used within TrackWise. To keep records separate based on geographical or other types of locations, Divisions are used to make tracking mutually exclusive from one place to another.

Keep in mind that with many Divisions, there is additional work involved with organizing which users are a part of these specific organizational units. TrackWise provides a way of creating pre-generated memberships called User Role to hand out to users. A user would be able to be part of several Divisions based on what the role contains.

2. **Record Type:** The second step is where the decision is made regarding what kind of tracking is used in TrackWise. This step is essential because it defines the rest of the work plan task list in terms of what kind of information is needed. In the Introduction course, Equipment Tracking was used as the type of record which would be tracked. In this course, an industry-standard record type, Deviations, is used. In this step, it is possible that several record types are discussed as part of a family of records. Consider creating several projects if the following comes up.

- Is there more than one workflow involved? Consider creating another project record type if this is true so more than one tracking process can be processed at the same time.
- Are there various kinds of forms which are filled out during the tracking process? This can be addressed by creating another project to be part of a family tree of records.
- Are there a significant number of different users and job responsibilities based on the type of tracking going on? For example, if an audit tracking system has a group of users who investigate findings during an audit, they may have a workflow of their own to follow which is different than the audit. For these two groups of people to co-exist, two record types are created.

3. **Workflow:** This third step may take the most time to come up with as it involves all potential users who are using TrackWise to track the project mentioned in step two. A road map from beginning to end needs to be created in order to define the tracking process. This involves taking a look at the current process from a paper-based system to see how a form could physically move from one person to another but from an electronic perspective. The workflow represents the following.
 - Which steps from start to finish are involved with a record type?
 - At each step, is there a requirement for fields to be filled out?
 - Are approvals necessary to be scheduled for other project members to sign off in the form of an electronic signature?
 - Steps from start to finish include originating a record, managing a record, reviewing a record and someone assigned to work on the record. All of these are considered a sequence of workflow steps.
4. **Security Groups:** The fourth step is to take the workflow from step three and divide up the responsibilities and permissions amongst security groups which can also be described as roles or responsibilities. Some examples include Managers, Originators, Reviewers, Assignees and View-Only permissions just to name a few.
 - How many different responsibilities, based on the workflow discussion in step three, are present within a tracking process?
 - Is there a need for a view-only group across all projects for users who do not need to interact with the configuration form and workflow?
 - Is there need to be an administrative group responsible for making administrative changes at certain states?
 - Security groups are made up of two parts. The first is permissions which represents field viewing and edit permissions. Overall permissions include the ability to create and re-open records. The second is workflow, which refers back to step three. Portions of a workflow to move a record may be available for some and not others.
5. **Paperless Form Design:** This fifth step involves taking an existing paper-only process and deciding which of these are incorporated as electronic data fields. If the process is based on an existing electronic system, then the fields currently in use can be engineered into the tracking system being developed in TrackWise.

- If an existing tracking system is to be phased out of the former application in favor for TrackWise, are all of the existing fields of data in the records convert over to the appropriate field types in TrackWise?
- How much of the former process appears the same in TrackWise in terms of data fields?
- The electronic form matches as closely as possible to the current paper process. Tabs on the form are arranged in the order of workflow progression in order for essential data fields to be filled out when needed.

6. **Applicable Business Rules:** In this sixth step the record type to configure can have a variety of business rules in place which are part of the overall tracking process. The following is a list to consider while gathering the business rules.

- **Required Fields:** Based on the paperless form design from step 5, which of these fields are required to be filled out as a record is progressed through the workflow?
- **Locked Fields:** Specific fields can be locked down as a record progresses through the workflow to indicate that the information cannot be edited. Which fields are off-limits once the record progresses through the workflow? Which fields are not editable until later in the workflow?
- **Notifications:** Triggered notifications can be emailed to recipients who may be directly involved or not with a record in the project. Which existing business rules address the kinds of notifications to go out for recipients?
- Depending on additional business rules requirements, TrackWise provides functionality to accommodate such requests. What other rules need to be implemented?

Current business rules which need to be enforced are integrated within the project based on the available features in Web Administrator.

7. **Automating Processes:** In this last step, one can take a look at all of the information gathered in the previous steps and determine which aspects can be automated. This can range from automatically setting date, person, and selection fields to creating new records without user intervention. The Coordinator application can apply such automated processes.

- Do records need to be closed automatically once all requirements are met and the record was reviewed for approval?
- Is there a need to send out AutoReports to recipients concerning specific scenarios regarding record content?
- Are there rules regarding escalation of past due or high priority records which need to be automated?
- Do fields need to automatically populate with data?

A variety of automatic changes and follow up actions are possible with the Coordinator. The application emulates the abilities of a TrackWise user who is looking for specific records to update.

1.3 Implementing the List

Once all of these questions are addressed, this serves as configurable content to apply in Web Administrator by referring to the steps as discussed in the Introduction course. The reason for the list is to not use TrackWise-related terms when speaking to users and the business owner. Instead, it is best to approach the business rules gathering in an understandable and generic way.

Conclusion:

The purpose of the Work Plan Task List is to gather the information required from the business rules and those involved with the type of records to be tracked in TrackWise. From this list of information, the Project Manager and associated TrackWise Administrators can start to plan out the configuration.

In the next chapter, best practices and potholes with regards to building a project based on the information gathered are discussed. Later, the focus is on a particular industry-standard project, Deviations, and configuring it in TrackWise, while learning about additional features to accommodate business rules.

Notes:

2. Best Practices and Concerns when Building a Project

2.1 Overview

In the last chapter, the Project Plan Task List was used to serve as an outline for each step in order to acquire the necessary business rules. In this chapter, several points are described for best practice in applying the information and what to be aware of.


Workflow design incorporates milestones of flexibility and a strong architecture. Consider the following overview before designing the specifics.

Concept	Description
Functionality	Have the core requirements been met? Consider chapter one as the way to address functionality.
Expandability	Is the system globally friendly by using division names to represent locals and departments if applicable?
Tech Scalability	Is the system friendly with over 100 users? Ensure the technological requirements are met based on TrackWise system documents.
Ergonomics / Usability	Is the system user friendly? Encourage feedback from users by incorporating an internal message repository for change requests.
Agility	Are existing projects modifiable? Allow the opportunity for additional data fields, multiple form tabs and workflow flexibility.
Maintainability	Can the system run with minimum supervision and effort? If the administrator is absent, users are able to fill in based on local administration rights.

2.2 Workflow Design Specifications

One of the steps from the Work Plan Task List is the creation of a workflow based on information about the process. Every record in every project starts in the Opened state. From there, the path that a record takes varies based on the project type. For each state of the workflow, consider the following when creating the workflow using a Deviation project. The complete workflow is available in the Appendix.


1. Is it possible to cancel a record at this time? Can anyone in the project cancel a record or only a specific user? By answering these questions, this allows the record creator and/or supervisor the chance to cancel the record before it progresses too far into the workflow.
2. If there is a chance that a specific group often rejects records, give this particular group the first opportunity to do so. That way the record does not have to go back too far, only to be caught in a rework loop through the same approval process again.



SS 2-1 The Supervisor can request more information and send the record back to the originator, cancel the record out entirely or perform a supervisor review and allow it to proceed.

3. E-Signatures, as noted with ES next to an activity, identify the action as one where the user needs to enter login name and password in order for the action to take place. Once the activity is performed, a pen symbol appears next to the activity in the audit trail of the record. A user's ID and Password is recognized as proof of identity when performing an e-signature.

4. Do the defined group categories map to actual roles? When a user joins a project, a group category is given to that person in order to interact with the workflow and obtain permissions. The groups confirm that the user's purpose in the project is met with the correct attributes.



SS 2-2 Refer to the arrows as they point to the activities available for the Quality group which is different than those of the Supervisor group. By making a distinction between the two, these become different job responsibilities in the workflow.


5. Does every site, business unit, or functional area have sufficient representation to use the process as designed? With the creation of a workflow and group categories, this can be rolled out on a national and global scale. The process needs to be compatible with the needs of these additional Divisions.
6. Should the workflow include dynamic roles, such as Assignee roles where permissions vary based on assignment? A dynamic role in this example would refer to the system

person field, Assigned To, which represents the owner of the record. Users of the project can become assignees with the correct group category rights if this field is related to the particular group category. This association is based on the TrackWise feature, Virtual Group Categories, which is discussed later in Chapter 6.

7. Is there an e-signature performed and if so, does it populate date/time and person fields on the form? If an e-signature is required it can auto-populate fields on the configuration form for convenience and is always listed in the activity history of the record. E-signatures are applied whenever a regulated document must be signed based on specific FDA rules. This includes the method of identifying the exact person involved with the activity by providing their own identifier and password which is unique for every user. The following is a list of reasons to use e-signatures for specific states in a workflow.


Activity Name	Explanation
Approval	A signature based on an individual's approval of the content for a record. It is their name with the date and time of the acceptance for the record.
Submit	A signature based on the decision that the content of the record is ready to be reviewed. The person submitting the record verifies in this way that the record is accurate by them.
Department Approval	A group of people are asked to review the record with one to come forward as the spokesperson to sign off for approval.

Here is an example of an e-signature for the originator to submit the record for approval by the supervisor.



SS 2-3 When an Originator submits a new Deviation to be reviewed, the record shows when it was submitted and by whom. This information is also visible in the record's history screen.

8. Is there a need to automate the progression of a record based on other factors within or beyond the record's form? In the case of Parent / Child records within a family tree, a record such as a parent Deviation may not progress to a Root Cause status until the Investigation child record is at a particular status.




SS 2-4 In this example the Deviation is in the state of Investigation until the Coordinator utility, referred to by the label TrackWise Services detects that it is time to move the Deviation on to the next state.

9. The following chart identifies various automations within a workflow that are unique and typically based on business needs.

<i>Coordinator Admin Activity</i>	<i>Example of Use</i>
Set Date Due	A high priority record created today is fetched and is set to be due 5 days from today, for medium priority it is set 10 days from today and low priority is set to 20 days from today.
Create Children PRs	A Deviation record enters a state in the workflow which triggers the Coordinator to create a child Investigation for it.
Auto Assign PRs	A record created today or a record in a particular state is auto-assigned to the next available project member qualified to do the work.
Past Due Notifications	Coordinator fetches a past due record and notifies the Assigned To of the record that it is late. Other project members can be notified if an escalation situation should occur.
Admin Trigger: Progress parent when child is closed.	Coordinator checks on a parent record's child to see if it is closed. If not, Coordinator re-checks until the child record is finally closed. Once closed, it progresses the parent to the next state.

10. Is there more than one activity that needs to be scheduled and then performed in order to progress the record? This feature in TrackWise is called **Parallel Approvals**, which is covered in this course. Once all scheduled activities within the parallel approval have been performed, the record progresses to the next state. This is an alternative to sequential approvals where more than one individual can review the record and agree to progress it.

The drawback, however, is that each person involved can reject it as seen in the following screen capture based on the activity **Request More Info**. For users who already performed their approval, they must approve it again once the record returns to the parallel approval state. A loop effect can occur if one person rejects it and another decides to reject it as a result of the new information added.



SS 2-5 At least one activity needs to be performed in order to progress the record. However, if more than one department or person needs to approve this record, then it progresses once there are no remaining scheduled approvals left.

11. Another approach would be to incorporate both sequential approvals in order to triage records followed with a parallel approval for buy-in approving. This follows the **RACI matrix** as to who is **responsible, accountable, consulted** and **informed**. In general, people who are consulted or accountable can be Parallel Approvers, whereas someone who is responsible can be a sequential (triage) approver. People who are informed simply need to receive notifications.

The following chart displays an example of the players involved with scheduled activities based on the RACI matrix. Persons are scheduled to perform the activity with others aware of it.

Responsible for Activity	Accountable for Activity	Consulted about the Activity	Informed about the Activity
Jane Smith	Jane Smith	John Smith	Project Group
Paul Smith	Paul Smith	John Smith	Project Group
Mary Smith	Mary Smith	John Smith	Project Group

12. TrackWise offers group categories the ability to re-open closed records. If a Deviation, as in this example, was re-opened, is there an opportunity to go back beyond the last state. When a

```

graph TD
    A[Pending Final Approval] --> B([Final Approval])
    B --> C[Closed - Done]
    D[Final Approval On Final Approval By] --- B
  
```

The flowchart illustrates the final approval process. It begins with a rectangular box labeled "Pending Final Approval", which has a red arrow pointing to it from the left and a padlock icon in its top right corner. An arrow points down from this box to a rounded rectangular box labeled "Final Approval". To the left of the "Final Approval" box, the text "Final Approval On Final Approval By" is connected to it by a bracket. Another arrow points down from the "Final Approval" box to a red rectangular box labeled "Closed - Done", which also features a padlock icon in its bottom right corner.

13. There are pros and cons to re-opening records. Refer to the following chart for clarification.

<i>Benefits for Re-Opening Records</i>	<i>Drawbacks for Re-Opening Records</i>
The data within the record is still available for possible edits or to simply refer to.	Project members previously involved may not always be available to work on the record again.
Additional data can be added to the configuration form without having to create a new record from the start.	A new form may need to be filled out due to the amount of changes involved which would change the nature of the original record. A new record would be created instead.
The audit trail captures the date and time the record was re-opened along with a	Re-opening a record could require re-opening the children records involved. In the case with this Deviation, the child

<i>Benefits for Re-Opening Records</i>	<i>Drawbacks for Re-Opening Records</i>
required summary.	Investigation and CAPA may also need to be re-opened. The audit trail is affected when it comes to metric data concerning the amount of time a record was opened for. Reports would need to be designed to take this into consideration.

2.3 New and Existing Data Fields

Data Fields in TrackWise can be re-used amongst different projects as long as the original field type does not need to change. For example, if the CAPA project was using a field called **Analysis** as a String data field type but Deviations wanted the same field to be used as a FlexField data field type, the Deviations project would need to have a similar sounding named field. This is because the field type cannot be changed once a field is created. Sharing the same type of field based on name and functionality creates a common association with that particular type of field. Regardless of record type, the same field in several projects creates a unity of field functionality.


Adding New Fields	Using Existing Fields
The field is created new with the intended field type needed for functionality.	Alleviate the need to create more fields.
Projects are distinguishable with their own proprietary fields.	The same name and functionality of a field is universal for all projects.

For projects that share a common amount of fields with the same name and data field type, there is not a need to create new fields if the existing ones are mutually used. System Fields which came with TrackWise such as Assigned To, Date Due, Originator, Description and Title are

common examples of fields shared by most projects.

2.4 Conflicting Business Rules

One of the biggest challenges in building a project is when various types of business rules overlap one another. Specifically, two features seen later in the course such as Locked Fields and Required Fields need to be sorted out in a way where there is not a conflict.



SS 2-7 In Web Administrator these two project settings are located under the Projects list.


Required Field Class is a feature which enables required fields to be filled out before a record progresses to the next state in the workflow. If the Lock Field Class is also set to lock down specific fields on the configuration form but these fields need to be filled out in order for the record to progress, a conflict ensues. On both of these screens there is a report button to generate the specific settings in place so conflicts can be identified. Web Administrator does not automatically alert the Administrator of such conflicts. During the development phase, progressing records with required fields and locked fields would need to be tested to identify any kind of overlap between the two.

Another conflict between business rules is if the Coordinator utility copies person or date values from a field to populate another. If the field it is copying from is blank, it cannot fill out the destination field on the form that requires the information to be set elsewhere. By incorporating the Required Field class in order to catch these kinds of configuration potholes, the field can become required before the Coordinator fetches the record.

2.5 Process Groups and Migration

Process Groups are used to determine when projects migrate from Development to Validation based on the timing of configuration completion. In this course, Deviations are in their own process group container. However, process groups can also be made up of several projects all configured at the same time and then collectively migrated from the source development

database to destination for testing and validation purposes. Consider the following chart which illustrates two examples of process groups containing one project and another with several.



SS 2-8 Two separate process groups contain different projects. Based on the schedule of validation and then going live in production determines how many are within each group.

With the above example, the process group called Deviation Handling is a workspace of just one project being configured. The other process group Complaint Handling incorporates four projects which were configured around the same time and collectively migrated. Take into consideration the timing of newly configured record types in order to determine how many are used within a process group.


Specific components of a project in one process group can be copied over to another process group. This alleviates the amount of repeated configuration required for the same project but in another process group. The copy function includes Group Categories and Configuration form, amongst others. Also, a project available in a different process group can have specific configurable settings copied over through the copy process group objects feature located under process groups. As you may recall from the Introduction to Configuration and Administration course, two projects existed within the same process group. One of the projects was the parent record and the other was the child.

2.6 Communicating record status

Users have several ways of finding out what the status is for records in TrackWise. Projects incorporate several approaches to this such as notifications, configuration form layout and Dashboards.

Notifications can be based on a person's name in a person field within the record. For example, a triggered event could notify the recipient of a record's status based on their name in the Assigned To person field. Notifications are also generated based on an exact name of someone regardless of whether or not their name is in a person field within the record. Finally, notifications can also be sent to a group of recipients based on their involvement with the business rules and the record. When planning the project, these are three kinds of notification scenarios to consider.


Dashboards provide users with a custom look of what is going in TrackWise based on a combination of query, scope and report. With all three tied to one location on the TrackWise screen, a glance at such a list provides the status of records and other related information such as developing trends and deadlines. This is a customizable screen and TrackWise Administrators can create public dashboards for users to be accustomed to using them.



The screenshot shows the TrackWise Desktop Report interface. The sidebar on the left contains navigation tabs: 'My Records', 'Audits and Observations', 'Change Control - All Types', 'Complaints', 'New Jersey Projects', 'Paris Projects', 'Mexico Records', and 'Canada Records'. The main content area is titled 'Desktop Report' and displays a table of records. The table has columns for 'PR #', 'Parent ID', 'Project', 'Division', and 'Short Desc.'. The data rows show records 1131, 1132, and 1133, all categorized as 'Deviation' in the 'Holmdel, NJ' division. The descriptions for these records are: 'Device cracked and missing components from box.', 'No documentation with medical device was included in the box.', and 'Wrong label appearing on bottles of medical production.'

SS 2-9 The dashboard tabs on top provide categories for different kinds of records. The dashboard entries combine query and scope with the report on the right side for output.

Configuration Form Layout in a project is the display of information for the record. Forms can be tailored to look differently based on the various group categories within the project or one main form for all project members is available. If a paper process is being adapted into an electronic tracking system such as TrackWise, address which fields from the former process finds their way onto the configuration form.



The screenshot shows a web-based form with three tabs: "General Information", "Resolution", and "Signatures". The "General Information" tab is selected. Below the tabs, there is a section titled "Details" with a horizontal line. Under "Details", the form contains several fields: "Originator" with the value "John Doe", "Date Opened" with the value "03/22/2010 09:09 AM", "Title" with the value "Switch out device filter every 60 days.", "Assigned To" with the value "Dorothy Parker" and an "Info" button, "Date Due" with the value "03/22/2010" and a calendar icon, "Type" with a dropdown menu showing "Device(s)", and "Priority" with a dropdown menu showing "Medium". Below the "Details" section, there is another section titled "CAPA Information" with a horizontal line. Under "CAPA Information", there is a "Description" field with a text area containing the text "Every 60 days all filtration devices must have their filters replaced."

SS 2-10 This CAPA (Corrective Action Preventive Action) record has fields to gather information about what is being corrected and how it is prevented from happening again.

The tabs are normally arranged to reflect the workflow order the record goes through. The first two tabs on form could be based on the first four states of a workflow with the additional tabs available for the additional steps. For convenience, the data fields are editable based on the status of the record.

Suggestions for form design include the following.

1. Are the required fields accessible in the first to second tab on the form?
2. Are the tabs properly labeled to give the user an idea as to what data fields are expected on those screens?
3. Are instructions required on the form to coach the user on the functionality of such fields?

4. Should separate forms be created for a particular project based on one group category not having viewing rights to a whole section on the form?

Conclusion:

When bringing together a workflow and business rules, there are some factors to consider such as rule conflicts, group permission and potential navigation issues. Automation is also incorporated with the Coordinator utility waiting to progress a record until a condition is met. With Deviations there are two states where this happens. The first is when the record is waiting for the Investigation to be completed so it can continue. The other situation is when the Deviation is waiting for the CAPA to be completed in order to progress the Deviation.

Process groups are the workspaces for project creation. If several projects are scheduled to go live at the same time, create one process group for all of them. They collectively migrate from development to be tested and then eventually go live. If there are projects with different time tables from start to completion, create separate process groups for each.

Notifications help with notifying users about records. Find out who should be notified based on triggered events in the workflow and the data on the configuration form.

Dashboards provide a way to trend and forecast upcoming events with records. Create Dashboard Classes for new users to get started with general statuses of records, including their own assigned work.

The Configuration Form provides the appearance of data fields and accessibility to information pertaining to the record. Ensure required fields are easy to locate along with general information about the record appearing on the early first few tabs.

The next chapter focuses on the creation of an industry-specific project, Deviations, to include additional configurable settings available to administrators.

Notes:

3. Additional Data Field Types

3.1 Overview

From the last chapter it was discussed some of the best practices and potential concerns when gathering the business rules for an implementation. In this chapter, the steps learned from the introductory course concerning the steps to configure a project are now put to use with an actual industry-specific Project, Deviations.

3.2 Deviation Process Group

The classroom database has two existing projects configured. They are CAPA and Investigations. For systems that are upgraded from an earlier version of TrackWise to TrackWise 8, all configuration settings are stored in one process group called, Initial Group. For systems that are starting out in TrackWise 8, all configuration settings can be stored in a newly created process group. The reason for the distinction is that process groups is a newer feature only available in TrackWise 8. In the following workbook exercise, a new process group is added in order to configure the new Deviation project within.



1. Log into Web Administrator by clicking **Start – Programs – TrackWiseWeb – tw2_Admin**.
2. Under System Configuration click **Process Groups**.



SS 3-1 Process Groups is where the workspace for configuration is created.

3. Verify the process group Deviations is available. Otherwise click **New**. Name the process group **Deviations**. For Description, include **Deviation Process Group**. Click **Save** when finished.

Process Group Details: Deviations	
Name	Deviations
Description	Deviation Process Group

SS 3-2 This process group contains only one project, Deviations.

4. All other configuration changes to develop the Deviation project are based on this particular process group.

3.3 Materials Grid Field

One of the first steps based on the multi-step process is to address which data fields is a part of the Deviation project. Refer to the following exercise for the fields that are not in the Data Fields repository but are needed to configure the project.



Workbook Exercises


1. To properly track Deviations there must be relevant data fields to gather the data from the users in order for the record to have content. From a business perspective, Deviations require information to be filled out detailing what has deviated and information concerning what could be impacted, if any. Consider the following data field type, Grids, which was not covered in the previous introductory configuration course.

Click **System Configuration – Data Fields**.



SS 3-3 Data Fields is located under the System Configuration list.


2. For the Deviation project, two Grid fields are needed in order to record the materials involved with the deviation and then later the root cause to address how the deviation happened. Grid fields are pop-up screens which appear as a spreadsheet of data field information. Rather than have these particular data fields on the configuration form, they are designed to be used within the grid. By doing so, the same field can be filled out numerous times with different values of data.
3. To create the grid, the first thing to do is to create the fields that are placed within the grid. The first grid addresses the materials involved with the deviation. Four fields are created:
 - **Material Lot #**
 - **Material Name**
 - **Material Quantity**
 - **Material Disposition.**
4. In the Data Fields screen, set the **Process Group** list to **Deviations**. This ensures that all of the new data fields that are added to TrackWise are implemented under the workspace process group for Deviations.



Process Group: Deviations

SS 3-4 Deviations the process group is set for all configuration changes.

5. Click **New**. Create a new field called **Material Lot#**. This is a Single Selection Field, sorted alphabetically. Select **Is Table Driven**.



Selection Type

- ☐ Drop Down List
- ☐ Radio Button Group
- ☒ Table-Driven Selection

SS 3-5 This converts the single selection field from a list to a search box. This is recommended when such a field anticipates many selection values to choose from.

6. Click **Save** when finished. Refer to the following screen capture to confirm the settings used.

Data Field Details: Material Lot #
Associated With Process Group

Details
Selection Values
Dependent Field

Edit

System Settings			
▶ Field Name - Customized	Material Lot #	Highlight Change	No
▶ Field Type	Single Selection	Meaning Comment Req'd	No
Field Category	PR (User Defined)	Is Table Driven	Yes

SS 3-6 Material Lot # contains a list of lots to choose from when identifying the particular materials involved.

7. Click the **Selection Values** tab. Click **Add** and enter the following five values. Click **Save** when finished.

Material Lot # Selection Values
L-0001
L-0002
L-0003
L-0004
L-0005

Delete	▶ Name	▶ Abbrv Name
☐	L-0001	L-0001
☐	L-0002	L-0002
☐	L-0003	L-0003
☐	L-0004	L-0004
☐	L-0005	L-0005

SS 3-7 The lot numbers are assembled as choices for the Material Lot number field.

8. Click **Back to Data Fields** when finished and click **New**. The second field is a single selection field called **Material Name**. Set the **Sorted By** to **Alpha**. Click **Save** when finished.

Data Field Details: Material Name					
Details		Selection Values		Dependent Field	
 Edit					
System Settings					
Field Name - Customized	Material Name	Highlight Change	No		
Field Type	Single Selection	Meaning Comment Req'd	No		
Field Category	PR (User Defined)	Selection Type	Drop Down List		
Is Visible	Yes	Seq. No	20		
Selection Values Included In Configuration	Yes	Sorted by	Alpha		
Is Virtual	No	Copy To Child	No		
Audit Trail Activity Type Triggered		Reverse Parent Field			
Is External	No				
Trigger Outbound Web Services	No				

SS 3-8 Material Name is the second of four fields in the Materials grid.

9. Click **Selection Values** to add the names of the materials. In this example add five rows and refer to the following chart for the values to add.

<i>Material Name Selection Values</i>
Mitotane
Iohexol
Sertraline
Benzocaine
Quinapril

▶ <u>Name</u>	▶ <u>Abbrv Name</u>
Mitotane	Mitotane
Iohexol	Iohexol
Sertraline	Sertraline
Benzocaine	Benzocaine
Quinapril	Quinapril

SS 3-9 The materials are added. This list can also be imported with the Selection Import utility.

10. Click **Back To Data Fields** and **New**. For the third field name it **Material Quantity** and make this a Number field. Click **Save+** when finished to create the next field.

System Settings			
▶ Field Name - Customized	Material Quantity	Highlight Change	☐
▶ Field Type	Number	Meaning Comment Req'd	☐

SS 3-10 Material Quantity is a number field which only allow numeric characters to be saved in the field.

11. This last field to create is called **Material Disposition** a single selection field sorted alphabetically. Click **Save** when finished.

Data Field Details: Material Disposition			
Details Selection Values Dependent Field			
Edit			
System Settings			
▶ Field Name - Customized	Material Disposition	Highlight Change	No
▶ Field Type	Single Selection	Meaning Comment Req'd	No
Field Category	PR (User Defined)	Selection Type	Drop Down List
Is Visible	Yes	Seq. No	21
Selection Values Included In Configuration	Yes	Sorted by	Alpha
Is Virtual	No	Copy To Child	No
Audit Trail Activity Type Triggered		Reverse Parent Field	
Is External	No		
Trigger Outbound Web Services	No		

SS 3-11 Material Disposition is a single selection field which allows users to decide what to do with the lot of product identified in the Deviation.

12. For this particular field, select the **Selection Values** tab. On this next screen, click the **Add** button four times and add the values listed in the chart. Click **Save** when finished.

Selection Values for Material Disposition
Re-Work
Hold
Release
Destroy

▶ <u>Name</u>	▶ <u>Abbrev Name</u>
Re-Work	Re-Work
Hold	Hold
Release	Release
Destroy	Destroy

SS 3-12 The list of dispositions for the batches are included with this field.

13. Once all four fields have been created, the next step is to create the grid and add these fields to be within the grid.
14. Click **Back To Data Fields** and then **New**. Name the field **Materials Grid** and select the field type **Grid**. Click **Save** when finished.

Data Field Details: Materials Grid

Associated With Process Group

Details Grid Fields			
 Edit			
System Settings			
▶ Field Name - Customized	Materials Grid	Highlight Change	No
▶ Field Type	Grid	Meaning Comment Req'd	No
Field Category	PR (User Defined)		

SS 3-13 Material is the grid field to contain the other four fields from the previous steps.

15. Select the **Grid Fields** tab. On this next screen, the list of all available fields is to the left with the opportunity to include the required ones to the right. The following field types from the Data Fields screen are available for grid fields : **Single Selection**, **Person**, **Date**, **Date/Time**, **Number**, **String**, **Decimal**, **Entity** and **Web Link**.

Available Data Fields (Field Type)	Data Fields In Grid (Field Type)
Building (Single Selection) Close Requirements (Single Selection) Completed By (Person) Completed On (Date/Time) Date Occured (Date) Equipment Description (Single Selection) Floor (Single Selection) Location Type (Single Selection) Material Disposition (Single Selection) Material Lot # (Single Selection) Material Name (Single Selection) Material Quantity (Number)	

SS 3-14 All available field types from Data Fields are listed here.

16. Click each of the following fields and use the arrow button to move them to the Data Fields in Grid (Field Type) in this exact order. This determines how the fields appear in the grid from left to right on the screen. The up and down arrows to the right allow the order to be changed if needed. Click **Save** when finished:

<i>Data Fields for the Materials grid field.</i>
Material Lot #
Material Name
Material Quantity
Material Disposition

Data Fields In Grid (Field Type)
Material Lot # (Single Selection)
Material Name (Single Selection)
Material Quantity (Number)
Material Disposition (Single Selection)

SS 3-15 The order of the fields from top to bottom is represented within the grid as left to right.

The first grid field for Materials is finished. The next section refers to the other grid, Root Cause, which is filled out once the cause for the Deviation is found.

3.4 Root Cause Grid Field

The next grid to be designed is filled out once the user working on the Deviation discovers the **Cause Type**, **Cause Category** and **Cause Detail**. This is all added within the **Root Cause** grid.



1. Three new fields are created first and then added to the Root Cause grid. They are the following: **Cause Type**, **Cause Category** and **Cause Detail**.
2. Refer back to **System Configuration – Data Fields**. Click **New** to create the field called **Cause Type**. The field type is a single selection field, sorted by alphabetical and **Drop Down** for selection type. Click **Save** when finished.

Data Field Details: Cause Type			
Details Selection Values Dependent Field			
Edit			
System Settings			
Field Name - Customized	Cause Type	Highlight Change	No
Field Type	Single Selection	Meaning Comment Req'd	No
Field Category	PR (User Defined)	Selection Type	Drop Down List
Is Visible	Yes	Seq. No	23
Selection Values Included In Configuration	Yes	Sorted by	Alpha
Is Virtual	No	Copy To Child	No
Audit Trail Activity Type Triggered		Reverse Parent Field	
Is External	No		
Trigger Outbound Web Services	No		

SS 3-16 Cause Type is the first of three fields for the Root Cause grid.

3. Select the **Selection Values** tab. Click **Add** three times for each of the values to be added for this field. When finished, click **Save**.

Selection Values for Cause Type.
Root Cause
Probable Cause
Inconclusive

Name	Abbrev Name
Root Cause	Root Cause
Probable Cause	Probable Cause
Inconclusive	Inconclusive

SS 3-17 These are the 3 choices when referring to the cause type for the Deviation.

4. Click **Back To Data Fields** and **New**. The next field to create is called **Cause Category**, single selection field, sorted by alphabetical and set to **Drop Down List**. Click **Save** when finished.

Data Field Details: Cause Category			
Details Selection Values Dependent Field			
Edit			
System Settings			
Field Name - Customized	Cause Category		
Field Type	Single Selection	Meaning Comment Req'd	No
Field Category	PR (User Defined)	Selection Type	Drop Down List
Is Visible	Yes	Seq. No	24
Selection Values Included In Configuration	Yes	Sorted by	Alpha
Is Virtual	No	Copy To Child	No
Is External	No		
Trigger Outbound Web Services	No		

SS 3-18 Cause Category lists the choices to select from as to address the kind of Deviation this record is based on.

5. Click the **Selection Values** tab and use the **Add** button four times to include the following values for this field. When finished click **Save** :

<i>Selection Values for Cause Category.</i>
Equipment Problem
Procedural
Training
Personal Error

Name	Abbrev Name
Equipment Problem	Equipment Problem
Procedural	Procedural
Training	Training
Personal Error	Personal Error

SS 3-19 When a user attempts to enter a product and lot number of some kind into a category, based on the cause for this type of record, these values are choices to refer to.

6. Click **Back To Data Fields** and then **New**. Create the last field for the Root Cause grid called **Cause Detail**. Make this a single selection field, sorted alphabetically and set to **Drop Down List**.
7. Click **Save**.

Data Field Details: Cause Detail			
Details Selection Values Dependent Field			
Edit			
System Settings			
Field Name - Customized	Cause Detail		
Field Type	Single Selection	Meaning Comment Req'd	No
Field Category	PR (User Defined)	Selection Type	Drop Down List
Is Visible	Yes	Seq. No	25
Selection Values Included In Configuration	Yes	Sorted by	Alpha
Is Virtual	No	Copy To Child	No
Is External	No		
Trigger Outbound Web Services	No		

SS 3-20 Cause Detail displays specifics regarding the reason for the Deviation.

8. Select the **Selection Values** tab. Click **Add** for each of the following values. When finished click **Save**.

<i>Selection Values for Cause Detail.</i>
Tolerable Failure
Technical Error
System Deficiency
No Prev. Maintenance
Human-Machine Interface

▶ <u>Name</u>	▶ <u>Abbrev Name</u>
Tolerable Failure	Tolerable Failure
Technical Error	Technical Error
System Deficiency	System Deficiency
No Prev. Maintenance	No Prev. Maintenance
Human-Machine Interface	Human-Machine Interface

SS 3-21 Cause Detail is a list of specifics regarding the cause for the Deviation.

- Now that the three fields for the grid are established, click **Back To Data Fields** and **New**. Create a new grid field called **Root Cause Grid** Click **Save** when finished.

Data Field Details: Root Cause Grid

Associated With Process Group

Details		Grid Fields	
Edit			
System Settings			
Field Name - Customized	Root Cause Grid	Highlight Change	No
Field Type	Grid	Meaning Comment Req'd	No
Field Category	PR (User Defined)		

SS 3-22 Root Cause contains the three previously created fields in order to create multiple rows of reasons for the Deviation to have occurred.

- Refer to the Grid Fields tab and add the three fields created in the previous steps: **Cause Type**, **Cause Category** and **Cause Detail**. Click **Save** when finished.

Data Fields In Grid (Field Type)
Cause Type (Single Selection)
Cause Detail (Single Selection)
Cause Category (Single Selection)

SS 3-23 The order from top to bottom is represented within the configuration form for the grid as left to right.

3.5 Additional Fields for Deviations

With the new grids fields established, here is a list of the remaining fields needed to complete the Deviation configuration form. Refer to the following chart and create these fields.



- Go to **System Configuration – Data Fields** and create the following fields which are not available in the database yet but are needed shortly to complete the Deviation form. Click **Save+** after each one until the last one is entered.

2. Below is the list of the remaining fields to create. Assume all defaults are correct based on Web Administrator's settings for each field.

<i>Field Name</i>	<i>Field Type</i>
Equipment ID	String
Immediate Actions	FlexField
Timeliness Justification	FlexField
Submitted By	Person Field
Submitted On	Date/Time Field
Supervisor Reviewed By	Person Field
Supervisor Reviewed On	Date/Time Field
Routed for Initial Approval By	Person Field
Routed for Initial Approval On	Date/Time Field
Operations Approval By	Person Field
Operations Approval On	Date/Time Field
Final Approval By	Person Field
Final Approval On	Date/Time Field
Optional Approval By	Person Field
Optional Approval On	Date/Time Field
Quality Approval By	Person Field
Quality Approval On	Date/Time Field

3. When finished, create the Audit Trail for these fields. Refer to **System Configuration – Activity Types – Audit Trail Activity Types**.

4. Click **Auto Create**. When prompted with the warning, click **Yes**. Each data field without an audit trail to track the changes now has one. This is applied after new data fields are created in TrackWise.


3.6 Data Fields from Initial Process Group

In addition to the newly created Data Fields for Deviations, existing data fields from other projects are also available for Deviations. Since TrackWise does not permit the ability to create duplicate data fields for different process groups, the following exercise enables the ability to copy a data field from the Initial Process Group and associate it to the Deviation Process Group.



Workbook Exercises

1. Refer back to **System Configuration – Data Fields**. Change the viewing option on the right side of the screen to **Show Not Associated With Deviations**. The list of data fields shows the ones currently used in other process groups such as the **Initial group** but not associated with the **Deviation process group**.



SS 3-24 The list enables the data field repository list to filter for only fields being used in other process groups.

- For the first example, locate **Supervisor / Manager** which is a person field needed for Deviations. Click the field to go to the details screen.

On the screen notice a warning **message indicating** that this field is not associated with the selected Process Group, **Deviations**. To associate it, select the **Associate With Process Group Upon Save** check box.

Data Field Details: Supervisor / Manager
Not Associated With Process Group

The Data Field is not associated with the selected Process Group, 'Deviations'. Click the checkbox below and save to associate 'Supervisor / Manager' with 'Deviations'.

☒ **Associate With Process Group Upon Save**

SS 3-25 Data Fields from other process groups are able to be copied over to another process group container. In this example, this data field is copied from the Initial Group to the Deviations process group.

- Click **Save**. The field **Supervisor/Manager** is now associated with the Deviations process group.

Data Field Details: Supervisor / Manager
Associated With Process Group

Details
Person Filter Classes

Edit

System Settings

Field Name - Customized	Supervisor / Manager	Highlight Change	No
-------------------------	----------------------	------------------	----

SS 3-26 The data field is now associated with the Deviations process group.

This workbook exercise pertains to TrackWise systems that are adding additional projects and process groups such as this example. When the missing data fields are added, existing ones such as **Supervisor / Manager** are added over. In group category permissions these kinds of fields are available for edit and view permissions as with the newly created user defined fields.



- In the Data Fields screen search for the field **Referenced Records**.
- Click **Details**. Select the **Is Visible** check box.

- Click **Save**. This field is used later for Deviations and is already associated with this process group.

Data Field Details: Referenced Records
Associated With Process Group

Details

Ref. Record

Save

Save+

Cancel

System Settings

Field Name - Customized	Referenced Records	Highlight Change	☐
Field Type	Ref. Record	Meaning Comment Req'd	☐
Field Category	PR (User Defined)		
View Name	TW_V_REFERENCED_RECORDS	Is Visible	☒ 

SS 3-27 This existing field is visible for Deviation project records to use.

- Refer to the following chart for the fields which need to be associated with the Deviations process group. Click each field and select the **Associate With Process Group Upon Save** check box.

Quality Contact
Priority
Date Occurred
Type
Building
Floor
Location Type
Department
Equipment Description
Description
Impact Analysis

Risk Analysis
No CAPA Child Justification
Attached Files
Comments
Root Cause Analysis
Invest Summary and Conclusion

3.7 Configuring Reference Record Fields

One of the fields that was activated in the Deviation process group was the Referenced Records field. This Reference Record field is a field type that allows one to find existing records in TrackWise. These records can be referenced because of the following reasons.

- An existing record in TrackWise is similar to the one the user is currently working on. For example, a Deviation opened recently is similar to another one found a few months ago about a similar situation.
- An existing record in TrackWise can address a current record in order to relate its own process with another record. For example, a Deviation could reference an existing CAPA to correct and prevent this from happening again.

Reference Record fields have three configurable screens which define the appearance and usability of the field. Each of these features is configurable to work differently from one process group to another. For example, Referenced Records may have a specific appearance and function in the Initial Process Group and a different assortment of settings in the Deviations Process group. The field not only can be used across different projects in separate process groups but the functionality can be made different as well.

Reference Records can duplex one another based on configuration. This allows one record being referenced to reference another corresponding record automatically. For example, a Deviation can reference a CAPA and the same CAPA can reference the Deviation back within its own reference record field. If the CAPA is referenced by more than one Deviation, the list of

Deviations that the CAPA is keeping track of is updated. Eventually the list of Deviations within the CAPA record may exceed a specific number. Examples including the Coordinator can fetch the CAPA and notify the quality team of an ongoing trend where the same CAPA is addressing multiple Deviations.



Workbook Exercises

The following workbook exercise consists of a series of steps to configure this field type.


1. In Web Administrator, click **System Configuration – Data Fields**. A list of options appears, including the three used for configuring reference record fields.



SS 3-28 Under Data Fields are the three configurable settings for referenced record fields.

There are three settings to configure for a reference record field. The following is a list of each one before configuring them:


- **Ref. Record Layouts:** The layout is what appears when staging a record to reference. It is found in the preview screen and from the bottom of the search screen.



PR ID ▲	Project	Short Desc.	Date Opened	Date Due	Originator	Assigned To
1148	Deviation	Cracks found on the side of the container.	10/22/2010 04:35 PM	02/13/2011	Smith, John	Jovanis, Mike
1149	Deviation	Ventilation system malfunctioned	10/22/2010 04:35 PM	01/10/2011	Smith, John	Jovanis, Mike


SS 3-29 The staging area shows a sample of data from the filled out fields in the referenced records.

- **Ref. Record Search Classes:** The search class allows Administrators to add searchable fields onto the screen where records can be search from. This gives the users a start in deciding which fields to search with when looking for records.




SS 3-30 Search tools are added to filter the list of available records in order to properly reference them.

- **Ref. Record Display Classes:** The display class is the appearance of the record being referenced from the configuration form screen. The fields chosen represent the major information about the record(s) referenced.



SS 3-31 The display appears on the configuration form to show a preview of what kind of records are being referenced.

2. Click **Ref Record Layouts** and **New**. For name type **Layout**. Click **Save**.




SS 3-32 The layout is used for the staging screen of reference records.

3. Click **Layout Data Fields**. On this screen is a list of available fields to be used for the layout within the reference record field. The order of the fields added to the layout

column on the right determines from left to right, the appearance of the fields. For this example, select the following fields by highlighting and then clicking the right arrow.

- Record ID
- Project
- Title
- State


4. Click **Save**. The screen appears as the following.



SS 3-33 The four fields added appear from left to right on the layout screen.

5. The next component is the search class to give the user a set of fields to filter records in order to find the ones sufficient for referencing. Click **Data Fields – Ref. Record Search Class**.

6. Click **New** and create one called **Search**. Click **Save**.



SS 3-34 Search class contains fields for users to filter down the records that should be referenced.

7. Click **Class Data Fields**. On this screen is a list of available fields to search with. Consider the following before selecting fields to search with.


- Use fields that are date driven in order for users to filter for newer or older records to reference with.
 - Fields that include a product name or lot number can also be used in order for users to identify a possible trend from other records.
 - String fields such as title could also filter down to similar records of a particular nature.
8. In this example, bring over the following fields to the **Data Fields in Search Class** column. Click **Save** when finished.
- Date Created
 - Title
 - Assigned To
 - Department

Data Fields In Search Class (Field Type)
Date Created (Date/Time)
Title (String)
Assigned To (Person)
Department (Multi Selection)

SS 3-35 All four fields listed here assist the user to search for records.

9. The last setting to configure is Ref. Record Display. This is the appearance of the referenced record on the TrackWise configuration form screen. Click **Data Fields – Ref. Record Display Class**.

10. Click **New** and label it **Display**. Click **Save**.



SS 3-36 The display shows the fields from the referenced record.

11. Click **Class Data Fields**. Bring over the following fields to the right column labeled **Data Fields In Display Class**.
 - Project
 - State
 - Title
12. A delimiter is used to separate each value. For each data field, use a dash symbol. Any keyboard-related symbol is possible for data field divider. Click **Save**.


Data Fields In Display Class			
☐	Data Field (Field Type)	Delimiter	Is Visible
☐	Project (Single Selection)	-	Yes
☐	State (Single Selection)	-	Yes
☐	Title (String)	-	Yes

SS 3-37 The referenced record's Project, State and Title appear on the form.

3.8 Applying Reference Record Field Settings

Once all three settings are established, the next step is to apply them to the referenced record field. Refer to the next workbook exercise to apply the field settings.

1. Refer to **Data Fields** and search for the field called Referenced Records.
2. Click **Referenced Records** and the tab, **Ref. Records**.
3. Under **System Settings** is a list of features exclusive to this particular reference record field. Since these are under this particular group, anything changed here would impact how the same field functions for all other projects in other process groups.



SS 3-38 System Settings affect all records and projects using this field.

4. Leave **Duplex Data Field Name** blank. This is the field where a corresponding referenced record field is selected to auto-populate with. If the same field is chosen, then the record being referenced automatically populates itself with the record ID of the record referencing it. Duplex ensures that if a Deviation was to reference a CAPA, the CAPA record's own reference record field automatically populates its reference record field with the Deviation's record information.
5. Duplex can be enabled if the record being referenced is locked or closed. In this example, leave these two blocks unchecked.
6. **Applicable Record Types** is a filter to include or exclude specific projects from appearing as choices for records to be referenced. In this example, leave the setting at **Any Record Types**. If a reference record field for related Investigations only was created, this particular record type would be highlighted. More than one record type can be highlighted.
7. The settings under **Process Group-specific Settings** only applies to this field based on the process group. The settings here can be different between one process group using this field and another. Select the single value available for **Ref. Record Search Class**, **Ref.**

Record Display Class and **Ref. Record Layout**. This is where each configurable setting is applied.

Process Group-specific Settings			
Ref. Record Search Class	Search	Ref. Record Layout	Layout
Ref. Record Display Class	Display	Auto Search Class	<No Options Found>

SS 3-39 Each configured component for reference records is added here.

- When finished click **Save**. The components for Referenced Records are complete.

Data Field Details: Referenced Records			
Details Ref. Record			
Edit			
System Settings			
Duplex Data Field Name		Auto-Duplex When Locked	No
▶ Applicable Record Types	(Any Record Types)	Auto-Duplex When Closed	No
Process Group-specific Settings			
Ref. Record Search Class	Search	Ref. Record Layout	Layout
Ref. Record Display Class	Display	Auto Search Class	

SS 3-40 These settings apply to this field under the Deviations process group.

- The option, **Auto Search Class**, is available from **Data Fields – Auto Search Classes** which provides additional pre-established filters for reference record fields. In addition to using applicable record types under system settings, auto search allows any field that is found within records to be used as a filter. Once implemented, it is accessible from the configuration form next to the reference record field by using **Find Similar**. This button opens the search screen with the additional filters already in place.

Referenced Records	
	Edit Find Similar

SS 3-41 Find similar incorporates the filter configured from auto search classes.

Conclusion:

Grid Fields allow specific field types to exist within for the purpose to create multiple rows of fields tied together. In a future chapter, once the Deviation project is complete, the grid fields

are used to contain more than one row of information. For Deviations, there may be more than one lot of materials involved. The root cause grid is based on the material mentioned in the Deviation.

Data fields from an existing process group, often found in systems already configured with projects, can have their data field values copied from one group to another. This allows existing data fields in one process group workspace to also be used in another.

Reference Record fields allow users to locate other records already in TrackWise to refer to in order to support the current record that is using them. Referencing the same record from the past shows a developing pattern of the same kind of record occurring in the present.

Referencing a related record from another family tree supports the current record in order to assist. A Deviation could reference an existing CAPA to correct and prevent it from happening again.

In the next chapter, it is explained from a business rule perspective, additional components of the Deviation configuration, including additional group categories and the workflow overview.


Notes:

4. Project Workflow and Group Categories

4.1 Overview

In the last chapter, a field type called Grids was introduced in order to learn about another kind of field used in records. The remaining data fields were also created to finalize the complete list to choose from when delegating fields to the Deviation project. In this chapter, the Deviation workflow is addressed and the Group Categories are created in order to design security roles within the project.

First, here is the overall hierarchy of Division and Project when it comes to Deviations. In this example, Deviations are the Parent record with children Investigations and CAPA.




SS 4-1 Under the Division umbrella which can represent a country, region, department or other, Deviation records are the parent with Investigation and CAPA as the children records to work within the Deviation family tree.

4.2 Deviation Workflow

The following is an abstract of the Deviation workflow, showing an actual business-driven process for tracking this kind of record type. The complete workflow is available in the Appendix of this training manual.


1. In the introductory configuration course, two group categories were used to identify permissions: one for management and the other for the person borrowing a device from inventory. For this next workflow, there are several security groups involved. Here is an explanation for each.
2. The first group is called **Originator**. Its purpose is to identify who in the Deviation project is allowed to create new records. Once a record has been created, it is submitted for review. The activity, **Submit**, is set to auto-populate a date time and person field based on the person performing the activity. Although this information is in the record's audit trail, displaying the information on the configuration form gives it convenient access.



SS 4-2 The arrows point to the name of the group category and the activity available by this group to progress the record when ready. Notice to the right of Submit, two fields is auto populated: Submitted By and Submitted On based on the way the activity was configured.


3. The reason why the record stays with the Originator while the Supervisor waits, is that there can be time to gather additional information about the Deviation, before forwarding it for someone (Supervisor) to review it. In addition to delegating what action(s) can be done by this group, field permissions can also be established in order to declare which fields in the Deviation form are “view” and “edit”.

4. The next group is called **Supervisor**. Its purpose is to oversee the Deviation's progress and progress the record along to the Assignee who starts to work on it. The Supervisor can also request more information from the Originator because the form's **Description** was not thorough or there are questions regarding the nature of the Deviation. It eventually comes back to the Supervisor Review state to check again. The option to cancel a Deviation is possible if the Deviation was created by mistake.




SS 4-3 The arrows point to the name of the group, Supervisor, as well as the three possible activities to move the record in a specific direction. Two fields are auto-populated Supervisor Reviewed On and Supervisor Reviewed By once the record progresses to the next state moving forward.

5. Along with activities, this group contains specific edit and view permissions to fields on the Deviation configuration form which are addressed shortly. In addition to the beginning of the workflow, there is a place towards the end of the workflow for the Supervisor to perform a final approval.




SS 4-4 The arrows point to the group name with two activities to either close the record or to reject it due the CAPA record not addressing the Deviation.

6. If the CAPA Plan was rejected due to not addressing ways to correct the Deviation, the Supervisor can send the record back to an earlier state before the CAPA was implemented. With the reject performed, the Deviation cannot close until the CAPA properly addresses it.
7. The **Assignee** group has several activities available for whoever is working on the Deviation. The following screen capture displays the first part of activities available. Notice the TrackWise Services portion. This is the Coordinator utility deciding when the record should progress to the state of Root Cause Analysis. This is addressed later in the course.
8. In the state of **Root Cause Analysis**, the Assignee can either progress the record to say that it is complete or note that the Investigation record needs more information and send it back for further investigation. The root cause state is where the assignee determines if the Investigation was thorough with its findings for the reason of the Deviation. If the Investigation was not thorough, there is no root cause to go by. The assignee of the Deviation can request for additional investigation information and then determine if the root cause is sufficient after it is done.




SS 4-5 Once Coordinator progresses the record, the Assignee can progress it even further or send it back so the Investigation can be pursued.

9. The Root Cause state is where the Assignee looks at the Investigation child record to decide if the investigators found the proper cause for the Deviation to happen with. If it requires a more thorough investigation, the Assignee can perform the activity Further Invest. Req to send it back to the state of Investigation while the child investigation record continues to investigate.
10. Analysis Complete is performed when the Assignee decides that the Investigation was thorough so now the CAPA record corrects and prevents the Deviation from happening again.
11. In the state of **Pending CAPA Plan** the Assignee waits for the CAPA to go through a series of workflow steps and then routed the Deviation for initial approval. The CAPA is created in this state from the Deviation. Once the CAPA is closed, Coordinator moves the record to the next state.



SS 4-6 When the Assignee is ready for the Deviation to be reviewed, two fields are automatically filled out, Routed for Initial Approval On and Routed For Initial Approval By.

12. The Quality group is available to look over the Deviation and decide if the information is accurate and addresses what went on. This part of the workflow contains a parallel approval, which is discussed in this chapter. Two groups of reviewers could possibly be involved, Operations Approval and Quality Approval with an Optional Approver as well. For any reviewer scheduled to perform one of the parallel approval activities, they are allowed to request more information as a form of rejection in order move the record back to Root Cause Analysis where the Assignee needs to add more information.



SS 4-7 The activities listed are schedulable, providing the opportunity for individuals to perform an approval based on the content within the Deviation. When performed, specific sets of Person and Date/Time fields are auto populated.

13. A parallel approval allows more than one person to perform a scheduled activity in order to progress a record with. Only one out of the three activities needs to be scheduled and then performed. If two or all three are scheduled then the record will not progress to the next state until all scheduled activities are performed. This may cause a delay in the record's progress if there is someone who hasn't performed a scheduled activity. Tips and solutions to this potential problem are addressed later in section 4.8.
14. A rejection is possible within the parallel approval which sends the record back to the previous state of **Pending CAPA Plan**. Only users who were scheduled to perform one of these parallel approvals can reject the record instead of performing their activity. Once the record comes back to Pending Approval, the same people involved with the activities have another chance to perform their activity again.
15. In addition to these group categories, there is also TrackWise Services which represents the Coordinator utility to automate the progression of records through the workflow. This occurs when the Investigation and CAPA children records reach a particular state in their own workflows, signaling the Deviation to move forward.

4.3 Full Permission Deviation Group Category

From the workflow, the first Group Category to create is a full permission group called **Deviations – Full Permissions**. The purpose of this group is to test-drive the complete workflow once it is done and to duplicate it in order to create other groups. The additional groups created as a result of duplicating the full permissions group allows the same fields and workflow to be copied. After duplicating the full permission group, the new group must be edited to conform to the specific permissions to be used. The first part is to configure overall and data field permissions. While the group is being created, an explanation is provided for the reasons of the permissions.



Workbook Exercises

1. In Web Administrator, click **System Configuration – Group Categories**. On this screen, click **New** and create a group called **Deviations – Full Permissions**. Use the abbreviated name, **Deviations – FP**. Click **Save**.

Group Category Details: Deviations - Full Permissions			
Details Permissions Workflow			
Edit Report			
▶ Name	Deviations - Full Permissions	▶ ConfigForm	Default ConfigForm for Deviations
▶ Abbrv Name	Deviations - FP	Activity Location	

SS 4-8 This group, when finished, will be the basis for most of the other groups in the Deviation project by duplicating it and modifying to fit the business rules for the particular group.

2. Click the **Permissions** tab. On this screen select the following check boxes in order to properly define this full permission group. Click **Save** when finished.
 - Can Open
 - Can Re-Open
 - Can Create Children
 - Can Assign / Re-Assign
 - Can Post Activities

Group Category Details: Deviations - Full Permissions

Details **Permissions** Workflow

Save Cancel Report

Can Open	☒	Can Assign/Re-Assign	☒
Can Re-Open	☒	Can Post Activities	☒
Can Create Children	☒	Can Create as Child Only	☐

SS 4-9 These checked permissions allows the Full Permission group to create new Deviations, Re-Open closed Deviations, create children records, assign and re-assign project members to the record and post activities to progress the record along.

- Once the overall permissions are complete, the field specific permissions need to be set. The list of data fields is based on the ones created within the Deviation process group and the system fields which came with TrackWise. Refer to the **Originator** field. It is a system field which is auto populated with the name of the project member who created the Deviation. In this example place a check for **Can View**.

Data Field Name ▲	Field Type	Can View	Can Edit	Can Insert	Can Delete
Originator	Person	☒	☐	☐	☐

SS 4-10 With Can View checked, this group category security role is allowed to see the name of the project member who created the record.

- Based on the information from the Introduction course, most fields have the option of being viewable and editable. **Can Insert** and **Can Delete** refer to file attachment fields.



Refer to the following chart and complete all of the permissions available for the **Deviations – Full Permissions** group. When finished, click **Save**. This serves as a list of fields that need to be placed on the configuration form in the next chapter.


<i>Field Name</i>	<i>Permissions</i>
Attached Files	Can View / Can Edit / Can Insert / Can Delete
Building	Can View / Can Edit
Cause Category	Can View / Can Edit
Cause Detail	Can View / Can Edit
Cause Type	Can View / Can Edit
Comments	Can View/ Can Edit
Date Due	Can View / Can Edit
Date Occurred	Can View / Can Edit
Date Opened	Can View
Department	Can View / Can Edit
Description	Can View / Can Edit
Equipment Description	Can View / Can Edit
Equipment ID	Can View / Can Edit
Final Approval By	Can View
Final Approval On	Can View
Floor	Can View / Can Edit
Immediate Actions	Can View / Can Edit
Impact Analysis	Can View / Can Edit
Invest. Summary and Conclusion	Can View / Can Edit
Location Type	Can View / Can Edit
Material Disposition	Can View / Can Edit
Material Lot #	Can View / Can Edit

<i>Field Name</i>	<i>Permissions</i>
Material Name	Can View / Can Edit
Material Quantity	Can View / Can Edit
Materials Grid	Can View / Can Edit
No CAPA Child Justification	Can View / Can Edit
Operations Approval By	Can View
Operations Approval On	Can View
Optional Approval By	Can View
Optional Approval On	Can View
Priority	Can View / Can Edit
Quality Approval By	Can View
Quality Approval On	Can View
Quality Contact	Can View / Can Edit
Referenced Records	Can View / Can Edit
Risk Analysis	Can View / Can Edit
Root Cause Grid	Can View / Can Edit
Root Cause Analysis	Can View / Can Edit
Routed for Initial Approval By	Can View
Routed for Initial Approval On	Can View
Submitted By	Can View
Submitted On	Can View
Supervisor / Manager	Can View / Can Edit
Supervisor Reviewed By	Can View

Field Name	Permissions
Supervisor Reviewed On	Can View
Timeliness Justification	Can View / Can Edit
Title	Can View / Can Edit
Type	Can View / Can Edit

4.4 Deviation Configuration Form

After establishing the field permissions, the next step is to design the configuration form in TrackWise for Deviations based on the permissions set in the last section. As a best practice, run a report from the Group Category screen to obtain a working list of fields to add to the configuration form.




SS 4-11 This report is useful when designing a configuration form as a checklist to ensure all of the needed fields are on the form.



Workbook Exercises

1. Log out of Web Administrator and re-load the web service for TrackWise before designing the form. This ensures that the newly created data fields appear when previewing the form.
2. Reload by clicking the **Tomcat Manager** icon on the desktop or from **Start – Programs – Apache Tomcat 7.0 Tomcat 7_TrackWise – Tomcat Manager**.

3. When prompted for user name and password, use the word **admin** for both.



SS 4-12 Reloading TrackWise is done whenever significant configuration changes have occurred.


4. Within the Tomcat Manager screen, locate the name of TrackWise for this class. In this example it is referred to as tw2_TrackWise. Across to the right, click **Reload**.
5. A box appears asking if you are sure. Click **OK**. Once the confirmation message appears on the top of the screen, close Tomcat Manager.

Forms are designed in a way that reflects the workflow of a record. In the Opened state of a record, the first tab on the form would include general information about the record. This would consist of record Title, Originator, Date Due, Description, Assigned To and other user defined fields that are relevant. As the record progresses through the workflow, additional tabs on top identify other fields to be filled out as information is gathered. Creating forms to be user friendly, while identifying specific amounts of information, is essential in proper form design.




Workbook Exercises

1. Log into TrackWise from **Start – Programs – TrackWiseWeb – tw2_TrackWise**. Based on the form design process from the previous course, all configuration forms are designed within TrackWise.
2. When logged in, refer to the **Admin** menu from above and click **Manage ConfigForms**.



SS 4-13 Manage ConfigForms is implemented from within TrackWise.


3. On the ConfigForm screen verify the process group to the right shows Deviations. Click **New ConfigForm** and create a form called Deviation Form.



Save Add tab
ConfigForm Name
Deviation Form

SS 4-14 The name of the form identifies which group category will use it later.


4. Based on the configuration form design lesson from the Introductory Configuration Course, three sections are implemented on this first tab. Select the **Edit Tab** and name it **General Information**. Click **Ok** when finished. Tabs typically represent milestones within a workflow. It allows the relevant fields for that step to be in the same order of the workflow by arranging the tabs to match the states.



Edit Tab
[Main Tab]
Name
General Information
Seq. Number
1
OK Cancel

SS 4-15 The name of the tab determines what type of fields are in the various sections.

- Change the section name as well by clicking on the **Edit Section** button. A window appears. Use the name **Deviation Overview**.



SS 4-16 The section name is called Deviation Overview which includes the title of the record, date due and Assigned To.



On Your Own Exercises

uration form by referring to the following chart.
within the chart, two additional sections are added with their own unique name. Each field added is using the **Source** option of **Fetches PR**. When finished, click **Save**.

Section 1 : Deviation Overview	
Left Column	Right Column
Originator	Date Opened
Title	(Leave blank. Fields to the left without fields to the right go across the row depending on the field type. Typical use includes String and FlexFields.)
Date Due	
Supervisor / Manager	Quality Contact
Assigned To	

<i>Section 2 : Deviation Information</i>	
<i>Left Column</i>	<i>Right Column</i>
Priority	
Date Occurred	Type
Building	Floor
Location Type	Department
Equipment ID	Equipment Description
Materials Grid • Use In-Form Grid Configuration to display the grid contents on the main form)	
Description	Immediate Actions
<i>Section 3 : Timeliness Justification</i>	
<i>Left Column</i>	<i>Right Column</i>
Timeliness Justification	

- General Information

General Information

Originator

Search

Date Opened

12

Now

Title

Date Due

12

Supervisor / Manager

Search

Quality Contact

Search

Assigned To

Search

Deviation Information

Priority

▼

Date Occured

12

Now

Building

▼

Location Type

▼

Type

▼

Floor

▼

Department

Search

Equipment ID 

Equipment Description

Enter Your Selection Here 

Materials (0) - [Open](#)

Row # 	Material Lot #	Material Name	Material Quantity	Material Disposition



Page 1 of 1



No results

Description  

Immediate Actions  

Description  

Timeless Justification  


Page 70 of 315

4.5 Impact Analysis Tab

With the General Information tab finished, the next tab is used to track the impact this Deviation has. With only one section, both the impact and risk analysis are available. For convenience, these two fields are placed within their own section under their own tab.




1. On the top of the configuration form design screen, go back into **Edit** mode and click the **Add Tab** button.
2. For the second tab, click the **Edit Tab** button. Label this second tab as **Impact Analysis**. Click **OK** when finished.




SS 4-18 The second tab allows the project members to detail the impact and risk this Deviation presents.

3. Click **Edit Section** and call this section **Impact**.



SS 4-19 The section is called Impact because two FlexFields are included to address this.

4. Add Impact Analysis to left column and Risk Analysis to the right column. Click **Save** when finished.



SS 4-20 Two FlexFields occupy this tab.



On Your Own Exercises

1. Create three additional tabs of sections and add data fields. Refer to the following chart. For each chart, consider this to be a separate tab with columns and sections of fields. When finished, click **Save**.


Tab Name : Investigation & Root Cause	
Section 1: Investigation Results and Root Cause Analysis	
Left Column	Right Column
Root Cause Grid	
Invest. Summary and Conclusion	Root Cause Analysis
Section 2: CAPA Information	
No CAPA Child Justification	

<i>Tab Name : Reference Info / Comments</i>	
<i>Section 1: Comments</i>	
<i>Left Column</i>	<i>Right Column</i>
Attached Files	
Referenced Records	
Comments	

<i>Tab Name : E-Signatures</i>	
<i>Section 1: Record Originator</i>	
Submitted By	Submitted On
Supervisor Reviewed By	Supervisor Reviewed On
Routed for Initial Approval By	Routed for Initial Approval On
<i>Section 2: Record Approval</i>	
Quality Approval By	Quality Approval On
Operations Approval By	Operations Approval On
Optional Approval By	Optional Approval On
<i>Section 3: Record Closure</i>	
Final Approval By	Final Approval On

- Refer back to the **Investigation & Root Cause** tab. The grid field **Root Cause** has the option of displaying specific fields found inside the grid to be available on the form for viewing purposes. Check **Display as In-Form Grid**. Select all three fields: **Cause Type**, **Cause Category** and **Cause Detail**.
- Click **OK**. All three fields appear on the form for viewing purposes. The user can open the grid to add and adjust rows of information.

4. After saving the updates, click **Exit** to go back to the ConfigForms Admin screen. Click **Edit**. In edit mode, select **Deviation Form** from the **ConfigForms** list. Set the **Activity Location** to **Top**. Click **Save** when finished. This allows the Deviation form to be added to the Deviations group category.



The screenshot shows the 'ConfigForms™ Admin' window. At the top, there is a 'New ConfigForm' button. Below it, a table lists the configuration for the 'Deviations - Full Permissions' group category. The table has five columns: 'Group Categories', 'ConfigForms', 'Activity Location', 'Enable Offline', and 'Offline PR Identifier Data Field'. The 'ConfigForms' column is set to 'Deviation Form', and the 'Activity Location' is set to 'Top'. The 'Enable Offline' checkbox is unchecked.

Group Categories ^	ConfigForms	Activity Location	Enable Offline	Offline PR Identifier Data Field
Deviations - Full Permissions	Deviation Form	Top	☐	


SS 4-21 The full permission group for Deviations will eventually have access to this form once the project has been finalized.

5. Exit out of TrackWise and refer back to Web Administrator.

4.6 Workflow Overview


Before creating the states and activities, the following is an overview of the workflow and the significance of states as they pertain to Deviations.

The Deviation workflow is based on several transitional steps ranging from originating and confirming a Deviation, to review and finally closure. The first part involves the Originator and Supervisor.




SS 4-22 The Originator creates the Deviation and then performs Submit the activity.

1. Once the originator gathers enough information about the Deviation, it is handed over to the Supervisor by performing the **Submit** activity. This auto-populates **Submitted By** and **Submitted On** within the configuration form. The ES symbol next to the activity indicates an e-signature is required from the Originator before the activity can be performed. This signature is based on the real-life example of signing one's name to a document by providing ID and Password window.
2. The next step is for the Supervisor, based on Group Category, to do one of three things with activities. It can **Cancel** the Deviation, perhaps due to the record being a duplicate of another or simply want to cancel out the record. It can **Request More Info** because the information provided is vague and needs clarification. The record would move back to the Opened state where the Originator would be able to edit the record and eventually re-submit it.
3. If the Supervisor approves the Deviation, it progresses to the next state based on the activity **Supervisor Review**. This is an e-signature activity which auto-populates **Supervisor Review On** and **Supervisor Review By**.



SS 4-23 Three activities are available for the supervisor to perform based on the content of the record.


4. In the workflow, the next series of steps involve the Assigned To person of the Deviation to move the record through several states based on the Investigation and CAPA involved. Since the Deviation is the parent record of the family tree, the progression of the record depends on the children. In this example, it is the child Investigation that allows the Deviation to progress once the Investigation is closed.



SS 4-24 The Assignee waits for the investigation to reach a specific state so the deviation can automatically move to the state of Root Cause Analysis.

5. TrackWise Services is the Coordinator which is looking for when the Investigation child record reaches a specific state. This Deviation then progresses to the next state of **Root Cause Analysis**. The Assignee is not able to perform **Investigation Complete**. Only the Coordinator can perform this activity.
6. In the **Root Cause Analysis** state, the Assignee looks at the Investigation child records to see if the root of the deviation was discovered. If the Assignee does not believe the investigation was thorough, this person can perform **Further Invest. Req** to send the record back to the Investigation state while the investigation record would require additional work. If the analysis was sufficient, the Assignee can progress the record to the state of **Pending CAPA Plan**.


7. In the state of **Pending CAPA Plan**, the CAPA child record is created and gathering information regarding how to correct and prevent the deviation from happening again. Much of this information is based on the contents of the deviation record. While this is taking place, the deviation can progress to the first approval state of **Pending Approval**.



SS 4-25 Once the record progresses from 'Pending CAPA Plan', it is locked down. Only if the CAPA is rejected can the record go back to Pending CAPA Plan where edits may still be possible.


8. In the **Pending Approval** state, the record is locked. No edits are allowed by any project member because the record is being reviewed by the Quality group. There are three possible approvals to sign off on based on the content of the Deviation.
 - a. One activity that is schedulable for a user to perform is called **Operations Approval**. If the Deviation is based on the operations department, someone can review the Deviation and sign off on the record.
 - b. The other activity is called **Quality Approval**. If the Deviation is based on the quality department, someone can review the Deviation and sign off on the record.
 - c. The last activity is called **Optional Approval**. If a third perspective was needed to take a look at the Deviation and sign off on it, this particular activity would be scheduled.

9. The record progresses from Pending Approval to Pending CAPA Execution if one activity is performed. If more than one is scheduled to be performed, then all scheduled activities in this state must be performed in order for the record to progress. This part of the workflow is called a **parallel approval**. Parallel Approvals are used in a workflow when the content of a record could vary based on the type of tracking taking place. In this example with Deviations, it may affect just one department or many. To anticipate a situation like this, more than one possible activity is available to be scheduled and then performed.




SS 4-26 When a scheduled activity is performed, the correct pair of fields are automatically populated. Only one activity needs to be scheduled and then performed. If more than one is scheduled then those specific ones must be performed in order for the record to progress.

10. The next state, **Pending CAPA Execution** is the state which the record waits until the CAPA child is closed. No user can progress the record from this state. Only the Coordinator utility or a TrackWise Administrator can perform the activity **CAPA Completed**. Users wait until the CAPA is resolved.



SS 4-27 The Coordinator detects when the child CAPA is closed in order to progress the Deviation by performing CAPA Completed.

11. The last state before closure, **Pending Final Approval** is when the Supervisor either performs the activity **Final Approval** to close out the Deviation or perform **Reject – CAPA Plan** which sends the record back to the previous state of **Pending CAPA Plan**. The reject activity is used if the Supervisor does not agree that the CAPA child corrected and prevented the Deviation from happening again. It provides the opportunity to continue with the CAPA while the Deviation goes through another approval process to acknowledge the new steps involved for closure.



SS 4-28 The approval, Final Approval auto-populates the pair of fields to capture the name of the approver and the date it was performed.

By looking at the whole workflow step by step, there are transitional points for the workflow to following.

- The record is created to identify a new Deviation.
- The record is sent over for supervisor approval.
- The record is assigned to a user to work on.
- An Investigation Child record investigates the Deviation and determines when this parent record can proceed.
- The quality review of the Deviation takes place.
- The Coordinator progresses the record once the CAPA Child is closed.
- The Supervisor performs a final approval to close the Deviation or rejects it due to the CAPA plan not addressing the issue completely.

4.7 States

After completing the form for the **Deviation – Full Permissions group**, the states required for the workflow are to be created. Refer back to Web Administrator to complete the list.


There are advantages and disadvantages to using the same states amongst different projects. The following table is a list from each perspective.

Advantages for using the same States	Disadvantages for using the same States
Existing States alleviate the need to create new ones in TrackWise. The naming convention for specific points in a workflow can be universal and mean the same thing amongst many projects.	The name of the state currently in TrackWise may take on a different meaning for another project. Therefore a separate state needs to be created.
Business Rules based on the status of a record ensures that all projects incorporate such universal rules.	States already in use with an existing project cannot easily have its attributes change to satisfy a different project which has different requirements. This would affect workflows currently in production which were already evaluated.



Workbook Exercises

1. In Web Administrator, click **System Configuration – PR States**. This is the repository of all states in the TrackWise database.



PR States	
	
 Search	
Show 15	Results Per Page
First Previous 1-10 of 10	
	Delete
☐	Name ▲
☐	Approved
☐	Closed - Cancelled
☐	Closed - Deferred
☐	Closed - Done
☐	Closed - No Changes

SS 4-29 The list of all states from various projects in TrackWise are kept on this screen.

2. Currently there are already two projects configured in the database which are CAPA and Investigations. For the Deviation project, there are states missing here which need to be configured. As long as the existing states contain characteristics that are standard amongst more than one workflow, these states can be re-used in different projects. Otherwise, a new state needs to be created for the new project that needs specific requirements from it.
3. By comparing this list with the Deviations workflow, the following states need to be added to the list so they can be linked with the specific activity and complete the workflow. Refer to the following exercise and create the following states. Click **Save+** after each one until the last state of **Pending CAPA Execution**. After this particular one, click **Save**.

4. Verify that the already established States, **Closed – Done and Pending Approval** have **Lock all Fields** checked.

Name	Abbrv Name	Is PR Closed	Lock all Fields	Can Create Children	Is Protected
Supervisor Review	Supervisor Review	No	No	No	No
Investigation	Investigation	No	No	Yes	No
Root Cause Analysis	Rt Cause Analysis	No	No	No	No
Pending CAPA Plan	Pending CAPA Plan	No	No	Yes	No
Pending Final Approval	Pending Final Appr	No	Yes	No	No
Pending CAPA Execution	Pending CAPA Execu	No	Yes	No	No
Closed – Done	Closed – Done	Yes	Yes	No	No
Pending Approval	Pending Approval	No	Yes	Yes	No

5. When finished, click **Back to PR States**. Click **Search** and all of the states appear on the screen. Change the results per page to **20** for the complete list.

Show Results Per Page

☐	Name ▲
☐	<u>Approved</u>
☐	<u>Closed - Cancelled</u>
☐	<u>Closed - Deferred</u>
☐	<u>Closed - Done</u>
☐	<u>Closed - No Changes</u>
☐	<u>Investigation</u>
☐	<u>Investigation in Progress</u>
☐	<u>Opened</u>
☐	<u>Pending Approval</u>
☐	<u>Pending Approval of Parent</u>
☐	<u>Pending CAPA Execution</u>
☐	<u>Pending CAPA Plan</u>
☐	<u>Pending Final Approval</u>
☐	<u>Root Cause Analysis</u>
☐	<u>Supervisor Review</u>
☐	<u>Work in Progress</u>


SS 4-30 The repository of available states are used to map out the workflows for group categories.

4.8 Schedulable Activities

Activities are the actions performed in order to progress a record from one state to the next. Activities come in two varieties. They can either be scheduled for specific project members to do or performed-only by the correct project member who has the activity available from within their workflow. The following exercise shows which activities need to be added to the database in order to complete the Deviation workflow.



1. In Web Administrator, click **System Configuration – Activity Types**.




SS 4-31 The Activity Types screen is available from the System Configuration menu.

2. On this screen, refer to the current repository of available activities, most which are being used by the existing projects in the database.

Activity Types	
New Report	
Search	
Show 15 Results Per Page First Previous 1-8 of 8 Next Last	
Delete	
☐ Name ^	Associated With Deviations
☐ Acknowledge	No
☐ Approval Received	No
☐ Cancel	No
☐ Complete	No
☐ Parent Record Rejection	No
☐ QA Approval	No
☐ Reject	No
☐ Submitted for Approval	No

SS 4-32 The current list of activities in TrackWise are listed here.

Existing activities can be copied over to from one process group to another. Attributes pertaining to the copied over activity can be changed and associated with the process group to be different than the other. In this section there are three activities that need to be created which are schedulable. They are based on the parallel approval which is covered in the next section once all activities are configured.



SS 4-33 The three schedulable activities are Operations Approval, Quality Approval and Optional Approve with the option to request more information.

Each approval is schedulable because in the Deviation workflow it may not be known what department would be impacted by the Deviation and need to approve the findings, which the record would contain. Schedulable activities are often used for approvals and reviews where a project member is scheduled to do the approval based on a time table for the activity. If the scheduled activity is past due, the Coordinator utility could notify the scheduled recipient that their approval is late.

Scheduled Activities can be scheduled for an individual by name to be responsible for performing the activity or it can be scheduled for a group of project members to do, with only one out of the group to step in and perform it.

If a scheduled recipient of an activity is out of the office and is unable to perform it in time, several alternatives exist:

- The scheduled activity can be deleted and then rescheduled when needed. Only a TrackWise Administrator or the original scheduler can delete a scheduled activity.
- The Proxy feature can be used where one user covers for another. The cover person can perform the scheduled Activity for the person out of the office.

3. Instead of scheduling an individual by name to perform the activity, it can be scheduled for a group of project members to perform it, but only one out of the group is required. To better understand how a schedulable activity appears like in Web Administrator, click **New** to create the new activity called **Operations Approval**.

Activity Type Details: <New Record>			
Details Project-changing			
Save Save+ Cancel			
System Settings			
Name Operations Approval		Abbrev Name Operations Approva	
Process Group-specific Settings			
Perform By Others Only ☐		Perform By Anyone ☐	
Can Schedule ☒		Perform By Responsible Only ☐	

SS 4-34 Operations Approval is one of three schedulable Activities.

4. Select the **Can Schedule** check box. This allows Operations Approval to be scheduled for a project member to perform. Notice the name of the activity is a system setting and the rest of the options are process group-specific. This allows the same activity to be used within more than one process group where the settings can vary with the same activity, without having to create a new one with a similar name but different settings.
5. Select the **Perform by Others Only** check box. This is available only for scheduled activities. When checked this allows the activity to be scheduled to any qualified project member except for the scheduler who is scheduling the activities.
6. This activity also requires an e-signature. Select **Require Electronic Signature** check box. An option for **Boilerplate Text** appears. This permits the use of a static string of information to be present on the e-signature window in TrackWise. It can be used as a way of ensuring that the user is aware that upon performing the scheduled approval the progress of the record is impacted in some way. Leave this box blank.

Process Group-specific Settings	
Perform By Others Only	☐
Can Schedule	☒
Min Participants	0
Require Electronic Signature	☒
Boilerplate Text(Leave empty if not using)	

SS 4-35 Both can Schedule and Require Electronic Signature is checked.

7. Select both **Require Person Responsible** and **Show Summary Field** check boxes. Having a person required to perform the activity ensures the scheduled activity is scheduled for someone and not left blank as an unattended scheduled approval. The Show Summary Field appears at the bottom of the activity when it is about to be performed. It provides a space for the user to write a comment before the activity is performed by them. This comment is visible in the activity history of the record.

Require Person Responsible	☒
Show Summary Field	☒

SS 4-36 Both check boxes ensure a name is used with the require person field and that a summary field is optional but available to be filled out.

8. Select the **Can Assign to Group** check box. This option allows Operations Approval to be scheduled for either a project member by name of a whole particular group of project members. Out of the group, only one person needs to come forth and perform it. In some configurations it may be preferred to have an activity scheduled for an individual rather than the option for either individual or group. The group is based on Person Role within the project.
9. To the right side of the screen, uncheck the default option for **Edit Summary Only**. This appears checked by default but it would allow project members to edit the activity history entry after it was performed such as changing the summary printed inside. For most activities this should be unchecked with the exception of activities such as Meeting which is schedulable. Once performed a user can go back and modify the summary to include the meeting minutes and attendees.

Can Edit All Data	☐
-------------------	--------------------------



SS 4-37 This box is usually unchecked for most activities.

10. Select the **Perform by Responsible Only** check box. When checked, the person scheduled to perform the activity is the only one who can do it. No other project member can step in.
11. Select the **Perform Now Only** check box. When checked, the Date Performed field for the scheduled Activity cannot be back-dated. It must contain the real time information as to when it is performed.
12. Select the **Show on Desktop** check box. This permits the scheduled activity to appear on the TrackWise desktop in order to be accessible without having to be in the record.

13. At the bottom of the screen are two list fields for Person and Date / Time fields. Select **Operations Approved On** for **Set UDF to Date Performed** and **Operations Approved By** for **Set UDF to Person Responsible**.

When Selected Activity Is Performed	
Set UDF to 'Date Performed'	Operations Approved On
Set UDF to 'Person Responsible'	Operations Approved By

SS 4-38 By using the Person and Date / Time fields from the previous steps, the activity auto populates these two fields on the form within the signature page.

14. Click **Save** when finished. The results appear as the following:

System Settings			
▶ Name	Operations Approval	▶ Abbrev Name	Operations Approva
Process Group-specific Settings			
Perform By Others Only	Yes	Perform By Anyone	No
Can Schedule	Yes	Perform By Responsible Only	Yes
Min Participants	0	Perform Now Only	Yes
Require Electronic Signature	Yes	Show On Desktop	Yes
Require Person Responsible	Yes	Activity Type Selection Value Class	
Show Summary Field	Yes	Can Edit All Data	No
Require Summary	No	Edit Summary Only	No
Can Assign to Group	Yes	Person Filter for Activity Responsible	
Schedule To Any Member	No		
Completed Prompt			
Scheduled Prompt			
When Selected Activity Is Performed			
Set UDF to 'Date Performed'	Operations Approved On	Schedule Follow Up Activity Type	
Set UDF to 'Person Responsible'	Operations Approved By	Follow Up Activity Days	

SS 4-39 The Operations Approval activity is complete as a schedulable task for a quality user to perform.



Create the other two scheduled activities with the same settings as with Operations Approval from above. Only check the following boxes and settings that are mentioned in the table, with the exception of **Edit Summary Only** always unchecked. Use the following chart for reference.

Quality Approval

Perform By Others Only = Yes	Perform By Responsible Only = Yes
Can Schedule=Yes	Perform Now Only = Yes
Requires Electronic Signature=Yes	Show on Desktop = Yes
Requires Person Responsible=Yes	Edit Summary Only = No
Show Summary Field=Yes	
Can Assign to Group = Yes	
Set UDF to Date Performed = Quality Approval On	
Set UDF to Person Responsible = Quality Approval By	

Optional Approver

Perform By Others Only = Yes	Perform By Responsible Only = Yes
Can Schedule=Yes	Perform Now Only = Yes
Requires Electronic Signature=Yes	Show on Desktop = Yes
Requires Person Responsible=Yes	Edit Summary Only = No
Show Summary Field=Yes	
Can Assign to Group = Yes	
Set UDF to Date Performed = Optional Approval On	
Set UDF to Person Responsible = Optional Approval By	

4.9 Performed-Only Activities

After configuring the schedulable activities, the remaining ones needed to complete the Deviation workflow are non-schedulable. These are activities performed by project members who are authorized to perform them based on Group Category workflow rights. A majority of the activities in a workflow are of this type where they are not scheduled for a project member

to perform.

An option available for activities is **Project Changing Activities**. This feature is located within **System Configuration – Activity Types**. The **Project-changing** tab is next to **Details**. When performed, the activity changes the Division and Project of the record but includes the same data in fields identical to the new project. For some projects, a tiered approach to tracking allows a record type to start as a scaled down process. As more information is gathered, the record needs to be advanced process-wise and becomes more involved. The alternative is to use different projects and connect the two distinct processes as parent and child.


The following chart details the differences between project changing and separate workflows.

Workflow Types	Complexity	Work Process	Agility	Expandability
Branching Workflows	Low	No	No	No
Separate Workflows	High	Yes	Yes	Yes



Workbook Exercises

1. Refer back to **System Configuration – Activity Types**. Click **New**.
2. Create a new Activity called **Submit**. Based on the workflow diagram, Submit is performed by the Originator when this person is ready for a supervisor to take a look at the record.



SS 4-40 The Submit activity requires an e-signature as noted by the ES letters and also automatically fills out the fields Submitted By and Submitted On within the form.

- For this particular Activity, select the **Require Electronic Signature**, **Require a Person Responsible** and **Show Summary Field** check boxes. For the Boilerplate Text, enter the following:

By submitting this Deviation, you are acknowledging that it is sent to a supervisor for initial review.

Require Electronic Signature	☒
Boilerplate Text(Leave empty if not using)	
By submitting this Deviation, you are acknowledging that it will be sent to a supervisor for initial review.	

SS 4-41 The following fields for the Submit activity are filled out so far.

- For the column to the right, select the **Perform By Responsible Only**, **Perform Now Only** and **Show on Desktop** check boxes. Make sure the default **Edit Summary Only** is unchecked as it is checked by default.

Perform By Anyone	☐
Perform By Responsible Only	☒
Perform Now Only	☒
Show On Desktop	☒
Activity Type Selection Value Class	<No Options Found>
Can Edit All Data	☐
Edit Summary Only	☐

SS 4-42 The following boxes are checked / unchecked for the Submit activity.

- Finally, at the bottom of the screen, select **Submitted On** for the **Set UDF to Date Performed** and **Submitted By** for the **Set UDF to Person Responsible**. Click **Save** when finished.

When Selected Activity Is Performed	
Set UDF to 'Date Performed'	Submitted On
Set UDF to 'Person Responsible'	Submitted By

SS 4-43 When Submit is performed, these two fields are automatically filled out.

The boxes checked are for a typical non-schedulable / performed only activity. Based on business rules, these activities can be tailored to fit any requirement. After the following activities are done in the On Your Own Exercise, the full permission Deviation group category and others will be able to have their designated workflow configured



1. Refer to the following tables to create the remaining seven activities. Once finished, the next section returns to the full permission group category for Deviations in order to complete the workflow.
2. The additional activities are listed as follows. Click **Save+** after each one until you get to the last Activity. Then click **Save**.

Request More Info

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=No	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No
Require Summary=Yes	

Investigation Complete

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=No	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No
Require Summary=No	

Supervisor Review

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=Yes	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No
Require Summary=No	
Set UDF to Date Performed = Supervisor Reviewed On	
Set UDF to Person Responsible = Supervisor Reviewed By	

Further Invest. Required

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=No	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No
Require Summary=Yes	

Analysis Complete

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=No	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No
Require Summary=No	

Route for Initial Approval

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=No	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No
Require Summary=No	
Set UDF to Date Performed = Routed for Initial Approval On	
Set UDF to Person Responsible = Routed for Initial Approval By	

Reject – CAPA Plan

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=No	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No
Require Summary=Yes	

Final Approval

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=Yes	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No

Require Summary=No	
Set UDF to Date Performed= Final Approval On	
Set UDF to Person Responsible = Final Approval By	

CAPA Completed

Can Schedule=No	Perform By Responsible Only = Yes
Requires Electronic Signature=No	Perform Now Only = Yes
Requires Person Responsible=Yes	Show on Desktop = Yes
Show Summary Field=Yes	Edit Summary Only = No
Require Summary=No	

4.10 Associate Existing Activities to Current Process Group

One of the activities currently in TrackWise, Cancel, is required for the Deviation workflow. Since it is already configured in TrackWise, refer back to the Activity Types screen and search for the activity, Cancel, by name.



Workbook Exercises


- Existing activities can be associated to more than one process group. In this example, notice the label is set to **No** for **Associated With Deviations**.



Activity Types	
New Report	
cancel Search	
Show 15 Results Per Page First Previous 1	
Delete	
Name ▲	Associated With Deviations
Cancel	No

SS 4-44 This existing activity already in use within TrackWise is not associated yet with the Deviations process group.

2. Select the **Activity Name**. On the next screen, select the **Associate With Process Group Upon Save** check box.




Activity Type Details: Cancel

The Activity Type is not associated with the selected Process Group, 'Deviations'. Click the checkbox below and save to associate 'Cancel' with 'Deviations'.

☒ Associate With Process Group Upon Save

SS 4-45 This check box allows this activity to be used in the current process group.


3. The screen shows the potential to change the process group-specific settings to make this activity act differently for this specific process group. For example, **Cancel** currently has **Edit Summary Only** checked. For Deviations, uncheck this box. Select the **Show on Desktop** check box. This makes Cancel act differently for Deviations compared to the other process groups using this activity.



Show On Desktop	☒
Activity Type Selection Value Class	<No Options Found>
Can Edit All Data	☐
Edit Summary Only	☒

SS 4-46 Edit Summary Only is unchecked with Show On Desktop checked.

4. When finished click **Save**. This activity is now associated with the Deviations process group.




SS 4-47 Cancel is now part of the activity list for Deviations.

4.11 Completing the Deviation Group Category Workflow

Now that all of the activities are done, the last step is to finalize the full permission Deviation group category workflow tab. Afterwards the group can be duplicated and modified to suit the needs for what the other group categories require.



1. Go to Web Administrator and click **System Configuration – Group Categories**. Click the **Deviation – Full Permissions** group.
2. Select the **Workflow** tab. Notice on the top of the screen is a list of states. This list is of all states from the repository. Select the **Opened** state.



SS 4-48 The Opened state is globally defined as the first state in the workflow.

3. Based on the workflow diagram, a Full Permission group like this one (ignoring the dotted lines between group categories) can perform the activity of Submit from this state. Select the **Submit** check box from the list of **Available Activity Types** name and click the arrow to bring it over to the right side.


Activity Types In Workflow	
☐ Activity Type Name	PR State Upon Performance
☐ Submit	[Dropdown Menu]

SS 4-49 The activity Submit connects the Opened state with the Supervisor Review state as PR State Upon Performance.

- In the **PR State Upon Performance** select **Supervisor Review** which matches what the workflow offers.

Activity Types In Workflow	
☐ Activity Type Name	PR State Upon Performance
☐ Submit	Supervisor Review

SS 4-50 Upon performing Submit, the record will progress to the state of Supervisor Review.




SS 4-51 The Submit activity shows that when performed the record progresses to Supervisor Review status.

- With the workflow diagram as reference, skip ahead to the second page which shows the end of the workflow. Listed here is the Parallel Approval. With **Parallel Approvals**, there is no state upon performance because this is addressed in another section of Web Administrator. This is covered after this section. Choose the **PR State** of **Pending Approval**.

Group Category Details: Deviations - Full Permissions		
Details	Permissions	Workflow
PR State Pending Approval		

SS 4-52 From the PR State of Pending Approval there will be up to three possible activities to be scheduled for project members to perform.

6. Based on the workflow, the following three activities are brought over to the column on the right. They are **Quality Approval**, **Optional Approver** and **Operations Approval**.



SS 4-53 The workflow diagram shows all three from the Pending Approval state. Once all scheduled activities are completed, the record progresses to Pending CAPA Execution where the Coordinator decides when the record progresses.

Activity Types In Workflow 		
☐	Activity Type Name	PR State Upon Performance
☐	Quality Approval	
☐	Optional Approver	
☐	Operations Approval	

SS 4-54 Leave the PR State Upon Performance blank. This is addressed in another screen called PR Task.

7. Click **Save**. With Parallel Approvals, the rules are different since the PR Task screen as seen in the next section addresses how the parallel approval should work.



Complete the rest of the workflow by referring to the chart below. Have a copy of the workflow diagram available as each step is implemented to see the connection between State, Activity and PR State Upon Performance. In the next section the topic of Parallel Approvals is discussed followed by the completion of all security group categories within the Deviation project.

<i>PR State</i>	<i>Available Activity Types</i>	<i>PR State Upon Performance</i>
Supervisor Review	Supervisor Review Request More Info Cancel	Investigation Opened Closed – Cancelled
Investigation	Investigation Complete	Root Cause Analysis
Root Cause Analysis	Analysis Complete Further Invest. Req.	Pending CAPA Plan Investigation
Pending CAPA Plan	Route for Initial Approval	Pending Approval
Pending CAPA Execution	CAPA Completed	Pending Final Approval
Pending Final Approval	Final Approval Reject – CAPA Plan	Closed – Done Pending CAPA Plan

4.12 Parallel Approvals

In the Deviation workflow, there is a state, Pending Approval; where from one to three activities may be scheduled for approval. This is an example of a parallel approval. For this Deviation project, there is no specific way to determine which department may be responsible to review the Deviation ahead of time. By using the Parallel Approval the options exist for quality, operations or an additional optional approver to sign off on the Deviation. In a workflow there is no limit to the number of approval activities in a parallel approval. There is also an option to include reject activities to send the record back to a previous state if needed.


The opposite of parallel approvals are serial workflow approvals. It provides an alternative to allowing several scheduled activities from the same state. Instead, the activities are performed one after another. Each progression from one state to the next represents an acknowledgement, or sign-off for approval to allow the record to progress. While serial reduces rework of records, time is lost when waiting for authorized users to perform the activity. Refer to the following chart for the breakdown between serial and parallel approvals.

Approval Types	Rework	Time Efficiency	Committee Review	Tiered Approval
Parallel Approvals	High	Low	Yes	No
Serial Approvals	Low	High	No	Yes

The following exercise shows how the Parallel Approval feature is applied in Web Administrator.



1. In Web Administrator, there is a separate section to set up Parallel Approvals. Refer to the **System Configuration – Tasks** section.



SS 4-55 Tasks is used to design the Parallel Approval of Activities and State Upon Performance.

2. Click **New** and create a new Task called **Deviation Task Set**. For PR State Origin, select **Pending Approval** with the Next PR State set to **Pending CAPA Execution**. Ensure the **Auto-Reschedule Activities** is checked. Click **Save** when finished.

Task Details: Deviation Task Set			
Details Activity Types Reject Activity Types			
Edit			
▶ Name	Deviation Task Set	▶ Next PR State	Pending CAPA Execution
▶ PR State Origin	Pending Approval	Auto-Reschedule Activities	Yes

SS 4-56 This information assists the Parallel Approval to know when it is active and which state the record will end up in once completed.

3. The Auto-Reschedule Activities permit the rescheduling of approvals that were not performed yet due to a rejection. If a scheduled activity was performed already within the parallel approval, it is able to be rescheduled to try again. This only applies to the activities within the parallel approval that were originally scheduled before a Reject activity occurred.
4. Select the **Activity Types** tab. On this screen, the parallel approval activities are added. For this example, select the same three mentioned before: **Operations Approval**, **Quality Approval** and **Optional Approver**.

Task Activity Types		
☐	<u>Activity Type</u> ▲	<u>Is Optional</u>
☐	Optional Approver	☒
☐	Operations Approval	☒
☐	Quality Approval	☒

SS 4-57 All three activities are optional. It only takes one to be scheduled and then performed in order to progress the record. If two are scheduled then both need to be performed.

5. Click **Save**. Click **Reject Activity Types** and add **Request More Info** as a way to reject the approval process if the record is incorrect. Set **State Upon Rejection** to **Root Cause Analysis**. Only users scheduled to do approvals can perform this action. Click **Save**.
6. Finally, under the **Tasks** section to the left, there is an option for **Task Sets**.



SS 4-58 Task Sets is where the container of parallel approval rules is applied.

7. Click **New**. Create one called **Deviation Task Set**. Click **Save** when finished.

Task Set Details: Deviation Task Set	
Details	Tasks In Set
 Edit	
▶ Name	Deviation Task Set

SS 4-59 This task set contains the rules created in steps two and three.

8. Select the **Tasks in Set** tab. On this screen is the recently configured set. Bring this set over to the right side of the screen called **Tasks in Set**. Click **Save** when finished.

Tasks In Set (PR State Origin/Next PR State)
Deviation Task Set (Pending Approval/Pending CAPA Execution)

SS 4-60 Multiple task sets can be added into one container of rules if needed.

9. The Task Set is now complete. To utilize its features, it is added to the project Settings Screen shortly once the project is ready to be named.

4.13 Completing All Deviation Group Categories

In the first configuration course, the Equipment Tracking project had two group categories. One was for managing devices as they were brought into inventory and eventually retired. The other group was for the requestor who was borrowing the device. For Deviations, the workflow contains many steps and permissions to delegate to project members. In this section the remaining groups are created. To assist with this process, there is a duplicate button for group categories. In the following workbook exercise, the **Deviations – Full Permissions** group is duplicated and modified to work within the confines of the workflow.



1. The workflow diagram for Deviations contains the following groups: Originator, Supervisor, Assignee and Quality. In addition to these, a View-only group is created afterwards. Click **System Configuration – Group Categories** and refer to **Deviations – Full Permissions** group.
2. Within the details screen click the **Duplicate** button at the top. This prompts for a new group category name. For this first example, create one called **Deviations – Originator**. Duplicate provides the ability to copy over permissions and workflow from another group. The administrator can then edit these two screens for the new group category in order to make it function as an originator group. Click **Save** when finished.

Group Category Details: Deviations - Originator

Details | Permissions | Workflow

Edit Report

Name	Deviations - Originator	ConfigForm	Deviation Form
Abbrev Name	Deviations - Origin	Activity Location	Top

SS 4-61 The Deviations – Originator group has all of the same Permissions and Workflow as the copied Full Permissions group. The next step is to edit the group to fit the business rules for which an Originator uses.

3. Select the **Permissions** tab next. On this screen, the following overall permissions need to be set. Only have the following boxes selected: **Can Open**, **Can Assign/Re-assign** and **Can Post Activities**.

Group Category Details: Deviation - Originator

Details | **Permissions** | Workflow

Save Cancel Report

Can Open	☒	Can Assign/Re-Assign	☒
Can Re-Open	☐	Can Post Activities	☒
Can Create Children	☐	Can Create as Child Only	☐

SS 4-62 The Originator group can create new Deviations (Can Open), assign or re-assign to a new user (Can Assign/Re-Assign) and post activities to progress the record, based on the activities available from the workflow tab (Can Post Activities).

4. Leave the data field permissions alone, although any of the groups within the project can have a variation of which fields are editable and not. Click **Save**. Select the **Workflow** tab. It is here that most of the configuration changes are applied since the group duplicated was the Full Permission group. Start with the Opened state and verify that the Submit activity is here.

PR State **Opened**

Save Cancel Report

Available Activity Types


☐	Activity Type Name
☐	Acknowledge
☐	Analysis Complete

Activity Types In Workflow

☐	Activity Type Name	PR State Upon Performance
☐	Submit	Supervisor Review

SS 4-63 The Opened state is where the Originator group category can submit a new Deviation to be reviewed.

- For the rest of the states, clear out all of the other **Activity Types in Workflow** options for each additional one. When finished, click **Save** for each **PR State**. A report can run from this screen to verify that the only state, Opened, is still configured.



SS 4-64 Only the Opened state will have activities available which match the activity types available in the workflow.

- After the **Permissions** and **Workflow** tabs are edited, the new group category is complete. This same group or the Full Permissions group for Deviations can be duplicated to create the next series of groups.



Refer to the following set of tables below to create the additional groups. Most of the groups listed have the same field permissions as the original Full Permission group with the exception of Deviations – Assignee which is noted below. Each group is unique in terms of permissions and workflow rights for Deviations. In addition to the groups listed on the workflow diagram, a view-only group is also listed for those particular Deviation project members who have read-only rights to the records.

Deviations – Supervisor

<i>Permissions</i>	
Can Open = No Can Re-Open = Yes Can Create Children = Yes	Can Assign / Re-Assign = Yes Can Post Activities = Yes Can Create as Child Only = No
<i>Workflow</i>	
<u>PR State</u> Supervisor Review Pending Final Approval	<u>Activity Types in Workflow / PR State Upon Performance</u> Request More Info / Opened Supervisor Review / Investigation Cancel / Closed – Cancelled Final Approval /Closed- Done Reject – CAPA Plan/ Pending CAPA Plan

Deviations – Assignee

<i>Permissions</i>	
Can Open = No Can Re-Open = No Can Create Children = Yes	Can Assign / Re-Assign = Yes Can Post Activities = Yes Can Create as Child Only = No
<i>Workflow</i>	
<u>PR State</u> Root Cause Analysis Pending CAPA Plan	<u>Activity Types in Workflow / PR State Upon Performance</u> Analysis Complete / Pending CAPA Plan Further Invest. Req. / Investigation Route for Initial Approval / Pending Approval

Deviations – Quality

<i>Permissions</i>	
Can Open = No Can Re-Open = No Can Create Children = Yes	Can Assign / Re-Assign = No Can Post Activities = Yes Can Create as Child Only = No
<i>Workflow</i>	
<u>PR State</u> Pending Approval	<u>Activity Types in Workflow / PR State Upon Performance</u> Operations Approval / None (Parallel Approval) Quality Approval / None (Parallel Approval) Optional Approver / None (Parallel Approval)

Deviations – View Only

<i>Permissions</i>	
Can Open = No Can Re-Open = No Can Create Children = No <u>Data Field Permissions :</u> View Only	Can Assign / Re-Assign = No Can Post Activities = No Can Create as Child Only = No
<i>Workflow</i>	
None	

When finished, click **Back to Group Categories**.

4.14 Project Changing Activities

Within a workflow it is possible for activities to change the record over to a different project, however maintain the same data filled out in the record as available in the new project. The record maintains the same record ID number (PR#) and the audit trail tracks the change. Here are two examples of using project changing activities.

- One project called Requests allows TrackWise users to create a record with the potential of changing it over to a business-relating tracking record. If the request is for something specific, it serves as an information gathering project before changing. It can change to an Internal Audit project record, for example, if the request is thorough and justifiable.
- A Minor Complaint project record with a few steps in the workflow and a scaled back form has the potential to transform into a Major Complaint project record. This other project has a different workflow with many steps involved. The project concept is the same but the process and forms are different.

The following workbook exercise addresses how to create an activity with this functionality.



1. Click **System Configuration – Activity Types**. Verify the process group is set to **Initial Group**.
2. Click **New**. Create an activity called **Major Deviation**. Although it is not used in the current configuration, the steps to create a project changing activity are addressed.
3. Uncheck **Edit Summary Only**.
4. Select the following check boxes:

Require Person Responsible	Perform by Responsible Only
Show Summary Field	Perform Now Only
Require Summary	Show On Desktop

5. Click **Save**.

System Settings			
▶ Name	Major Deviation	▶ Abbrv Name	Major Deviation
Process Group-specific Settings			
Perform By Others Only	No	Perform By Anyone	No
Can Schedule	No	Perform By Responsible Only	Yes
Min Participants	0	Perform Now Only	Yes
Require Electronic Signature	No	Show On Desktop	Yes
Require Person Responsible	Yes	Activity Type Selection Value Class	
Show Summary Field	Yes	Can Edit All Data	No
Require Summary	Yes	Edit Summary Only	No
Can Assign to Group	No	Person Filter for Activity Responsible	
Schedule To Any Member	No		

SS 4-65 This activity is performed-only to move the record from one project type to another.

6. Click **Project-changing**. Refer to the options of selecting a Division and the associated projects within the process group. A record can change both division and project name to another. Configuration is not required. Click **Save**.

The following rules apply to use this feature:

- The Activity Type cannot be State-changing in a group category Workflow tab.
- The State, from which the Project-changing Activity is taking place, must exist in the destination Project as well.
- The user must be a member of both the source and destination Project.
- The same Project Category must apply in both the source and destination Project.
- The user's current scope must include both the source and destination Project.
- It is also recommended but not mandatory that the Activity Type be configured as non-schedulable.

Conclusion:

Projects are made up of Group Categories which contain Permissions and Workflow. By designing these groups, a complete list of available security groups within the project is available.

Deviations - Assignee	Deviation Form
Deviations - Full Permissions	Deviation Form
Deviations - Originator	Deviation Form
Deviations - Quality	Deviation Form
Deviations - Supervisor	Deviation Form
Deviations - View Only	Deviation Form

SS 4-66 All six of these groups are added to the project in the next chapter.

Parallel Approvals use a different approach in terms of configuration. When configuring the Workflow tab, they do not use a State Upon Performance. This type of configuring is done from the Tasks screen.

The Full Permission Deviations group is used by both TrackWise Administrators and the Coordinator application in order to progress records through the workflow. In the next chapter, these groups are all added to complete the Deviations project. Additional Project specific settings are addressed in order to complete the Deviation tracking.

Notes:

5. Additional Project Settings

5.1 Overview

In the last chapter, the group categories which make up the project were configured based on permissions and workflow. There are now six groups which make up the Deviations project. In this chapter, the groups find their way home under a project name and the specific project settings available are addressed.

Back in the introductory class, one important project-specific setting in particular, Required Field Class, was used to identify which fields on the form needed information as the record travelled along the workflow. In this chapter, additional settings for projects are addressed in order to have the Deviations project work as intended, per the business rules.

1. Before the project is named, refer to **Web Administrator** and under **System Configuration – Terminology**, click **Project Category**.

Terminology
Name ^
Entity FlexField
Languages
Meaning
Person FlexField
Person Role
Person Title
Project Category
Record Type
Salutation
Version Category
Windows Domain

SS 5-1 Project Category is one of many global rules which can be implemented.

- Click **Add** and enter the name **Deviations**. Click **Save** when finished.

Terminology Details: Project Category				
Show 15 Results Per Page		First Previous 1-8 of 8 Next Last		
Delete	Name	Abbrev Name	Desktop Layout	Seq. No
☐	CAPA	CAPA	(As Per Login)	56
☐	Customer Support	Customer Support	(As Per Login)	3
☐	Deviations	Deviations	(As Per Login)	57

SS 5-2 Deviations the label is added along with the other project names.

This setting is used in the next section to identify which project this is for and other features such as Desktop Layouts.

- While in **Terminology**, select **Record Type** and do the same. Record Type is used for project specific settings such as **Create Children Class** to organize which projects are associated with one another on a family related level.


Terminology Details: Record Type		
Show 15 Results Per Page		First Previous 1-3 of 3 Next
Delete	Name	Abbrev Name
☐	CAPA	CAPA
☐	Deviations	Deviations
☐	Investigations	Investigations

SS 5-3 The record type of Deviations is added under Record Type Terminology.

5.2 Adding the Group Categories to the Project

Before users can join the Deviations project, the group categories from the previous chapter are added in order to list the available security groups available.

Refer to Web Administrator and click **System Configuration – Projects**.



SS 5-4 Within the Projects screen is where for the first time the Deviations project is named and finalized with the group categories from Chapter Four.



1. The Deviations process group does not yet have projects available. A process group could contain several projects or just one, as in this example. Click **New** at the top of the screen. Name the project **Deviations**.

▶ Name	Deviations
--------	------------

SS 5-5 The name entered here is visible for all records under this project that are created.

2. For **Division**, select **New Jersey**. This setting addresses where the tracking will take place.
3. For **Record Type** and **Project Category**, use the same label for each, **Deviations**, as configured in the Terminology screen.

▶ Name	Deviations
▶ Division	New Jersey
▶ Record Type	Deviations
▶ Project Category	Deviations

SS 5-6 The required fields to fill out for the project that have been addressed so far.


4. Leave the **Required Field Class** and **Notification Template** lists alone. Add the **Task Set** of **Deviation Task Set** for this field.

Task Set	Deviation Task Set
----------	--------------------

SS 5-7 This task set contains the parallel approval rules from Chapter Four. Only when a parallel approval task set is applied will it work as intended.

5. Click **Save** when finished. The **Details** tab is configured for now but additional project specific settings are added to further define the functionality of the project.


- To add the group categories, refer to the next tab **User Groups**. On this screen, each of the six groups will be added. A User Group is a label to describe the type of group category. Since the groups are named in a manner where it is obvious as to what their permissions are, the user group names are used to describe each in one word. Click **Add** and for the first one and call it **Full Permissions**. For the **Group Category**, select **Deviations – Full Permissions**.



Project Details: Deviations			
Division : New Jersey			
Details User Groups Membership Versions			
Add Save Cancel Report			
Delete	Name	Abbrev Name	Group Category
☐	Full Permissions	Full Permissions	Deviations - Full Permissions

SS 5-8 The Full Permissions user group name is tied to the group category, Deviations – Full Permissions

- Click **Add** and add the rest of the additional groups for Deviations. When finished, click **Save**. For the name to use, refer to the following screen capture.



Project Details: Deviations			
Division : New Jersey			
Details User Groups Membership Versions			
Edit Report			
Delete	Name	Abbrev Name	Group Category
☐	Full Permissions	Full Permissions	Deviations - Full Permissions
☐	Assignee	Assignee	Deviations - Assignee
☐	Originator	Originator	Deviations - Originator
☐	Quality	Quality	Deviations - Quality
☐	Supervisor	Supervisor	Deviations - Supervisor
☐	View Only	View Only	Deviations - View Only

SS 5-9 All six groups are assembled within the Projects screen.

- As a reminder, when a user joins a project they are able to have one group category. When signing up users to join this project, find out what their purpose is within the project.

9. On the right side of the screen is a column for arranging group categories called **User Role Priority**. This is used if a user's login account is using multiple user roles with overlap between one set of group categories and another. In this example, make sure **Deviations – Full Permissions** has sequence number **one**. If a user with this set of rights should be part of two separate user roles with different group category rights for Deviations, the group with the closest sequence number to one is used.

5.3 Notifications

TrackWise offers the ability to have triggered events create notifications to go out to recipients based on their involvement with the record. The three main types of system notifications are the following:

- Field Changes
- Scheduled Activities
- Performed Activities.

For the rest of the notification rules, refer to the Coordinator which can route notifications based on the kinds of records found during its Admin Query search.

Notifications can be sent to recipients based on:

- Name in a person or multi-person field within a record. This does not have to be a TrackWise user. The person name can be anyone as long as their contact name has an email address attributed to their details screen.
- Notifications can also be sent out based on Person Role which project members must be part of when they become a project member. This provides the ability of adding users of a project onto a distribution list that is managed whenever a user enters or leaves project membership.
- Notifications can also be sent to recipients based on first and last name. This is a hard coded way of always sending notifications to a particular recipient but would require maintenance if the person is not supposed to be getting the notifications anymore or if a new person needs to be added.

The format of the notification can either be Email, InTray or both. An InTray notification is read while logged into TrackWise. Email notifications can use templates to design the look of the email and also what data field values.




Workbook Exercises

1. In the following exercise, three different notification rules are established to eventually demonstrate each one. Afterwards, one of these notification rules will have a template to define how the notification would look like. In Web Administrator, refer to the **Notifications – Notification Classes** setting.




SS 5-10 Each project can have its own notification class governing which notifications go out based on triggered events.

2. On this screen, click **New** and create a notification class called **Deviation Notifications**. Click **Save** when finished.




SS 5-11 This notification class is named after the project it is intended for.

- Click the **Notification Rules** tab. In the **Activity Type** list, both audit trailed field changes and activities are listed.




SS 5-12 In alphabetical order, audit trailed fields and activities are listed.

- The first activity type to set a notification for is **Date Due Changed**. When this field changes within a record, the Assignee of the record is notified in order to find out if there is more or less time to get the record closed. Use the notifications based on field changes sparingly or there is a chance that users will ignore emails pertaining to every field change in a record. Select **Date Due Changed** from the **Activity Type** field.
- Click **Add** to include a row where the type of notification and recipient is established.




SS 5-13 More than one row can be added to notify different people based on this particular triggered field change event.

- For the **Notify When** list, select **Performed**. Usually, Performed is the one to select for field changing notifications.
- For **Person(s) To Be Notified** observe the list of possible recipients. They include Person Role, Data Field and Activity Relation.




SS 5-14 For field changes, the first two are usually referred to.

8. Click **Select Data Field** to receive a list of all person and multi-person fields.



SS 5-15 When choosing a person field, select one that is used in the project to which this notification rule affects.

9. Highlight **Assigned To** and select **Fetches PR** for source. If this notification rule was based on a child project, the parent of the assigned to could be notified. In this example, select **Fetches PR**. For Notification Type, select **E-mail**.




SS 5-16 This rule notifies the person assigned to the record that the date due has changed.

10. Complete the remaining columns with **To:** for To: or **CC:** Leave **Notify Manager(s)** blank although the manager of the Assigned To could also be notified. For **Notification Template**, select **Default Template for Deviations**.

To: or CC:	Notify Manager(s)	Notification Template
To:		Default Template for Deviations

SS 5-17 Multiple recipients can be notified at the same time with additional rows on this screen and also by selecting CC:

11. Click **Save** when finished. The first notification rule is now established to notify Assignees when their Date Due has changed.
12. For the next notification, it is based on the performed activity of Supervisor Review. This state indicates the Supervisor accepts the record and progresses it to the state where the Assignee begins work.



SS 5-18 Supervisor Review the activity triggers a notification for the Assignee in order to notify when work should begin with the Deviation.

13. To configure this next notification, select **Supervisor Review** from the **Activity Type** list. Click **Add** to create a new row of notification information. Refer to the following screen capture for settings.

Notification Class Details: Deviation Notifications

Details **Notification Rules (1)**

Activity Type: Supervisor Review

Add Save Cancel

Show 15 Results Per Page First | Previous | 1-1 of 1 | Next | Last

Delete	Notify When	Person(s) To Be Notified	Source	Notification Type	To: or CC:	Notify Manager(s)	Notification Template
☐	Performed	Select Data Field... Assigned To	Fetch PR	E-mail	To:		Default Template for Deviations

SS 5-19 In this example, when Supervisor Review is performed, the Assigned To data field is notified that it is time to start working on the Deviation.

- Click **Save**. Finally, create one more for the **Activity Type** of **Operations Approval**. All schedulable activities should have a notification rule established as one of many ways to alert someone that there is a scheduled approval for them to do. With the Deviation workflow there are two additional potential schedulable activities. They are Quality Approval and Optional Approver. Refer to the following screen capture to set one up as an example. Click **Save** when finished.

Notification Class Details: Deviation Notifications

Details **Notification Rules (3)**

Activity Type: Operations Approval

Edit

Show 15 Results Per Page First | Previous | 1-1 of 1 | Next | Last

Delete	Notify When	Person(s) To Be Notified	Source	Notification Type	To: or CC:	Notify Manager(s)	Notification Template
☐	Scheduled	Activity Relation: Responsible for Activity		E-mail	To:		Default Template for Deviations

SS 5-20 When Operations Approval is scheduled, the person responsible to perform it is notified.



- Configure two more notification rules for the other schedulable activities, Quality Approval and Optional Approver. For each one, notify when scheduled, use responsible for activity, email for notification type and finally the default template. In the next section, notification templates are covered.
 - Refer to the two screenshots for configuration verification.
- Quality Approval (Scheduled)**

Notification Class Details: Deviation Notifications

Details **Notification Rules (4)**

Activity Type: Quality Approval

 Edit

Show 15 Results Per Page First | Previous | **1-1 of 1** | Next | Last

Delete	Notify When	Person(s) To Be Notified	Source	Notification Type	To: or CC:	Notify Manager(s)	Notification Template
☐	Scheduled	Activity Relation: Responsible for Activity		E-mail	To:		Default Template for Deviations

SS 5-21 If Quality Approval is scheduled, the person responsible for performing the activity is emailed.

Optional Approver (Scheduled)

Notification Class Details: Deviation Notifications

Details **Notification Rules (5)**

Activity Type: Optional Approver

 Edit

Show 15 Results Per Page First | Previous | **1-1 of 1** | Next | Last

Delete	Notify When	Person(s) To Be Notified	Source	Notification Type	To: or CC:	Notify Manager(s)	Notification Template
☐	Scheduled	Activity Relation: Responsible for Activity		E-mail	To:		Default Template for Deviations


SS 5-22 If Optional Approver is scheduled; the person responsible for performing the activity is emailed.

5.4 Notification Template

Each notification type can have its own notification template. This provides the ability to design the look of the email by using static text along with data field values from the very same records. In the next section, one of the notification rules, Date Due Changed will have its own notification template. The same template can be used in all of the projects to identify changed due dates. The Default Template comes with TrackWise and provides generic information. Notification templates can be specific and detailed based on the event which triggered it.




1. Refer to **Notifications – Notification Template**. Click **New**. Call this template **Date Due Changed**.



SS 5-23 This template is linked to the notification of the same name


2. Listed in the **Data Field** list are system-based notification features such as PR Link (used to embed a hyperlink to bring up the record onscreen) and Notification Summary (prints a copy of the activity summary which appears within the audit trail history entry). Data Fields are also listed here.
3. For the **E-mail Subject** line, enter the following text: **Notification regarding Date Due changed.**



SS 5-24 The subject line can use both static text as well as data field values.

4. The body of the email uses both static text and data fields from the particular record which triggered the notification to generate. To add a data field holder, select the field from the **Data Field** list then click **Add Field Value**. Follow this technique by adding the following information into Email-Text:

Record <%PR Link%> now has an updated Date Due value of <%Date Due%> . Please follow up if necessary to ensure this record is closed on time. If you have any questions please contact <%Supervisor / Manager-->Name%> .




SS 5-25 The Add Field Value button brings the data field holder over to the E-mail Text box. The Add Field Tag brings over the static text label for the field instead of typing out the actual field name.

The field value option transfers the specific data from the record to the email. By using a variety of field values the notification reflect exactly the content within the record. Use fields that are relevant and typically filled out within a record in order for the


information to be available. In addition to data fields onto the template, HTML markup codes such as bold, italic, hyperlinks and underline can be used.

- Click **Save** when finished. This template can now be applied to the Date Due Changed notification activity. Refer back to **Notifications – Notification Classes**. Click **Deviation Notifications**. From the next screen select **Date Due Changed**.




SS 5-26 Date Due Changed is selected so the template can be applied.

- From the **Notification Template** list select **Date Due Changed**. Click **Save** when finished.



SS 5-27 The template is applied for this notification rule.

- Finally, to add the bundle of notification rules over to the Deviation project, refer back to **System Configuration – Projects** and click **Deviations**. On the details screen add this notification class.



SS 5-28 The notification class enables notifications to go out based on the specified triggered events.

To summarize, notifications based on system events fall into three categories. They range from field changes, scheduled activities and performed activities.


The recipient of these notifications can be based on the people involved within the record, based on project membership person role or hard coded for an individual by name. In the previous workbook exercises, each type was configured and demonstrated shortly once all of the configurable components are put together.

5.5 Notification by Project

This particular feature is not recommended to be configured due to the limitation of notifications based on a particular person name only. Migration issues could occur where the person mentioned in this feature is not the same person based on PID (person identifier) being different between the two.


5.6 Clear Value Class

In addition to Notifications, there are other project-related settings which can be applied. Based on business rules, specifics can be integrated within TrackWise to accommodate specific configurations. Click **System Configuration – Projects** screen and refer to the list of project class settings.



SS 5-29 The list of available project classes is available here. Once configured, they are applied to the project within the Project details screen.

For the first example, Clear Value Classes is configured to address the problem when an e-signature activity fills out a person and date/time field on the configuration form but due to a rejection or re-opened record, it goes back to a previous state before the activity took place. In the following screen capture, the re-opened Deviation goes back a step before Final Approval On and Final Approval By.



SS 5-30 Re-opening the Deviation brings the record back to Pending Final Approval before the two fields would be auto populated.



Workbook Exercises

1. Refer to **System Configuration - Projects - Clear Value Classes**. Click **New** and create one called **Deviation Clear Fields**. Click **Save** when finished.

Clear Value Class Details: Deviation Clear Fields			
Details		Clear Values (0)	
 Edit			
▶ Name	Deviation Clear Fields	Project(s)	(Division/Project)
		Using Clear Value Class	

SS 5-31 Re-opening the Deviation brings the record back to Pending Final Approval before the two fields would be auto populated.

2. Select the **Clear Values** tab. Notice the option to choose which state to clear fields from. In this example choose **Pending Final Approval**.

Details		Clear Values (0)	
 Import From PR State  Save  Cancel			
PR State	Pending Final Approval ▼		


SS 5-32 Having a copy of the workflow handy ensures that the correct state and fields to clear are applied.

- From the Available Data Fields column, click **Final Approval By** and **Final Approval On** to bring them to the right side of the screen to **Data Fields To Clear**.



SS 5-33 These two fields coincide with the workflow diagram where they are auto populated.

- Click **Save** when finished. Refer back to **System Configuration – Projects** and click **Deviations** to bring up the project details screen. Add **Deviation Clear Fields** class setting.




SS 5-34 This feature will be active the next time users log in to TrackWise.


- Click **Save**. This feature is now in use with the Deviation project. Whenever a field is cleared out with this feature, it is audit trailed in the record's activity history as a system feature which cleared the fields.

5.7 Lock Field Classes

Another project specific feature allows the ability to lock down specific fields from becoming editable until the record reaches a particular state. Instead of locking down the whole record, only specific fields may need to be restricted for a particular series of states. Consider the following screen capture of the workflow and configuration form.



SS 5-35 On the Deviation form, there are three fields that are based on Investigation and Root Cause analysis results. However, they shouldn't be editable until the Deviation reaches a particular state.




SS 5-36 Only when the Deviation enters the state of Root Cause Analysis should the fields under the Investigation & Root Cause tab become editable.

To configure this option, these three fields will remain locked until the state of Root Cause Analysis where they become editable for the first time.




Workbook Exercises

1. Refer to the **System Configuration - Projects - Lock Field Class** screen. Click **New** and create one called **Deviation Locked Fields**. Click **Save** when finished.




SS 5-37 This class setting controls when the three particular fields suddenly become editable.

2. Select the **Lock Fields** tab. From the State list, choose the first state of the workflow, **Opened**. Select the following data fields to be brought over to the **Data Fields To Lock** column.



SS 5-38 These are the 3 fields that should be locked down until a later state.

3. This coincides with the workflow which indicates that these fields should not be editable until the state of Root Cause Analysis. Click **Save**. There are two additional states to keep the fields locked as it progresses. To bring over the same three fields from before, select **Supervisor Review**.




SS 5-39 With the Supervisor Review state selected, the Import From PR State button allows the same fields from the previous Opened state to be brought over and stay locked.

4. Click the **Import From PR State** button. A screen opens to show all states in TrackWise. Since the Opened state was just configured with fields to lock down, click **Opened**.


Notice that the same three fields from before auto populate the **Data Fields To Lock** column. Click **Save** when finished.

- Finally, choose the **PR State** of **Investigation**. Click **Import From PR State** to bring up the State screen once again. Since the **Supervisor Review** state was just configured, select this one. The same three fields appear under the **Data Fields To Lock** column.




SS 5-40 The same fields remain locked for the Investigation state but are unlocked afterwards.

- Since the Root Cause Analysis state is next after the Investigation state, these fields are now editable because the investigation is complete and the assignee is working on the Root Cause of the Deviation.



SS 5-41 Coordinator progresses the record from Investigation to Root Cause Analysis once it detects that the Investigation is completed.

- Add the **Lock Fields Class** to the Deviation project by clicking **System Configuration – Projects** within the details of Deviation add the Lock Fields Class. Click **Save**.



SS 5-42 The lock goes into effect the next time the users log in. Any record in this particular state have these particular fields locked.

8. Click **Save** when finished. Overall, the first three states of Deviations prevent these particular fields from being editable. Only when the record reaches the state of Root Cause Analysis is when the fields are finally editable. Also keep in mind that a locked state (displayed with the padlock) overrides the Lock Field Class.

5.8 Conditionally Required Fields Classes


This feature allows a selection field's value determine which fields on the form need to be filled out as required fields. In the Introduction Configuration course, fields were made required using the other class setting, Required Field Classes. This meant that the record had to move to the next state in order to make fields become required. With Conditionally Required Fields Classes, the record does not have to progress to the next state in order to become required. The conditionally required field can be non-state specific or based on state(s).

In the following example, the **Type** field determines if the string field **Equipment ID** and **Equipment Description** needs to be completed immediately due to the fact that this Deviation type involves a device. Additionally, the field will be set as required based on the state of the record. In the following example, the fields **Equipment ID** and **Equipment Description** will be set as required in states **Supervisor Review**, **Investigation** and **Root Cause Analysis**.




Workbook Exercises

1. Refer back to Web Administrator and click System **Configuration – Projects – Conditionally Required Fields Classes**.




SS 5-43 Conditionally Required Fields Classes is one of many project-specific settings which can be applied to accommodate specific business rules.

2. On the main screen to the right, click **New** and create a new one called **Deviation Conditional Fields**. Click **Save** when finished.
3. Select the **Fields** tab. For **Conditional Field**, select **Type**. For **Conditional Value**, a list of all Type values appears. Select **Device(s)**. For PR State, a list of states appears. Select **Supervisor Review**.




SS 5-44 Within a selection field, each value has the potential to make fields on a form become required on a certain state.

4. The **Available Data Fields (Field Type)** list contains all data fields in TrackWise. As a reminder, select the field(s) to make required as long as they are available on the project's configuration form. In this example bring over **Equipment Description** and **Equipment ID**.
5. Click **Save** when finished.
6. Add these fields as required for the following states: **Investigation** and **Root Cause Analysis**. Click **Save** when finished.




SS 5-45 The State Specific refers to conditionally required setting based on a state and the Non-State specific indicated the field will be conditionally required at every state of the workflow.

7. Finally, add this set of rules to the Deviation project. Refer back to **System Configuration – Projects** and click the **Deviations** project. Within the details screen towards the bottom left there is the option to add this feature.



SS 5-46 Deviation Conditional Fields are added to the Deviation project.

8. Click **Save** when finished. As an example, refer to the following screen capture where the **Type** of Deviation is **Device(s)** and these two fields have become required.



The screenshot shows a configuration form with the following fields and dependencies:

- Date Occured:** A date picker with a 'Now' button.
- Building:** A dropdown menu with 'A' selected.
- Location Type:** A dropdown menu with 'Factory' selected.
- Type:** A dropdown menu with 'Device(s)' selected. A red arrow points to this field.
- Floor:** A dropdown menu with '1' selected.
- Department:** A text input field with a 'Search' button.
- Equipment ID:** A text input field with a green checkmark icon. A red arrow points to this field.
- Equipment Description:** A dropdown menu with 'Enter Your Selection Here' selected. A red arrow points to this field.

SS 5-47 The Type field is the toggle selection field for specific fields to become required.

Overall, required fields can be based on specific selection values from a selection field. Each selection value can trigger similar or different fields within the form to become required.



On Your Own Exercises

1. Create another single selection data field called **New CAPA Required?**.
2. Add two selection values for the field: **Yes** and **No**.
3. Set the full permission group category for Deviations to have **Can Edit** and **Can View** selected.
4. Reload the TrackWise service from the Tomcat Manager screen. Add the field onto the configuration form in TrackWise.
5. For **Conditionally Required Fields**, set **Referenced Records** to become required when **New CAPA Required** is set to **No** for every state in the workflow.
6. Save the change to the field class.

5.9 Dependent Date Field Class

This feature enables a minimum number of days or greater for specific date fields within a record. When a user manually enters a date value, it is enforceable to meet a specific amount of days or more. Administrators can display a warning message if the condition is not met and

still allow users to save the record or prevent them until the number is correct. In the following example, **Date Due** must be at least ten days after another date field, **Date Occurred**.



Workbook Exercises

1. In Web Administrator click **System Configuration – Projects – Dependent Date Field Classes**.
2. Click **New** and create a class called **Deviation Dependent Date**. Click **New Jersey – Deviations** to associate this class setting under Project(s) Using Dependent Date Field Class.
3. Click **Save**. To set this feature, click the **Data Fields** tab. On this screen click **Add** to create a row for configuring.
4. The Dependent Field is to select the date field to enforce this rule with. In this example select **Date Due**.
5. The Time Interval is the minimum number of days or greater for this rule to enforce. In this example, set this field to **10**. This number is based on the setting of business or calendar days from the projects screen.
6. The Reference Field is used to base the time interval on. In this example select **Date Occurred**. If the Deviation occurred on February 1, the due date must be February 11 or later.
7. **Allow Save Anyway** is an option where the user is warned that the number they are contributing does not meet the time interval value or greater. When checked, the user is warned but is allowed to save the record. When unchecked, the user is warned and not able to save the record. In this example, leave this box **unchecked**.
8. Click **Save**. The setting appears as the following.

Dependent Date Field Class Details: Deviation Dependent Date

Details
Date Fields (1)

Edit

Delete	Dependent Field	Time Interval (days)	Reference Field	Allow Save Anyway
	Date Due	10	Date Occured	No

SS 5-48 The Date Occured field and Time Interval influences what Date Due values are acceptable by users.

5.10 Concatenated Field Classes

This feature incorporate an empty string field on the form which borrows from other fields filled out. The values borrowed are combined into a string of information on a record. Often this is used to build a code based on data from within the form. This feature borrows data from current Single Selection and String fields to fill out an empty String field.



Workbook Exercises

1. Click **System Configuration – Projects – Concatenated Field Classes**. Click **New** and add an entry named **Concatenated Deviation Fields**.
2. Choose **New Jersey / Deviation** as the project to use this feature. Click **Save**.
3. Click **Class Data Fields**. For the string field use **Equipment ID**. This field is populated with data from other fields on the record. From the available field's column, select **Equipment Description** and **Title**. These two fields are to fill out Equipment ID automatically. Use an asterisk symbol for Postfix to separate these two values.
4. Click **Save**. The name of the equipment which contributed to the deviation appears as the equipment ID with the title of the record next to it. If the title changes, the value within equipment ID changes as well.

Concatenated Field Class Details: Concatenated Deviation Fields

Details **Class Data Fields (2)**

 Edit

String Field **Equipment ID** 

 Search

Available Data Fields (Field Type)

- Building (Single Selection)
- Category (Single Selection)
- Close Requirements (Single Selection)
- Division (Single Selection)
- Floor (Single Selection)
- Location Type (Single Selection)



Data Fields in Concatenated Field Class

☐ Source Field(Field Type)	Prefix	Postfix	Capitalize	Is Visible
☐ Equipment Description (Single Selection)		*	No	Yes
☐ Title (String)		*	No	Yes

SS 5-49 The Equipment ID field is auto populated by Equipment Description and Title.

5.11 Calculated Date Classes

This feature uses a number field and a date field already filled out on the form to auto-populate an empty date field. The number is used to enter an amount of months added to a date field to produce a calculation of months to auto-populate with.

To prepare for this exercise, refer to the following steps:

1. Create a number field called **Deviation Number**.
2. Give **Can Edit** and **Can View** rights to this field within the group category **Deviations - Full Permissions**.
3. Reload TrackWise with **Tomcat Manager**.
4. Add the field to the configuration form in a spot of your choice.
5. Log out of TrackWise and return to Web Administrator.



Workbook Exercises


1. Click **System Configuration – Projects – Calculated Date Classes**. Click **New** and create a class setting called **Deviation Calculated Date**.
2. Click **New Jersey / Deviations** for project and division to use this feature. Click **Save**.

3. Refer to the target field list. All user defined date and date/time fields are listed here. In this example select **Date Due**.
4. The source field list is for choosing the date field to base the target field on. In this example use **Date Occurred**.
5. The number field list is used for the user to fill out a number with which equates into month for the target date due field. In this example use **Deviation Number**.
6. The number field source is used for the location of the number field within the family tree of projects. In this example use **Fetches PR**.
7. The day offset adds or subtracts days that are populated within the target field. Set the value to **0**.
8. The expiration field is an option to prevent the target field from exceeding a specific date value based on another date field on the record. In this example leave this field **BLANK**.
9. Click **Save**. In this example, Deviation Number determines how many months, based on Date Occurred, to set Date Due with.

Calculated Date Class Details: Deviation Calculated Date						
Details Target Fields (1) PR States						
Edit						
Delete	Target Field	Source Field	Number Field	Number Field Source	Day Offset	Expiration Field
☐	Date Due	Date Occurred	Deviation Number	Fetches PR	0	

SS 5-50 Date Due is based on Date Occurred and Deviation Number in months.

10. The PR States tab is configured to allow the class setting to set the date due when the record enters a particular state. In this example, select **Opened**. Once the new Deviation appears in this state, the date due is auto populated. For best practice make sure the source field is required before entering the state which this feature is used for.



SS 5-51 Date Due is auto populated when the record arrives in the Opened state.

5.12 Additional Project Class Settings

In addition to the project settings configured in this chapter and the Required Field Class from the introductory class, below is a list with a brief synopsis for the additional ones available in Web Administrator.

1. **Default Value Classes:** This feature allows a selection field on a form to default to a specific selection value. This field can be changed by a project member with the correct permissions but it is meant to default a specific selection field to be that of a certain value. One example would be a selection field called Requires Approval to always default to Yes unless a project member with edit rights could change it to No.
2. **Create Children Classes:** This feature allows the design of a family tree to permit or exclude specific projects. It also authorizes children records to be of the same Division as their parents only.
3. **Report Classes:** This feature allows a project to choose from a specific list of Single and Multi-Reports within TrackWise. Using this feature, only relevant reports for the particular project appears as options, rather than the complete list of reports in TrackWise.
4. **Auto Number Classes:** This feature is used to build an incremental numbering system for projects. By default all records in TrackWise have a unique PR # attributed to them. With Auto Number, a numbering system can be created to suit the needs of a project which require their own numbering system.
5. **Calculated Number Classes:** This feature enables selection field values to be assigned a numeric value. When more than one selection field has selection values selected, it

auto-populates a number field with the totaled value. This is used with risk assessment by determining, based on the selection values on the form, if there is risk involved from the selection value results. The number field can be in view for the users or hidden depending on its intended use.

6. **Child Tree Display Classes:** This feature allows the design of the tree structure found within a configuration form. The **Family** button in every record can bring up a list of all related records. This display class allows the tree to have a specific look based on values filled out within the records.
7. **SharePoint Site Classes:** This feature enables SharePoint workspaces to be accessible from within a TrackWise record.

5.13 Project Features

In addition to adding Project Class Settings within the Project details screen there are a few additional features of note to highlight. Refer back to the Deviations project details screen.

1. **Require E-Signature:** When checked this enforces an e-signature for every change done to a record within the project. Normally this is controlled by enabling e-signatures for specific activities but with this feature, all changes require an e-signature.
2. **Business Days Rule:** This feature works with Dependent Date Field Class and with the Coordinator's ability to set Date and Date / Time fields. If set to Calendar, all seven days of the week are taken into account. If set to Business Days, only five days of Monday – Friday are used. A related feature called Holiday Schedule is used to block out a range of days to prevent the Coordinator from filling out a date field with these specific dates. A common example is when Coordinator sets the date due field but to not include January 1 as the date the record should be closed by.

Business Days Rule	Calendar
Date Due Is Date/Time (Otherwise Date)	Calendar Business

SS 5-52 Business Days Rule can be set to Calendar or Business.

3. **Date Due is Date / Time (Otherwise Date):** This feature, when checked, allows the time to be entered within the **Date Due** field. If left unchecked, then only a Date is allowed to be entered.

Date Due Is Date/Time (Otherwise Date)	☐
Can Close PR With Open Children	☐
PRs Can Be Assigned To Anyone	☐
Show Required Fields Tab	☐

SS 5-53 The next several features are explained.

4. **Can Close PR With Open Children:** This feature is for Parent projects in a family tree where the parent record can close ahead of its open children. If left unchecked, the user sees a warning that closing the parent record is not available at this time because of open children.
5. **PRs Can Be Assigned To Anyone:** When checked, this feature allows the person field **Assigned To**, to have any contact name within the field. By default it only allows project members to be listed as choices.
6. **Show Required Fields Tab:** When checked, this temporarily displays a tab on the right side of the form to list all required fields that need to be filled out before a record progresses.
7. **File Store Settings:** When checked, this allows a project to store their file attachments on the application server instead of the database. This lessens the amount of space used on the database to store file attachment which often take up a lot of space on the database server. The Text Search feature in TrackWise cannot look for words inside of file attachments if this feature is used.

Features such as Virtual Group Categories are covered in the next chapter.

5.14 Person Filter Class

Person Filter class allows person and multi-person fields to have a precise list of available names to choose from when searching within these particular field types. By default all person-related fields on a form show all contact names within the TrackWise address book. Names are filtered by person role or by exact name.


Person Filter is also used for scheduling activities. The list of available project members is configurable as the alternative to scheduling to a group with one recipient to come forward and perform the activity. Scheduling activities is also configurable to only show project members

who have the activity in the group category workflow. With Person Filters, the list of names is precise based on preference.

The next workbook exercise creates a filter for the person field Supervisor/Manager. This field is designed to only show managers within the Deviations project and not all contacts in the address book.




1. In Web Administrator click **User Management – Persons – Person Filter Classes**.
2. Verify Deviations is the current process group. Click **New**.
3. Name the filter class after the data field that is going to use it, **Supervisor/Manager**. Click **Save**.
4. Click **Membership**. The filter is based on Person Role. Click **Add** and select **Project Manager**. The option to filter based on exact name is available here with the option Manually Select Person.
5. Click **Save**. The filter is set to only show project managers in a project with this particular person role.



SS 5-54 This person filter is based on the person field to only show managers and supervisor names.

6. Apply the filter to Supervisor/Manager by referring back to **System Configuration – Data Fields**.

7. Search for the data field called **Supervisor / Manager**. Click **Person Filter Classes**. Notice this screen is process group specific. The same person field in a different process group is able to use a different filter without impacting other process groups and projects using the same field. In this example click the arrow to bring over the **Supervisor/Manager** filter to Included Person Filter Classes.



SS 5-55 The person filter is applied to the person field.

8. Click **Save**. This feature requires a reload of the TrackWise web application through Apache Tomcat Manager to work. A person field is allowed to have more than one person filter class applied.

5.15 Batch Edit

Batch Edit enables selected users to modify many records at once through a single saved change. Records are editable in batches and the saved changes are in the audit trail. For example, a user is going to set the date due of 20 records all at the same time without accessing each record individually. Through the use of batch edit, the single change affects all 20 records at once.

Batch Edit also allows users to move multiple records of the same state to the next state with the single saved approach. The records on the TrackWise desktop must be from the same project and in the same state. The following workbook exercise shows how this feature is configured to work.




Two web.xml files are edited in order to unlock this hidden feature. For access to the following two files, refer to the server administrator. For classroom instruction, each of these files is accessible.

1. Refer to the computer desktop screen. Click **My Computer** and navigate to **C:\TrackWiseWeb\tw2_Admin\WEB-INF**. This file path is based on the standard TrackWiseWeb installation folder with the specific name of web administrator after.
2. Right-click on **web.xml** and click **Edit**.
3. This xml file contains the installation settings of web administrator. Highlight the following set of parameters with the mouse.




SS 5-56 This snippet of XML is copied and pasted for modification.

4. Right-click on the highlighted text and select **Copy**. Click on the end of </context-param> and enter a blank space underneath.
5. Right-click on the empty space row and select **Paste**. The XML appears as a duplicate to the one above.




SS 5-57 Two of the same XML parameters are available. The second set needs to be modified with the correct batch edit parameters.

6. Modify the duplicate set with the following to activate batch editing. The parameter name is **batch_edit**. The value is **true**. Click **Save**.



SS 5-58 This setting enables batch editing within web administrator under login accounts.

7. Close the file. Open the same file for TrackWise. It is located in the following folder.
C:\TrackWiseWeb\tw2_TrackWise\WEB-INF
8. Right-click **web.xml** and select **Edit**. This XML file contains the installation settings for TrackWise. Highlight one of the parameters to copy and paste. Refer to the following screen capture.




SS 5-59 A copy of parameters is used to incorporate batch editing with.

9. Add a space underneath </init-param> the same way as before with </context-param> Paste the copied information underneath. Modify the information with the following XML settings.

```


<init-param>
<param-name>batch_edit</param-name>
<param-value>true</param-value>
</init-param>

```




SS 5-60 The batch editing parameters are added to TrackWise web.xml

10. Save the changes and close the web.xml. To verify the settings, click **Tomcat Manager**. Reload **tw2_TrackWise** and **tw2_Admin**.
11. Log into TrackWise. The first step is to set up a batch edit class and then apply it to a user's account. Click **Admin – Manage ConfigForms**.
12. Click **Batch Edit Classes**. On this screen a class setting is established with the particular forms to use in order to edit many records at once. Click **Edit – Add Batch Edit Class**.
13. Name the batch edit class **General Edits**. Click **Save**. Class settings contain an assortment of forms to use for global edits.



SS 5-61 The forms included in the class become choices when editing batches of records.

14. Click **ConfigForms**. On this screen click **Edit – Add ConfigForm**. A row appears with a list of forms from other projects. Choose **CAPA : All Permissions** and click **Save**.
15. Close TrackWise. Log into Web Administrator. Click **User Management – Login Accounts**. Click **admin**.
16. A new option appears within Details called Batch Edit Class. Select **General Edits**. Batch editing is distributable on a per user basis regardless of administration-related abilities.




SS 5-62 Selected users are able to batch edit when the class is applied.

17. Click **Save**. Log into TrackWise. Click **View – Batch Edit**. This option appears based on the batch edit class settings. The form is editable to replace, appends and clear information. The records on the desktop are editable with this feature.
18. To demonstrate, verify there are records on the desktop. Click **replace** for **Date Due** and fill in a future date. The following screen capture is using the date from 2011. Use the current year with December 29 as the date.



SS 5-63 Replacing the value of non-locked records is possible on a grand scale.

19. Click **Save**. The audit trail appears. Select a reason for change and **OK**. A prompt for success appears.



SS 5-64 The prompt indicates the selected records were updated.

20. Click **OK**. A screen appears with a list of affected records. Each record has an updated date due.

5.16 Multi Language

Multi Language allows the appearance of TrackWise to be translated into another language. All of the buttons, screen labels, data field names, selection values and help prompts can all be translated into another dialect. The following workbook exercise demonstrates the two way of translating the application.



1. Refer to Web Administrator and click **System Configuration – Terminology**.
2. Click **Languages**. The default English option is here. Click **Add** and create another language. Click **Save** when finished.

Terminology Details: Languages		
Show 15 Results Per Page		
Delete	Name ▲	Abbrev Name
☐	English (US)	English (US)
☐	Spanish	Spanish

SS 5-65 The list of languages is configurable when added onto this screen.

- Translating terms is done within TrackWise. Refer to Tomcat Manager and reload TrackWise. When logging back in, notice the list of available languages.

TrackWise Training Course


Username

Password

Language

SS 5-66 All translated languages are available underneath Password.


- Click **File**. There are two options for translating TrackWise.



SS 5-67 Two options for TrackWise administrators appear for translating the application.

- Translate Terms creates a list within TrackWise for configuring. The translations are edited and saved within the system. The person translating the system must have TrackWise access to use this option.


- Import/Export Terms produces a .TXT or .CSV file for offline translating. The application allows the import of the file back into TrackWise where the translations apply.
5. Click **Translate Terms**. The screen opens and shows a list of screens that are translatable. The fields to translate are below.
 6. Select **Spanish** for Language and the Area of **Data Fields**. Refer to the list that is translatable.



Term (English U.S.)	Spanish Term
Account Manager	-----
Actions Taken	-----
Actual Solution	-----
Additional Investigators	-----
Assigned To	-----


SS 5-68 Terms for translation appear on the screen based on Area.

7. Click **Exit**. Select **File – Import/Export Terms**. With the next option, an export of terms is translated offline and then imported back into TrackWise.



SS 5-69 The Import/Export terms screen provides another way for translating.

8. To demonstrate, click **Export**. A prompt appears to download the file. Click the link to open the file and refer to the list of all potential translated terms.



```
translate_terms_export[1].txt - Notepad
File Edit Format View Help
Activity Types, Acknowledge,
Activity Types, Actions Taken Changed,
Activity Types, Activity Date Scheduled Changed,
Activity Types, Activity Details Changed,
Activity Types, Actual Solution Changed,
Activity Types, Additional Investigators Changed,
Activity Types, Admin Event,
```

SS 5-70 The export file contains a list of all translatable labels and values.

9. This file is imported back into TrackWise with the same option using the Import button. Once the terms are translated, users can log in with the selected language. The particular language choice is cached within the browser in order for it to be pre-selected the next time the user logs in.

5.17 Re-Assign Scheduled Activities

This feature is used when an employee is no longer a TrackWise user but has scheduled activities that were not performed yet. Click **Utilities – Re-Assign Scheduled Activities**. The search box for Current Person Responsible is to look up the name of the person who is no longer a TrackWise user. The New Person Responsible search box is for the name of the replacement person to automatically be scheduled to perform the unfinished activities of the former person. Click Reassign to perform this action.

5.18 Cleanup Admin Activities

This feature is used with Coordinator Admin Triggers which populated several rows of attempts to update records with. When an admin trigger is configured as a top – down approach, it has the potential to try several times until a match is made to update records with. Using this

feature consolidates the multiple entries down to one row in history with the date range and the quantity.

Click **Utilities – Cleanup Admin Activities**. The Admin Activity Type search looks for existing admin activities, particularly ones with admin triggers. The start and end date/time is the range to use when cleaning up with. There is a count that appears under Count of Activities in Selected Range and Count of PRs. Click **Cleanup** to start the process of consolidation.

Conclusion:

In this chapter, the project was created by name along with the six group categories to define what kinds of permissions would be used within the project. These groups ranged from Originator to Full Permissions with Assigned To, Supervisor, Quality and View-Only as well. When a user joins the project, they are given one of these sets of permissions to interact within the project.

Projects can also be configured with specific rules such as Notifications where a triggered event such as a scheduled activity, performed activity or field change in the record sends a notification. The recipient can be someone mentioned within the record's person fields, based on person role for many project members to be notified or simply based on a particular name decided ahead of time.

A project can have many business-specific rules applied such as conditionally required fields, locked fields and cleared fields based on status. Other rules are also available to address the needs for a project to be configured exactly as intended.

In the next chapter, additional features that are project-specific, such as Virtual Group Categories, address the need to implement correct project permissions based on the user's participation within a record.

Notes:

6. Virtual Group Categories

6.1 Overview

In the previous chapter, the Deviation project was finalized with all of the group categories converging onto the screen along with specific settings to address business rules which needed to be applied. In this chapter, a feature called Virtual Group Categories (VGC) is covered. Virtual Group Categories enables person fields on the form to change a project member's default group category right to something else. By allowing this, any project member whose name is entered into a specific person field, temporarily changes their rights for that particular record.

With the following example, the person field **Assigned To** is used to delegate the responsibility of a record to a specific project member. For Deviations, the Assignee is responsible for gathering information about the Deviation so it may be reviewed by others. The following setting is applied to ensure that an Assignee of a Deviation has the proper permissions and workflow rights to the record.

6.2 Configuring the VGC

The prerequisite for this feature is a Group Category and Person Field. In this example, the group category to be used is **Deviations – Assignee** and the **Assigned To** person field. When a project member's name is within the **Assigned To** field, their permissions for this particular record, regardless of their default group category in the Deviations project is changed to **Deviations – Assignee**.



1. Refer to Web Administrator and click **System Configuration – Group Categories – Person Field VGC Classes**.



SS 6-1 The Person Field VGC Classes is located under Group Categories.

- On this screen, click **New** and name it **Deviations VGC**. Click **Save** when finished.

Person Field VGC Class Details: Deviations VGC

Details Person Fields (0)

 Edit

Name	Project(s) Using Person Field VGC Class	(Division/Project)
Deviations VGC		

SS 6-2 This VGC class defines which group categories override existing project member's rights on a per record basis when mentioned by name in a person field.

- Select the **Person Fields** tab. To the left of the screen is a list of all person data fields in TrackWise. Included with the list is PR Creator which is the system's way of knowing who truly created a record in the project. This is the same as Originator except PR Creator cannot ever change whereas Originator could be editable in a record, although rare.

Available Data Fields (Field Type)

- PR Creator
- Assigned To (Person)
- Final Approval By (Person)
- Operations Approved By (Person)
- Optional Approval By (Person)
- Originator (Person)
- Quality Approved By (Person)
- Quality Contact (Person)
- Routed for Initial Approval By (Person)
- Submitted By (Person)
- Supervisor / Manager (Person)
- Supervisor Reviewed By (Person)

SS 6-3 All person fields are listed here which can be paired up with a Group Category.

- For this first example, click **Assigned To** and use the arrow to bring this person field over to the right side of the screen. Then select the Group Category to tie in to the person field with.

Included Data Fields

☐ Data Field Name (Field Type)	☐ Group Category
☐ Assigned To (Person)	Deviations - Assignee

SS 6-4 The correct group category for the Deviations project is chosen.

- Click **Save** when finished. Once implemented for the Deviations project, any project member who has to work in the record as an Assignee, accomplishes this with the permissions and workflow of **Deviations – Assignee**. For a user not using this particular group category on a regular basis for Deviations, the permissions may be different than the ones they are used to. Some Administrators create slightly different configuration forms for the project and alter it to show the user that their rights in the project have changed slightly.



- Continue to add specific person fields and connect them to the group category. Click **Edit**. Add one more person field, **Supervisor / Manager** to the **Included Data Fields** side.
- For the group category, use **Deviations – Supervisor**. Click **Save** when finished.
- The screen appears as the following.

Included Data Fields			
☐	Data Field Name (Field Type)	▶ Group Category	Is Visible
☐	Assigned To (Person)	Deviations - Assignee	Yes
☐	Supervisor / Manager (Person)	Deviations - Supervisor	Yes

SS 6-5 Both rules for two different person fields is available.

- In the event of a tie when a user is mentioned in the two person fields listed here, the one on the top of the screen overrides the others. In this example, the user mentioned in both Assigned To and Supervisor / Manager would use the Group Category **Deviations – Assignee** as the overriding permission.
- When finished click **Save**. Refer back to **System Configuration – Projects** and click **Deviations**. At the bottom right side of the screen, add the VGC to the project. Click **Save**.

Person Field VGC Class (While Editing PR)	Deviations VGC
--	----------------

SS 6-6 Deviations VGC is added to the project.

6. There is a feature in this row to the left side of the screen called **Group Category (While Creating PR)**. If enabled with a group category such as **Deviations – Originator**, all project members are allowed to create new Deviation records. Afterwards, they would revert back to their default group category rights. This is a useful feature for projects where all members need the ability to create a new record within a controlled permission and workflow setting. In this example, leave this list blank.

Conclusion:

Virtual Group Categories permit the ability to override a user's default group category right within the project. This ensures that the correct set of rights are aligned with the person field in question, to allow the correct permissions be used as the user interacts with the particular record. Person fields such as Assigned To and Supervisor / Manager are used within the record so one may refer to these persons based on their responsibilities. By adding them to the field they now use the correct permissions and workflow rights when interacting with the record.

In the next chapter, the Deviations project is put to the test as a way to review all of the key concepts and to validate that each step was done correctly. This can also serve as a checklist for any kind of project verification after the development process is finished.

Notes:

7. Project Verification

7.1 Overview

Now that all of the steps to configure this industry-specific project are done, this chapter covers the steps to ensure everything was configured correctly. Although each company has their own way to validate the configuration, the following is based on the steps performed in this course to build the Deviation project.

7.2 Login Preparation

The first step is to create login accounts and distribute project memberships to users. In this example, these accounts are used to demonstrate the group categories to ensure the permissions and workflows were configured correctly based on business rules. The admin login account used in class refers to the **Deviations – Full Permissions** group category.



1. Log into Web Administrator and refer to the **User Management – Login Accounts** screen. Already listed here are two accounts, the admin account and the coordinator account. Click the **Admin** account.
2. Select the **Membership** tab. On this screen, locate the Deviations project and select **Project Manager** for person role and **Full Permissions / Deviations – Full Permissions** for Group Category. The rest of the settings can be left alone. Click **Save** when finished.

Deviations	Customer Support	Full Permissions/Deviations - Full Permissions
	Developer	
	Project Leader	
Selected Values:		
Project Manager		

SS 7-1 The admin account uses Deviations – Full Permissions group category.

3. Locate **Jane Doe** from the login accounts screen and set her membership to also be for the Deviations project. The User Group / Group Category to use are the same as for the admin account, **Full Permissions / Deviations – Full Permissions** and select **Customer Support** for person role. Click **Save** when finished.

4. The following is verified once logged in : **Data Fields, Configuration Form, Group Category Permissions, Project Specific Settings** and **Group Category Workflow**.
5. Log into TrackWise. Since the admin / admin account now has access to the Deviations project through the use of Deviations – Full Permissions, the validation process can begin. Once logged in, there is a prompt asking to set the Scope. Include the Deviations project for the All Projects scope setting. Create public scopes for users based on the projects currently in TrackWise. With public scopes set, new users logging in and looking for records will already have scopes available to use.

Scopes → [Add](#)

All Projects (pub) Edit Delete

Projects In Selected Scope

Division ▲	Project	Include in Scope ✓
New Jersey	CAPA	☒
New Jersey	Deviations	☒
New Jersey	Effectiveness Check	☒
New Jersey	Investigations	☒


SS 7-2 Make sure to include the newly configured project in the All Projects (pub) scope.

6. Once on the TrackWise Desktop, click **New** to create a Deviation. When prompted to select a project, select **Deviations**.

Division	Project
New Jersey ->	CAPA
	Deviations

SS 7-3 All available projects that are non-children record types appear as potentially new records.

7. Click **Continue**. The configuration form which was designed in a previous chapter appears. At this step, make sure all of the fields originally placed onto the form are here and can be edited, as per **Deviation – Full Permission** can view and can edit settings.




SS 7-4 The configuration form with the data fields and the permissions to view/edit are all based on the previous configuration steps.

8. Fill out a few of the fields with information. **Leave the Assigned-To field blank** as this helps demonstrate Virtual Group Categories shortly. Click **Save**. A new Deviation has been entered into TrackWise with PR #.

PR # ▲	Title	Project	Division	Opened
1005	Blue specs found in the medicine batch.	Deviations	New Jersey	10/11/2010 12:27 PM

SS 7-5 A newly created Deviation has been created.

9. To continue with the validation of the Deviation record, the next step is to progress the record throughout the workflow. Refer to the workflow diagram and post the activities one-by-one. Using the **Instant Action** activities from the TrackWise desktop or from within the record details screen, progress the record through the workflow and stop at **Pending Approval**.



SS 7-6 Perform the Instant Action Activity of Submit. Once performed the record is in the next state of Supervisor Review.

10. In the state of Supervisor Review, notice there is three choices for activities. Choose **Supervisor Review** to progress the record to the next state of Investigation.

Instant Action Activities
Cancel
Request More Info
Supervisor Review

SS 7-7 The activity **Supervisor Review** progresses the record to the next state of Investigation as per the workflow tab in Deviations – Full Permissions.

11. Click the record and refer to the **E-Signatures** tab. Notice the first two activities automatically posted the person and date/time fields for signatures.

Record Originator	
Submitted By John Doe	Submitted On 10/11/2010 03:59 PM
Supervisor Reviewed By John Doe	Supervisor Reviewed On 10/11/2010 04:04 PM


SS 7-8

12. From the Investigation state, Coordinator is configured in a future chapter to progress the Deviation once the Investigation is closed. For now, the full permission group can demonstrate this by performing **Investigation Complete**.

Workflow Post Any Activity
Instant Action Activities
Investigation Complete


SS 7-9 When performed, this activity progresses the record to the state of Root Cause Analysis.

13. Click the record to post the rest of the activities. In the state **Root Cause Analysis**, the Deviation can either continue or be sent back due to a further investigation required. Perform **Analysis Complete** to progress the record to the state of **Pending CAPA Plan**.




SS 7-10 Analysis Complete progresses the record to Pending CAPA Plan where the CAPA record, possibly a child of the Deviation or a standalone CAPA that can be referenced, addresses the Deviation.

14. Stay within the details of the record to continue posting activities. Perform the activity **Route for Initial Approval** which progresses the record to the next state of **Pending Approval**. This is where the Quality department schedules one or as many parallel approval activities in order to approve the Deviation and its findings so far.




SS 7-11 Performing this activity, Route for Initial Approval progresses the record to the state of Pending Approval.

15. For the next step, schedule Jane Doe to perform **Operations Approval**. Click the activity first and then fill out the **Date Scheduled** and **Responsible Name** to be **Jane Doe**. Click **Save**.




SS 7-12 Scheduling a project member to perform an activity involves coming up with a due date for when the activity needs to be done by. Notice the parallel task set is named in the workflow diagram.

16. Click **Save**. Log out of TrackWise and then log back in with the username of **jane** and the password of **123**. Once logged in, a prompt appears to change the password and set the scope. For password, change it to the name **jane** for testing purposes.




SS 7-13 Changing the password is done for new login accounts where database authentication is being used. That way not even the TrackWise Administrator knows the user's password.

17. Click **Save** and **OK** to confirm and to set the public scope. Finally, click **Save & Exit** to return to the desktop. Run the Query, **My Scheduled Activities(pub)** to bring up the record.




SS 7-14 This public query brings up scheduled activities for the logged in user.

18. With the record highlighted, notice the **My Scheduled Activities** contains the Operations Approval activity on the bottom right side of the Desktop.




SS 7-15 Scheduled Activities appear for recipients when the record is highlighted. It can be performed from the My Scheduled Activities column or from within the History of the record, never in the record details screen.

19. Click this activity. Perform the activity by clicking **Now** for date performed. Click **Post** to perform the activity.




SS 7-16 The activity Operations Approval is performed to progress the record.

20. Fill out the password for jane in the e-signature window prompt. Click **OK** when finished.




SS 7-17 Jane is signing off that the approval should be performed.

21. Afterwards, continue to progress the record to the next state by performing the activity **CAPA Completed**. This activity is automated in a future chapter by the Coordinator when the CAPA is closed.



SS 7-18 CAPA Completed sends the record forward to the Pending Final Approval state.

22. Finally, in the Pending Final Approval state, there are two activities available. Perform **Final Approval** to close out the record.



SS 7-19 Final Approval the activity closes out the Deviation.

23. Ensure that all of the signatures were captured within the configuration form.

General Information	Impact Analysis	Investigation & Root Cause	Reference Info / Comments	E-Signatures
Record Originator				
Submitted By John Doe		Submitted On 10/11/2010 03:59 PM		
Supervisor Reviewed By John Doe		Supervisor Reviewed On 10/11/2010 04:04 PM		
Routed for Initial Approval By John Doe		Routed for Initial Approval On 10/11/2010 04:13 PM		
Record Approval				
Operations Approved By Jane Doe		Operations Approved On 10/11/2010 04:28 PM		
Record Closure				
Final Approval By Jane Doe		Final Approval On 10/11/2010 04:38 PM		

SS 7-20 The signatures are filled out based on who performed the activities to progress the record.

The overall reason for verifying the data fields and workflow was to confirm from a validation perspective that the Full Permission group worked as intended. This same technique would also apply to the other groups within the workflow to confirm that they had the correct workflow and data field permissions. Any issues regarding field permissions not set correctly or missing activities within the workflow can be addressed before the project goes live in Production.

7.3 Project Specific Settings


In addition to the workflow and data field validation, the project settings, such as the ones configured in the previous chapter, are to be verified to work correctly. This includes Conditionally Required Fields, Notifications, Locked Fields, Clear Fields by State, Dependent Date Field Class and Virtual Group Categories. Test records are created to trigger these particulars to note the accuracy of the configuration.



Workbook Exercises

Conditionally Required Fields Verification:

1. Log into TrackWise and create a new Deviation. During record creation, select **Device(s)** from the **Type** selection field. Notice that **Equipment ID** and **Equipment Description** both become required. This is based on the previous configurable settings for Conditionally Required Fields.




SS 7-21 The arrows point to the Type field and the two additional fields which are required as a result of this Deviation as a Device(s) Type.

2. Fill out the **Equipment ID** and **Equipment Description** fields. Save the record.


Lock Field Verification:

3. Afterwards, look for the **Lock Field Class** which prevents specific fields from being filled out until the record is at a state where such information can be entered. The Root Cause grid under the **Investigation & Root Cause** tab is an example where it cannot be filled out until the Deviation progresses to the Root Cause Analysis state.



SS 7-22 Click the Root Cause grid to see that no Root Cause rows of data can be entered until later in the workflow.

4. Notice how there is no **Add** button at this time.



Root Cause
PR# 1005


Help

<< First < Previous Next > Last >>
 Number of Results 25 0 to 0 of

Row #	Cause Type	Cause Detail	Cause Category

SS 7-23 The add row button is absent because the grid is locked.

5. In addition to the grid, the two Flexfields **Invest. Summary and Conclusion** and **Root Cause Analysis** are also locked down.



Investigation Results and Root Cause Analysis

Grid
[Root Cause](#) (0)


Invest. Summary and Conclusion

Root Cause Analysis

SS 7-24 These Flexfields are not editable until later as well once enough information about the Deviation and the Investigation child record are complete.

Clear Value Class Verification:

6. Refer back to the first record created which is currently in the Closed –Done state.
 Navigate to the form screen and select the **E-Signatures** tab.




Record Closure

Final Approval By
[Jane Doe](#)

Final Approval On
 10/11/2010 04:38 PM

SS 7-25 Final Approval By and Final Approval On fields were auto-populated when the Deviation record's activity Final Approval was performed.

7. If this record was to re-open for additional work, the information here would not be accurate while the record was opened.




SS 7-26 On the workflow, re-opening the Deviation would send it back to the state of Pending Final Approval which comes before Final Approval the activity was performed.

8. To demonstrate the Clear Value Class, click the **Re-open button** for this record from the TrackWise Desktop screen.



SS 7-27 This button is only available for users belonging to a Group Category with the Can Re-Open box checked under Permissions.

9. A window appears asking the user to provide a summary as to why the record is being re-opened. Fill out the field with some text and then click **Save**.



The screenshot shows a window titled 'Reopen' with a subtitle 'PR# 1006 - Green specs found in the medicine batch.' Below the subtitle, there is a table with the following information:

Division / Project	New Jersey / Deviations
PR State	Closed - Done

Below the table, there is a section labeled 'Summary' with a text area for entering a summary.

SS 7-28 A summary is always required when a record is being re-opened.

10. Once the record has been re-opened, check the E-Signatures page to see that the fields **Final Approval On** and **Final Approval By** are cleared out by the system due to the record returning to the state of Pending Final Approval which is before the activity Final Approval was performed.

Record Closure	
Final Approval By	Final Approval On

SS 7-29 Both Final Approval By and Final Approval On were automatically cleared out with the Clear Value Class in use.

11. Exit the record and check the **Activity History**. Notice the two fields are mentioned. Click one of them to see that the detailed summary explains what happened to the original value within the field.

Activity Summary
10/11/2010 05:05 PM (GMT-4:00) Final Approval By was modified by: John Doe, PID-000001.
Changed from: Jane Doe
Changed to: [None]
Meaning: Cleared by System
Meaning Comments: N/A

SS 7-30 The field Final Approval By was cleared by the system due to the Clear Fields by state Class setting.

Notification Class Verification:

12. The Notification rules are to be confirmed. With the activity history opened for this particular record, look for the Notification action. When found, click it to see that a notification originally was sent to the recipient of the previously scheduled activity, **Operations Approval**. This was configured to tell the recipient of the activity that they were responsible for performing this action.

Notification Summary
10/11/2010 05:12 PM (GMT-4:00) : [Operations Approval] scheduled by: Jane Doe , PID-000001

SS 7-31 The Notification activity history entry indicates that the recipient of Operations Approval was notified about the activity scheduled for them to do.

13. For the last notification test, create a new Deviation and assign it to Jane Doe. Click **Save**. Progress the record until it enters the state of **Investigation**. The activity, **Supervisor Review** triggers the email to send out once performed. After performing Supervisor Review, refer to the **Activity History**. Notice the notification that went out to the Assigned To.

PR# 1007 - Cracked bottles on assembly line.	
Division / Project	New Jersey / Deviations
PR State	Investigation
Assigned To	Jane Doe
Notification issued by John Doe, PID-000001	
Date Issued 10/11/2010 05:18 PM	
Recipient	Method
Jane Doe	E-mail

SS 7-32 The Assigned To, Jane Doe, was told that the record was approved so she should start working on it.

To conclude, during the validation process, notifications are verified based on the triggered events in TrackWise. They are also verified based on the actual email which arrived to a test account.

7.4 Dependent Date Field and Calculated Date Classes Test

Verify the following two date class related settings are working based on the workbook exercise below.



Workbook Exercises

Dependent Date Field Verification:

1. To test Dependent Date Field class, take an existing Deviation that is not closed nor in a locked state and fill out **Date Occurred** with a date. Verify Date Due is not filled out.

2. **Save** the record. Fill out the **Date Due to be less than ten days** from Date Occurred. A prompt appears stating that Date Due must be ten days or greater than Date Occurred. This rule enforces a specific amount of days or greater for this field to be correctly filled out.

Calculated Date Class Verification:

3. Create a new Deviation and fill out all of the required fields, including **Deviation Number** and **Date Occurred**. If Deviation Number is not editable, check **Can Edit** within the group category **Deviations – Full Permissions**. **Save** the record.
4. The Date Due field auto populates with a date based on Date Occurred plus a date based on the number field Deviation Number in months. This is based on the calculated date class.

7.5 Concatenated Field Classes Test

Verify Equipment ID auto populates based on Equipment Description and Title.



Workbook Exercises

1. Create a new Deviation and fill out the **Title** and **Equipment Description** fields.
2. **Save** the record. Notice the Equipment ID is auto populated with both values, separated by an asterisk symbol. This allows users to search for records with specific values in one field such as Equipment ID than two separate fields such as Title and Equipment Description.


7.6 Virtual Group Category Test

Virtual Group Categories are validated based on the specific person fields tied to the group categories within the project. In the next workbook exercise, create another Deviation record and Save it. Assign it to the name based on your admin login account, John Doe. Save the record again.



Workbook Exercises

1. In the record where the **Assigned To** is John Doe, notice the lack of posting activities to progress the record. The reason is because the **Assigned To** cannot progress the record while it is in the Opened state. Only the Originator, based on the Visio workflow, can perform an activity.
2. Notice that while in the state of Opened the activity posting screen is not available.



Save Save & Exit Cancel New Child Check Spelling Family

Workflow

Opened

General Information Impact Analysis Investigation & Root Cause Reference Info / Comments E-Signatures

Deviation Overview


Date Opened
10/11/2010 05:28 PM

Title
Lack of updated procedures caused device assembler to crash.

SS 7-33 The arrow on the top points to the state of Opened while the arrow at the bottom points to the Assigned To field with the login account's person name.

3. Instead of activities to post based on the Full Permission Group Category, the Assigned To field replaced John Doe's default group category with a different one, Deviations – Assignee. That way John can interact with this particular record as an Assignee.


4. Create another Deviation record. Afterwards, progress it to the state of Investigation. Before progressing it to the next state, add **John Doe** to the **Supervisor / Manager** person field. Also notice the **person filter class** for this field. Click **Save**.



The screenshot shows the 'Investigation' state of a deviation record. The 'Supervisor / Manager' field is set to 'John Doe'. A red arrow points to the 'Info' button next to this field, indicating that the user's permissions are being checked or updated based on this selection.

SS 7-34 With John Doe as the Supervisor / Manager, his permissions for this particular record have switched to the group category, **Deviations – Supervisor**.

5. Now that John is using **Deviations – Supervisor** permissions, he cannot perform any activities while the record is in the **Investigation State**. Only TrackWise Services (Coordinator) can progress the record once the Investigation child record is completed.



SS 7-35 The Supervisor cannot perform the Investigation Complete activity in the Investigation state. Therefore the Activity posting screen above the form is not available.

By switching a user's group category permissions, based on a pre-selected person field on the form, the user interacts with the correct permissions.

7.7 Parent and Child Project Verification


In addition to testing out the group categories and business rules, the family of records is addressed. In the situation with Deviations, they can have children Investigations and CAPA records as part of the family tree. The next workbook exercise addresses the children records and the impact they have on the parent Deviation.

Based on the workflow diagram, an Investigation child record is created when the Deviation record reaches the state of Investigation. This can be automated by the Coordinator which can create records (this is configured in the Coordinator chapter later) or by a user authorized as per Group Category permissions.



Workbook Exercises

1. Find an existing Deviation in the state of **Investigation** or if not available, create a new Deviation. Progress it to this state.
2. In the record's details screen, click the **Child** button. When the option appears to choose a child project, select **Investigation**.



SS 7-36 Investigations is chosen as a child record for the parent Deviation

3. The Investigation form appears. Fill out a few of the fields and then click **Save**. The Deviation record re-appears on the screen. Exit out of the Deviation and back to the TrackWise Desktop
4. To bring up the family tree, click the **upside down T** symbol. Both the Deviation and Investigation record appear on the desktop screen.

PR # ^	Title	Project	Division	Opened
1007	Cracked bottles on assembly line.	Deviations	New Jersey	10/11/2010 05:17 PM
1009	Investigating how the bottles became cracked on the assembly line.	Investigations	New Jersey	10/11/2010 10:46 PM

SS 7-37 In this example, PR# 1007 is the parent Deviation with a child Investigation record, PR#1009.

5. The same family tree is visible from within either record by clicking the **Family** button. The look of the family tree is customizable through the use of the project class setting, **Child Tree Display Class**.



SS 7-38 The Family button is available for all records.

6. The CAPA project record is also part of a Deviation workflow as either a child record or a referenced record. In the next exercise, progress the same Deviation from the previous example to the state of **Pending CAPA Plan**. In the Deviation record click the **Child** button to create a CAPA child. Fill out the Title field and then click **Save** and then **Exit**.

PR # ^	Title	Project
☐ 1007	Cracked bottles on assembly line.	Deviations
☐ 1009	Investigating how the bottles became cracked on the assembly line.	Investigations
☒ 1010	Correct the way the bottles are packaged to prevent cracked ones from appearing.	CAPA

SS 7-39 The CAPA child is PR#1010 in this example with a sibling Investigation and parent Deviation.

7. On the **Desktop** screen, click the **child symbol indicator** for the new CAPA to bring forth all of the related records for the Deviation. Altogether there are three records. As part of the validation process, the children records were created to ensure that they were properly referred to within the family tree.

7.8 Project Specific Settings for CAPA

The following on your own exercise reviews the main concepts from the Deviation configuration and incorporates them into an existing CAPA project. After configuring the new settings, log in to TrackWise and test them out.



In Web Administrator, change the process group to Initial Group. This is where CAPA and Investigations are located. Establish the following project specific rules for CAPA and verify each setting by logging back in to TrackWise for verification.

Project Setting	Configuration Details
Lock Field Classes	In the state of Work in Progress, lock the following fields down from this state until the end of the workflow if a locked state is not available. Title Type Description
Conditionally Required Fields	When the Type field is set to Documentation, make Attached Files required.
Notifications	When the activity Approval Received is performed, notify the Assigned To person field recipient to begin working on the CAPA.
Clear Value Class	In the state Work in Progress, Completed By and Completed On are cleared out. A CAPA has the ability to be rejected back to this state and these fields need to be cleared out.

Conclusion:

The validation process is an extensive one which covers all aspects of the configuration. It addresses a variety of configured steps including project specific settings, Group Categories, Parent-Child record relationships and other settings in order to ensure everything matches the configuration. In the next chapter, another configurable portion of TrackWise, Coordinator, interacts with the established Deviation project to enforce additional business rules.

Notes:

8. Coordinator Configuration

8.1 Overview

In the introductory course, Coordinator was introduced as a quality watchdog, or 24/7 business rules engine, to enforce business rules which needed to be automated. A few of the examples in that course included setting date values in records for Date Due and progressing records from one state to the next. In this chapter, additional business-specific examples with the Coordinator are addressed. This presents additional features to which the Coordinator is capable of when it comes to monitoring records.

Since Coordinator runs on a schedule, all automated events occur based on the specific schedule in use. Coordinator is not meant to run in real time as this causes system performance issues on the application server and with the database. If specific business rules are to be handled manually by users, it is best to keep them that way.

Setting up and maintaining automation through the Coordinator relies heavily upon record conditions. Triggered events in records range from performed activities to specific field values in order to draw the Coordinator's attention to the record. When considering automation, keep this in mind along with the fact that Coordinator runs on a schedule. If the content to trigger the Coordinator to find the record is not available, the automation does not happen. In these situations it is best to use non-automation.

The following chart explains what functionality in TrackWise is best suited for automation by the Coordinator versus manual intervention.

Automation Examples with Coordinator	Non-Automation Examples
Setting date values based on a record's priority.	Specifying a date based on the description or other related Flexfield and string text.
Auto-assign records based on a group of project members in a sequential order.	Assign a record to a user based on their particular expertise and availability.
Escalate the priority selection value based on a record that is past due for over a week.	Escalate the priority based on the assessment of the record's details.

Unlike the previous chapters where the Deviations project was configured under its own process group, Deviations, the Coordinator approach is different. Configurations relating to the Coordinator are implemented under the **<System> Process Group**. This allows all configurations for the Coordinator to be **in one centralized place** where it could be utilized.

The exception to this is if projects in a particular process group do not associate with projects in another process group. If this is the case, configure the Coordinator under the specific process group. For example, this database has two process groups.

<i>Initial Process Group Projects</i>	<i>Deviations Process Group Project</i>
Investigations	Deviations
CAPA	

If the Deviation Process Group contained Coordinator configuration requirements to interact with Investigations and CAPA, none of them would appear.

The alternative is to use the **System Process Group** to configure the Coordinator in this situation.

<i>Initial Process Group</i>	<i>System Process Group</i>	<i>Deviations Process Group</i>
Investigations CAPA	Coordinator configurations are assembled here in order to utilize the configuration settings in the Initial Process Group and Deviations Process Group.	Deviations

The exception is if the Deviations Process Group contained the Investigations and CAPA projects. Then in this case all configurations regarding Coordinator can be done within the Deviations Process Group.

To recap from the previous configuration course, configuring Coordinator is based on the following steps as an overview:

1. Admin Query: These are used to fetch records in TrackWise.
2. Admin Scope: Scopes filter the results based on what Admin Queries have found.
3. Admin Schedule: Schedules determine how often the Query and Scope looks for specific records in the TrackWise database.
4. Admin Activities: Activities are actions implemented to records once they are found by the Query and Scope.
5. Putting steps one through four together: This is where each of the steps are put into one place to create an admin event.

In the next section, a series of Admin Queries are created in order to fetch Deviations for specific reasons. With the fetched Deviation, Coordinator implements an action to the record based on preconfigured business rules.


8.2 Admin Queries

When approaching a project to design Coordinator-related events, a good place to verify is with the workflow. There are two sections which are labeled as **TrackWise Services**. This indicates that the Coordinator is involved. In the next workbook exercise, Coordinator fetches a closed child investigation. Through the use of Admin Triggers, mentioned in a future section, it moves the Deviation record forward to the next state.



SS 8-1 Coordinator is responsible for progressing the Deviation from the Investigation state to Root Cause Analysis once the Investigation record is closed.

To find the Deviation in this state and to check to see if the child investigation is closed, an admin query is created to find records in the state of Closed – Done. Through the use of Admin Scope, closed CAPA and closed Investigation are the two instances when the Deviation is able to move forward.



SS 8-2 The deviation progresses when coordinator finds the closed CAPA. The admin trigger verifies the deviation is in the correct state.

In addition to progressing records in the workflow, coordinator can auto-populate the Assigned To person field with a project member's name in a sequential order right after the Deviation is opened. In this example, an Admin Query is used to find Deviation records created today.

The next workbook exercise assists with the creation of the necessary Admin Queries to run the following scenarios:

- Progress Deviation with closed Investigation child records.
- Progress Deviation with closed CAPA child records.
- Create child Investigation records.
- Create CAPA child records.
- Auto-populate the Assigned to field of the Investigation child records.
- Send Past Due Notifications for CAPA records.



Workbook Exercises

1. Log into TrackWise. Click the **Query** button to bring up the query builder screen.
2. Refer to the following chart and build seven Admin Queries for upcoming examples. Make sure to save them as **Admin Queries** and verify it is under the process group **System**.

<i>Admin Query Name</i>	<i>Admin Query Description</i>
State = Investigation	OPEN PRs; PR State: Investigation
Open Records	OPEN PRs
State = Pending CAPA Execution	OPEN PRs; PR State: Pending CAPA Execution
Records Created Today	OPEN PRs; Date Created: starts 0 day(s) before today and ends 0 day(s) before today In the Query Builder: [Date Created is Current Date]
Past Due Records	OPEN PRs; Past Due
State = Closed Done	CLOSED PRs included; PR State: Closed - Done
New CAPA Required=Yes	OPEN PRs; New CAPA Required: Yes

8.3 Admin Scope and Schedules

After the completion of the Admin Queries, the next step is to build an Admin Scope for Deviations. In Web Administrator, refer to **Coordinator Configuration – Admin Scopes**.



1. Set the **Process Group** to **<System>** and then click **New** to create a new Admin Scope called **Deviations**. Select the **Deviations** check box. Click **Save** when finished.

Name: Deviations		
Included Projects		
Division ▲	Project	Include In Scope
New Jersey	CAPA	☐
New Jersey	Deviations	☒
New Jersey	Effectiveness Check	☐
New Jersey	Investigations	☐

SS 8-3 Deviations admin scope only refers to records brought back by the Admin Query where the project is a Deviation.

2. Click **Admin Queries – Admin Schedules**. There is a schedule already available for testing purposes.

Admin Schedule Details: Test Schedule						
Name: Test Schedule						
Weekly Schedule						
Day	Always Run Schedule	Start Time	End Time	Run Only Once	Time Interval (Minutes)	
Monday	☒			☐	0.1	Clear
Tuesday	☒			☐	0.1	Clear
Wednesday	☒			☐	0.1	Clear
Thursday	☒			☐	0.1	Clear
Friday	☒			☐	0.1	Clear
Saturday	☒			☐	0.1	Clear
Sunday	☒			☐	0.1	Clear

SS 8-4 This test schedule runs an admin event once every six seconds.

8.4 Automatically Create Children PRs

In addition to setting a date field and progressing a record through a workflow as covered in the introductory course, Coordinator can perform a variety of actions to records. The following workbook exercise presents other actions which can be implemented to records when fetched.

In addition to using fetched records, Coordinator can also use template records. These are records in TrackWise which already exist. Based on their PR#, these are specific records Coordinator fetches in order to create a new record or child record from. One example could be a quarterly audit on a supplier. Supplier is a project and if PR#1203 was one to fetch and create a new Audit record for, it would be possible to use PR#1203 as the template for fetching a record.




1. Coordinator can create records just as a user can. Using Admin Query and Admin Scope, Coordinator fetches Deviations in the state of Investigation and then auto-creates the child record. In order for Coordinator to create records, three steps are addressed.
 - Is the record a child or a new standalone record?
 - Which Division and Project is the record?
 - Are there any field values copied over from the fetched Parent record for this newly created child record?

Before configuring this Admin Activity, each question is addressed. In our example:


- Is the record a child or a new standalone record? **This is a child Investigation record.**
- Which Division and Project is the record? **The Division matches the parent's, which in this example is New Jersey, and the Project is an Investigation.**
- Are there any field values copied over from the fetched Parent record for this newly created child record? **The Title of the parent Deviation becomes the Title of the Investigation so users can see what kind of Investigation this is.**

2. In Web Administrator, refer to **Coordinator Configuration – Create PR Classes**. Click **New** and name it **Create Investigation**.



SS 8-5 The name identifies what kind of record creation rules is used.

3. Select the **Create PR as Child of Fetched PR** check box.



SS 8-6 If this is left unchecked, the record becomes a stand-alone non-child record.

4. The Division and Project type for the record is determined in the **Create PR** list. The options here include the following:
 - **In Specified Project...** This allows the exact selection of what the Division and Project is for the newly created record as long as it is within the process group.
 - **By Record Type...** This assumes the same Division of the parent is used to create the new child record. This option is suggested if many different Divisions use this feature so only the Project has to be decided.
 - **In Same Project as Fetched PR** This is used if Coordinator is copying a fetched record and creating an identical record out of it.
 - **In Same Project as Template PR** As an alternative to fetching records, Coordinator can use a particular record already in TrackWise to create new records from.

5. For this example, choose **in Specified Project...** and select the Division of **New Jersey** and the Project of **Investigations**. Click **Save**.



SS 8-7 The record type, **Investigations**, is the child record for the Fetched Deviation from the division **New Jersey**.


6. The next step is to decide if any fields from the fetched Deviation are to be copied down to the Investigation. For demonstration purposes, the **Title** field is copied.

7. Select the **PR Fields** tab. The list of all Data Fields is available. Keep in mind that the data field(s) chosen must be available in the newly created child record Coordinator is creating. In this example, the field **Title** is available in both Deviations and Investigations.
8. Select the **Title** field in the column, **Copy Field From Fetched**. The fetched record is a Deviation in order for the child Investigation to receive the information.

<u>Data Field Name</u> ▼	<u>Field Type</u>	<u>Copy Field From Template</u>	<u>Copy Field From Fetched</u>
<u>Title</u>	String	No	Yes

SS 8-8 As long as the fetched Deviation has a title value, it is copied to the child Investigation.

9. Click **Save** when finished. The last step is to apply these settings to an Admin Activity. Click **Coordinator Configuration – Admin Activity Types**.



SS 8-9 The Create PR Class details is incorporated within Admin Activity Types.

10. Click **New**. Create a new Admin Activity Type called **Create Investigation**. Click **Save** when finished.

Admin Activity Type Details: Create Investigation

Details

Selection Values (0)

Date Values (0)

Person Values (0)

Save

Save+

Cancel

► Name

Create Investigation

SS 8-10 The Admin Activity Type is a container which applies the Create PRs rule.

11. Select the **Create PRs** tab. Listed to the left of the screen is the set of rules for designing Investigation records from the previous steps. Highlight this set and apply it to the right side of the screen.

Create PR Classes Selected(Template PR ID: PR Title)

Create Investigation

SS 8-11 The set of rules is now implemented for this particular Admin Activity.

12. Click **Save** when finished. Once the PR Class Setting is applied to an Admin Activity it can be used to create records with.



In the following exercise you will create two create PR classes. One is used to create an Investigation child with no fields copied and another to create the CAPA child record.

1. Create another PR class for the Coordinator to create another Investigation child. Use the same settings used for the previous exercise, except do not copy any fields from the parent to the child. Name the Class **Create Blank Investigation**.
2. Refer back to the Admin Activity Type named **Create Investigation** and **add the new class** created as another sequence. Note the order of the children that would be created.
3. Create another PR Class for the Coordinator to create CAPA children. This ties in later when the Coordinator is looking for Deviations in the state of Pending CAPA Execution and auto-creates the CAPA record. No fields are required to be copied over. Use the option **By Record Type** and select **CAPA**. Select the radio button for the same division as the parent. Label this PR Class **Create CAPA** and add it to an Admin Activity of the same name.

8.5 Auto Assign Records

Coordinator has the ability to fill out person fields within records. A common use is to auto-assign records to project members so the work can be evenly distributed if needed. There are three ways Coordinator can choose a name to be used.

- **Manually Select Person:** With this option a hard-coded name can be used to always fill out a particular person field with.
- **Use Person Role:** Person Role is a label given to project members. If this option is used, Coordinator goes in order based on the Person Role to fill out person fields with. For the next example, Person Role is used to distribute new Investigation children records amongst Customer Service Person Role members.

- Person Field Value:** A person field already filled out with a name can be copied from and pasted to another person field onto the record. For example, if a record was Past Due, Coordinator can copy the Originator to the Assigned To in order for this person who created the record to now take control of it.



Workbook Exercises


This next exercise is used to auto-assign new Investigation records based on the Customer Support person role. The prerequisite for this feature is to use persons with the same group category and same person role in order for Coordinator to choose from the correct list. Each person has a sequence number as to the order they are chosen by the Coordinator.

▶ <u>Person Name</u>	▶ <u>User Group/Group Category</u> ▲	▶ Person Roles	<u>Seq. No</u>
<u>Doe, Jane</u>	Assignee/Investigations - Assignee	Customer Support	1
<u>Kerouac, Jack</u>	Assignee/Investigations - Assignee	Customer Support	2
<u>Parker, Dorothy</u>	Assignee/Investigations - Assignee	Customer Support	3
<u>Plath, Sylvia</u>	Assignee/Investigations - Assignee	Customer Support	4

ss 8-12 There are four Assignees for Investigations, all sharing the same Person Roles and have a sequence number as to the order they are assigned to records based on the Coordinator.


- Verify that the correct person roles are in place with sequence number for investigation project members. Refer to **Projects**. Change the process group to **Initial Group** where the Investigations project is listed.
- Click **Investigations**. On the screen click **Membership**. For each user with the person role of Customer Support, set the sequence number. Click **Save**. Sort by **Seq. No.** to confirm. This is the order Coordinator assigns users to investigation records.
- Refer to **Coordinator Configuration – Admin Activity Types**. Change the Process Group back to **System**. Click **New**. Create one called **Auto Assign Investigation**. Click **Save** when finished.

4. Select the **Person Values** tab and then click **Add**. For the **Data Field To Set** list, notice all person data field types are listed.




SS 8-13 Coordinator can auto populate any of these fields.

5. Select **Assigned To**. The next column is called **Value To Set (If Blank)**. This means that if Coordinator finds a record with a blank Assigned To field, which of the previously covered three methods it uses to fill out this person field with. In this example use the **Person Role Customer Support**. Based on the current Investigation project, there are four people of this particular role to choose from.



SS 8-14 Customer Support provides a list of available persons for the Coordinator to choose from.

6. If the **Assigned To** field is already populated with a person's name, Coordinator can either leave the name as-is or overwrite it with a new name. In this example, select the same person role of **Customer Support** so this feature can be used with different Admin Queries, particularly for Past Due records where it can be re-assigned.



SS 8-15 If there is a name already in the fetched record, Coordinator can re-assign the record to the next project member available.

7. Click **Save** when finished. Additional rows of person fields to set can also be applied and within a particular sequence, particularly if one row is based on a previous row's configuration.

Admin Activity Type Details: Auto Assign Investigation			
Details		Selection Values (0)	Date Values (0)
Person Values (1)		Set Other Fields (0)	Post Activities (0)
Create PRs (0)		A	
Edit Report			
Delete Data Field To Set ^ Assigned To	Value To Set (If Blank) Use Person Role: Customer Support Set to: Person with Person Role Use Manager: No		
	Value To Set (If Set) Use Person Role: Customer Support Set to: Person with Person Role Use Manager: No		

SS 8-16 The person role incorporates all project members of this same type in a sequence to fill out names into person fields.

8. Refer back to the **Details** tab and add a **comment** explaining this Admin Activity Type:
This Admin Activity Type auto assigns the Investigation to a person with Customer Support Person Role.


8.6 Past Due Notifications

Coordinator can send out notifications based on returned records from the Admin Query and Admin Scope. From the previous chapter on project business rules, notifications were created based on field changes, scheduled activities and performed activities. Coordinator can address all other scenarios that may arise such as past due records. In addition, notifications from the Coordinator can also go out based on upcoming events such as records due in the next few days.



Workbook Exercises


1. Refer to **Coordinator Configuration – Admin Activity Types**. Create a new Admin Activity called **Past Due Notifications**. Click **Save**.



The screenshot shows the 'Admin Activity Type Details: Past Due Notifications' window. It has a 'Details' tab selected, with sub-tabs for 'Selection Values (0)', 'Date Values (0)', and 'Person'. Below the tabs is an 'Edit' button. At the bottom, there is a 'Name' field containing 'Past Due Notifications'.

SS 8-17 Although there is not a tab above for Notifications, creating the admin activity first allows the notification rules to be applied for it.

2. Click **Notifications – Notification Classes**. Notification Classes must be configured under a process group, not the System. Change the process group to **Deviations**. Click the existing notification class for Deviations, **Deviation Notifications**. This contains notifications that are system-driven and for Coordinator to send out.
3. Select the **Notification Rules** tab. On this screen, similar to the previous chapter with system notifications, the person(s) to be notified is established. In this example refer to the list from above where Admin Activity Types and Non-Admin Activity Types reside.



The screenshot shows the 'Notification Class Details: Deviation Notifications' window. It has a 'Details' tab and a 'Notification Rules (5)' tab. Under 'Notification Rules', there is a list of 'Activity Type' with 'Past Due Notifications' selected. Below this is an 'Add' button and a list of 'Admin Activity Types' including 'Auto Assign Investigations', 'Create Investigations', and 'Past Due Notifications'. A 'Show' dropdown is set to '15'.

SS 8-18 Any admin activity to which Coordinator uses to update records with can also send out notifications. The admin activity can also be used to only send out notifications and not update the record as in this example.

4. Select **Past Due Notifications** and then click **Add**. For the first list option, select **Performed** for Notify When.
5. For **Person(s) To Be Notified**, select **Assigned To** based on **Select Data Field...** Observe that a variety of people involved with the record can be notified by the Coordinator.
6. For **Source**, select **Fetches PR**. It is the fetched past due records to which we want to notify about.

Notification Class Details: Deviation Notifications

Details **Notification Rules (5)**

Activity Type: Past Due Notifications

Add Save Cancel

Show 15 Results Per Page First Previous

Delete	Notify When	Person(s) To Be Notified	Source
☐	Performed	Select Data Field... Assigned To	Fetched PR

SS 8-19 These settings combined with an Admin Query notifies the Assigned To person of the fetched record that it is past due.

- For the remaining settings, choose **E-mail** for Notification Type, use **To:** for To: or **CC:** , and the default notification template. Click **Save** when finished.

Notification Type	To: or CC:	Notify Manager(s)	Notification Template
E-mail	To:		Default Template for Deviations

SS 8-20 Additional settings for the Past Due notification.

- Once the notification rules have been set, this Admin Activity is paired up with an Admin Query, Admin Scope and Admin Schedule to look for Past Due records.

8.7 Posting Activities to Progress Deviation

The Introduction to Configuration course used coordinator to progress a record to the closed state based on a selection value found within the record. Interacting with workflow activities are based on the following rules:

- The activity is not schedulable.
- The activity does not require an e-signature to be performed.
- Coordinator is a project member whose group category allows this activity to be performed.

The next workbook exercise is a recap of this feature to be used shortly with admin triggers. Two admin activities are required. One is to perform **Investigation Complete** and the other **CAPA Completed**.

1. Click **Coordinator Configuration – Admin Activity Types**.
2. Click **New**. Name the first activity **Perform Investigation Complete**.
3. **Add a comment:** *This Admin Activity Type performs the activity Investigation Complete.* Click **Save**.

Admin Activity Type Details: Perform Investigation Complete

Details	Selection Values (0)	Date Values (0)	Person Values (0)	Set Other Fields (0)	Post Activities (0)	Create PRs (0)
 Edit  Report						
Name		Perform Investigation Complete			Post To Activity History	
					Yes	
Comments		This Admin Activity Type performs the activity Investigation Complete.				

SS 8-21 The comment will describe the functionality of the Admin Activity Type.

4. Click **Post Activities**. Add the following row of configuration to perform this activity under the coordinator account name. Click **Save**.

Admin Activity Type Details: Perform Investigation Complete

Details	Selection Values (0)	Date Values (0)	Person Values (0)	Set Other Fields (0)	Post Activities (1)	Create PRs (0)	Admin
 Edit  Report							
Show 15 Results Per Page		First Previous 1-1 of 1 Next Last					
Delete		Activity Type To Post			Posting Parameters		Person Responsible
		Investigation Complete			Posting Mode: Perform		Service, TrackWise

SS 8-22 The Activity Type will perform the activity Investigation Complete.

Activity Type to Post	Posting Parameters	Person Responsible
Investigation Complete	Posting Mode: Perform	Service, TrackWise

5. Refer back to Admin Activity Types. Click **New**. Create another one called **Perform CAPA Completed**, add a comment and click **Save**.

Admin Activity Type Details: Perform CAPA Completed

Details

Selection Values (0)

Date Values (0)

Person Values (0)

Set Other

Edit

Name

Perform CAPA Completed

SS 8-23 The new Admin Activity Type is saved.

- Click **Post Activities**. Add the following row of configuration to perform this activity under the coordinator account name. Click **Save**.

Admin Activity Type Details: Perform CAPA Completed

Details

Selection Values (0)

Date Values (0)

Person Values (0)

Set Other Fields (0)

Post Activities (1)

Create PRs (0)

Admin

Edit

Report

Show 15 Results Per Page

First | Previous | 1-1 of 1 | Next | Last

Delete	Activity Type To Post ▲	Posting Parameters	Person Responsible
☐	CAPA Completed	Posting Mode: Perform	Service, TrackWise

SS 8-24 The Activity Type will perform the activity CAPA Completed.

Activity Type to Post	Posting Parameters	Person Responsible
CAPA Completed	Posting Mode: Perform	Service, TrackWise

- These two admin activities are designed to move the Deviation when specific children records are closed. These two components are included with admin triggers in the upcoming section.

8.8 Admin Trigger Overview

Admin Triggers are an advanced way of determining if and when records should be updated by the Coordinator. From a database perspective, it is the IF THEN ELSE statement behind the scenes to decide when a record should be updated. Admin Triggers can use a minimum and maximum number to determine a threshold of returned records. If the returned results are within range, an action can occur. If not, something else can happen instead or nothing would occur but Coordinator can check back at a particular time interval.

The records that are returned and evaluated this way are based on dynamic queries. Dynamic Queries are mini-queries or a subset of results based on the original results found by the Coordinator.


Admin Triggers are used in a variety of ways. The most common use is to close out or progress Parent records when the children records are closed or at a certain status. They are also used to auto trend recurring events such as Deviations referencing the same CAPA record for correcting and preventing the same type of occurrence. Admin Triggers can also be used to identify duplicate data such as a part number or serial number after it was already reported. In the next example, Admin Triggers determine if a particular record type is closed in order to progress the Parent.

In the next workbook exercise, a bottom up approach is used to determine when the parent record progresses (See Appendix 6 for diagram). Coordinator fetches children records of the Deviation. If the Deviation is in a particular state, Coordinator progresses it to the next state. This continues until the Deviation is ready to be closed by a user. This minimizes the numerous attempts of checking on the parent and children by only checking when the particular child record is closed.

8.9 Configurable Components to Progress Deviation with Closed Investigation


Before configuring the admin trigger, refer to the following two screen captures of the Deviation workflow.

In this first screen capture, the Deviation is in the state of Investigation. At this point, the Investigation child record is created. This parent Deviation remains in this state until the Investigation child is closed.



Coordinator searches for investigations in the state of **Closed - Done**. This is based on the Admin Query. The Admin Scope is Investigations. When an Investigation is closed, Coordinator uses an admin trigger to check for the parent to see if it is in the state of Investigation. If it is in this state, the Admin Trigger progresses the Deviation from the state Investigation to Root Cause Analysis. This is the first of two admin triggers.

In the next screen capture, the Deviation is in the state of Pending CAPA Execution. At this point, the CAPA child record was created in a previous state. This parent Deviation remains in the state of Pending CAPA Execution until the CAPA child is closed.



Coordinator searches for CAPA records in the state of **Closed - Done**. This is another Admin Query. The admin trigger checks for the Deviation in the state of Pending CAPA Execution. If the Deviation is in this state, Coordinator performs the activity CAPA Completed and progresses the Deviation to the state Pending Final Approval.

With both examples, the verification of the parent only occurs when the child record enters the closed state. This alleviates the amount of data in the log table of TrackWise, which tracks the number of attempts coordinator is running and searching for records. The following workbook exercise builds these two admin triggers to move the Deviation record with.


The following chart details the requirements for the first admin trigger to progress the Deviation when the Investigation child is closed. Use this same chart when building one's own admin trigger. These are the questions to address.



Workbook Exercises

Match Criteria	Description
Dynamic Query for Count (Input)	This query searches for open investigation siblings. To anticipate the possibility of more than one Investigation for the same Deviation, the dynamic query searches for open investigations sharing the same parent ID.
Min. Count / Max Count.	In this example a minimum and maximum count of zero is used to trigger the action with no open children.
On Match	
Admin Activity Type	Perform Investigation Complete
Dynamic Query (Output)	This query fetches the parent Deviation in the state of Investigation to perform the activity on.

1. The first dynamic query for input looks for open investigation records and siblings of the same project type. Click **Coordinator Configuration – Dynamic Queries**. Click **New**. Create one called **Open Investigation Siblings**.



Details

Save Save+ Cancel

► Name Open Investigation Sibli

Ref. Record

SS 8-25 Name the Dynamic Query Open Investigation Siblings.

2. To the right of the screen add the Query **Open Records** with the Admin Scope **Investigations**.

Query	Open Records		
Admin Scope	Investigations		

SS 8-26 The Dynamic Query will search for records based on the Admin Query and the Scope.

3. In order to include all related children investigation siblings, the dynamic condition option is used. Click **Add**.
4. Select Parent ID with the condition **Equal**. The subset of returned children investigations must all share the same parent ID to identify the records related to the parent.

Dynamic Conditions			
 Add			
Delete ☐	▶ Data Field Name ▲ Parent ID	▶ Field Type Number	▶ Condition Equal

SS 8-27 This setting will allow the Coordinator to find only siblings of the fetched record.

5. Add a comment: *This dynamic Query searches for open Investigation siblings of the fetched record.* Click **Save**.

Dynamic Query Details: Open Investigation Siblings			
Details  Edit			
▶ Name	Open Investigation Siblings	Query	Open Records
Ref. Record		Admin Scope	Investigations
Comments	This dynamic Query searches for open Investigation siblings of the fetched record.		

SS 8-28 The Dynamic Query is saved and ready for use.

6. The second dynamic query for output is next. Click **New**. Create a dynamic query called **State=Investigation/Deviation**.
7. Include the query **State=Investigation** and the Admin Scope **Deviation**.
8. Select the **Parent PR** check box to fetch the parent of the closed investigation.


9. Click **Save**. The second dynamic query for output is created.

Dynamic Query Details: State=Investigation/Deviation			
Details			
 Edit			
Name	State=Investigation/Deviation	Query	State = Investigation
Ref. Record		Admin Scope	Deviation
Comments	This dynamic query looks for the parent deviation of the Investigations at state = Investigation.		
Included PRs			
All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	Yes
Children PRs	No	Root Parent PR	No

SS 8-29 This is the second dynamic Query after saving.

8.10 Configurable Components to Progress Deviation with Closed CAPA

The next dynamic query is used to progress the Deviation again once the CAPA is closed. Coordinator fetches closed CAPA records and uses an admin trigger to first check for additional open CAPA siblings. The triggered event occurs when there are no open children CAPA left. If there are no open CAPA records, the dynamic query for output fetches the deviation in the state of Pending CAPA Execution to move the record to the next state of Pending Final Approval.






Workbook Exercises

The following chart details the requirements for the second admin trigger to progress the Deviation when all related children CAPA are closed.

Match Criteria	Description
Dynamic Query for Count (Input)	This query searches for open CAPA siblings. To anticipate the possibility of more than one CAPA for the same Deviation, the dynamic query searches for open CAPA sharing the same parent ID.
Min. Count / Max Count.	In this example a minimum and maximum count of zero is used to trigger the action with no open children.
On Match	
Admin Activity Type	Perform CAPA Completed.
Dynamic Query (Output)	This query fetches the parent Deviation in the state of Pending CAPA execution to perform the activity on.

1. Click **Coordinator Configuration – Dynamic Queries**. Click **New**.
2. This first dynamic query is for input. Name this one **Open CAPA Siblings**.



SS 8-30 The Dynamic Query is named as **Open CAPA Siblings**.

3. To the right of the screen add the Query **Open Records** with the Admin Scope **CAPA**.

4. Click **Add** to include the dynamic condition **Parent ID** for Data Field Name and condition is **Equal**.

Dynamic Conditions		
Add		
Delete	Data Field Name ▲	Field Type
☐	Parent ID	Number
		Condition
		Equal

SS 8-31 The Query will search for siblings of the fetched record.

5. Click **Save**. The first dynamic query for input is ready.

Dynamic Query Details: Open CAPA Siblings			
Details			
Edit			
Name	Open CAPA Siblings	Query	Open Records
Ref. Record		Admin Scope	CAPA
Comments	This query searches for open CAPA siblings. To anticipate the possibility of more than one CAPA for the same deviation, the dynamic query searches for open CAPA sharing the same parent ID.		
Included PRs			
All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	No
Children PRs	No	Root Parent PR	No
Dynamic Conditions			
Delete	Data Field Name ▲	Field Type	Condition
☐	Parent ID	Number	Equal

SS 8-32 The Query is saved and ready for use in the next step.

6. The second dynamic query for output is next. Click **Coordinator Configuration – Dynamic Queries**. Click **New**.
7. Name the dynamic query **State = Pending CAPA Execution / Deviation**.
8. For Query use **State = Pending CAPA Execution**.
9. For Admin Scope use **Deviation**.

10. Select the **Parent PR** check box. This confirms the closed CAPA record's parent is the deviation. Click **Save**.

Dynamic Query Details: State = Pending CAPA Execution / Deviation			
Details			
 Edit			
▶ Name	State = Pending CAPA Execution / Deviation	Query	State = Pending CAPA Execution
Ref. Record		Admin Scope	Deviation
Comments	This query fetches the parent deviation in the state of pending CAPA execution to perform the activity on.		
Included PRs			
All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	Yes
Children PRs	No	Root Parent PR	No
Dynamic Conditions			

SS 8-33 This is the next Dynamic Query after saving.

8.11 Admin Triggers

With two sets of dynamic queries available for input and output of information, two admin triggers are required. The next workbook exercise builds the first admin trigger to progress the Deviation when the Investigation is closed.


The following is a list of best practices when applying admin triggers.

- Establish Admin Activities ahead of time to be used to update the records for the output Dynamic Query.
- Determine if a minimum count or maximum count would be appropriate to take action with. If the purpose is to find zero open children records in order to progress the parent, use a maximum count of zero. That way it does not matter how many children records a parent would have.
- If the trigger affect is to happen when the returned results from the input dynamic query is a three or more, use a minimum count of three.
- Assemble the components together under the Admin Trigger screen. Finally, apply it to an Admin Activity.



Workbook Exercises

1. Click **Coordinator Configuration – Admin Triggers**.
2. Click **New** and create a trigger called **Closed Invest./Progress Deviation**.




Save Save+ Cancel

Admin Trigger Details: <New Record>

Name Closed Invest./Progress

SS 8-34 Name the Admin Trigger as Closed Invest/ Progress Deviation.

3. Match Criteria is where the dynamic query for input is used. When Coordinator fetches the closed investigation record, the following dynamic query checks for any additional sibling Investigations for the Deviation. If there is a chance for more than one sibling, the trigger does not progress the Deviation until all open children Investigations are closed.
4. Click search for **Dynamic Query for Count (Input)** to add **Open Investigation Siblings**.




Name Closed Invest./Progress

Match Criteria

Dynamic Query for Count (Input) Open Investigation Siblings

SS 8-35 Choose the Dynamic Query Open Investigation Siblings.

5. The **Min. and Max. Count** options are used for a threshold of returned results. A minimum number of returned records from the dynamic query or greater triggers an action. A maximum count or less is used in the same way. In this example, set both to zero so a match is only made when there are no open children Investigation records left for the particular parent Deviation.



Match Criteria

Dynamic Query for Count (Input) Open Investigation Siblings

Min. Count 0 Max. Count 0

SS 8-36 Set both the Min and Max Count to zero.

6. The **On Match** section uses the admin activity type of **Perform Investigation Complete**. The **Dynamic Query** to use is **State=Investigation/Deviation**. These two settings identify which action and record to implement this action to.

On Match			
Admin Activity Type	Investigation Complete	AutoExport	
AutoReport		Dynamic Query	State=Investigation/Dev

SS 8-37 Choose the Investigation Complete for Admin Activity Type to be performed on match and the Dynamic Query State = Investigation/Deviation.

7. Leave **No Match** empty. A follow up action is possible when there is no match.
8. Add a comment to the admin trigger. Click **Save**.

Admin Trigger Details: Closed Invest./Progress Deviation			
Name	Closed Invest./Progress Deviation	Always Trigger	No
Comments	This admin trigger will progress the parent deviation when all related children CAPA are closed.		
Match Criteria			
Dynamic Query for Count (Input)	Open Investigation Siblings		
Min. Count	0	Max. Count	0
On Match			
Admin Activity Type	Perform Investigation Complete	AutoExport	
AutoReport		Dynamic Query	State=Investigation/Deviation
No Match			
Admin Activity Type		AutoExport	
AutoReport		Dynamic Query	

SS 8-38 The Final Result is presented.

9. The admin trigger to progress the Deviation when all CAPA records are closed is next. Click **Back to Admin Triggers** and **New**.
10. Create a trigger called **Closed CAPA/Progress Deviation**. Under **Match Criteria**, search under **Dynamic Query for Count (Input)** to use **Open CAPA Siblings**.
11. Set the minimum and maximum count to **zero**.
12. Under **On Match**, use the Admin Activity Type **Perform CAPA Completed**.
13. Use the dynamic query **State=Pending CAPA Execution/Deviation** as the record to update when there are no open CAPA left.

14. Add a comment and click **Save**.

Admin Trigger Details: Closed CAPA/Progress Deviation			
Name	Closed CAPA/Progress Deviation	Always Trigger	No
Comments	This admin trigger will progress the deviation when all CAPA records are closed		
Match Criteria			
Dynamic Query for Count (Input)	Open CAPA Siblings		
Min. Count	0	Max. Count	0
On Match			
Admin Activity Type	Perform CAPA Completed	AutoExport	
AutoReport		Dynamic Query	State = Pending CAPA Execution / Deviation
No Match			
Admin Activity Type		AutoExport	
AutoReport		Dynamic Query	

SS 8-39 This is the next Admin Trigger after being saved.

8.12 Adding the Admin Triggers to Admin Activities

With the two admin triggers ready, the next workbook exercise incorporate them based on closed children investigations and CAPA.



Workbook Exercises

1. Click **Coordinator Configuration – Admin Activity Types**. Click **New** and create one called **Progress Deviation/Closed Investigations** and add a comment. Click **Save**.

Admin Activity Type Details: Progress Deviation/Closed Investigations			
Details Selection Values (0) Date Values (0) Person Values (0) Set Other Fields (0) Post Activities (0) Create PRs (0) Admin Trigger			
Edit Report			
Name	Progress Deviation/Closed Investigations	Post To Activity History	Yes
Comments	Progress Deviation when all children Investigations are Closed.		

SS 8-40 Create the Admin Activity Type that will activate the Admin Trigger.

2. Click **Admin Triggers**. Highlight **Closed Invest./Progress Deviation (Open Investigation Siblings)**. Click the **right arrow** to bring this set of conditions over to the admin activity.

Admin Triggers Selected (DQ In)
Closed Invest./Progress Deviation (Open Investigation Siblings)

SS 8-41 Choose the Admin Trigger to be activated.

3. Click **Save**.
4. Create another Admin Activity Type called **Progress Deviation/Closed CAPA** and add a comment.

Admin Activity Type Details: Progress Deviation/Closed CAPA	
Details	Selection Values (0) Date Values (0) Person Values (0) Set Other Fields (0) Post Activities (0) Create PRs (0) Admin Trigger
Edit Report	
Name	Progress Deviation/Closed CAPA Post To Activity History Yes
Comments	This Activity will progress the Deviation when all CAPA children are closed.

SS 8-42 Create another Admin Activity Type for the second Admin Trigger.

5. Include the other admin trigger, **Closed CAPA/Progress Deviation (Open CAPA Siblings)**. Click **Save**.

Admin Triggers Selected (DQ In)
Closed CAPA/Progress Deviation (Open CAPA Siblings)

SS 8-43 Choose the wanted Admin Trigger to be activated.

8.13 Creating the Admin Query Events

The following exercise designs the first of two admin query events to look for closed children records for the Deviation.



1. Click **Coordinator Configuration – Admin Queries**.
2. Click **New**. Name this first event **Progress Deviation / Closed Investigations**.
3. For Query use **State=Closed – Done**.
4. For Scope use **Investigations**.
5. For Admin Schedule use **Test Schedule**. A realistic schedule could be once or twice a day.
6. The Triggered (Initial) Admin Activity Type is **Progress Deviation/Closed Investigations**. It includes the two dynamic queries, one for input and the other for output. A match is made only when there are no open investigations left.



On Your Own Exercises

Create the other admin trigger event by filling out each of the following fields. Use the existing configured settings to fetch for CAPA records that are in the state of **Closed – Done**.

- Name
- Query
- Admin Scope
- Triggered (Initial) Admin Activity Type


8.14 Running the Coordinator

Before starting the Coordinator, check to see that the login account, TrackWise Service has project memberships to Deviations in order to progress the record through the workflow. In this example Coordinator is progressing the Deviation in two situations based on the admin triggers for the next example. This is the only reason for Coordinator to have memberships to projects. When it comes to updating records, however, this is not a requirement.



Workbook Exercises

1. Log into Web Administrator and refer to the **User Management – Login Accounts** screen.




SS 8-44 The login accounts screen is located under User Management.

2. Click the **service** username and then select the **Membership** tab. On this screen confirm that the service login account has access to the **Deviation** project with **Full Permissions** account and the user role of **Project Manager**. Click **Save** when finished.

Project ^	Person Roles	User Group/Group Category
CAPA	Project Manager	Full Permissions/CAPA - Full Permissions
Deviations	Project Manager	Full Permissions/Deviations - Full Permissions
Investigations	Project Manager	Full Permissions/Investigations - Full Permissions


SS 8-45 In this example Coordinator has access to all three projects with Full Permissions.

3. Now that there are two scheduled events to run, start the Coordinator by going to the clicking **Start – Programs – TrackWise – TrackWise Coordinator**.



SS 8-46 TrackWise Coordinator is launched from the application server. For testing purposes it is launched from the training computer.


4. Ensure that the login account name and password is the word service. Select **tw2** from the Database list. Click **OK**.



The image shows a 'TrackWise Coordinator Login' dialog box. It has three input fields: 'Username' with the text 'service', 'Password' with masked characters 'xxxxxxxx', and 'Database' with a dropdown menu showing 'tw2'. There are 'OK' and 'Cancel' buttons at the bottom.

SS 8-47 The database tw2 is the one Coordinator connects to and run the established admin query events.

5. An intentional error message appears indicating that at least one process group to execute must be selected. Since this is the first time Coordinator is running, click **OK**. For the **Process Groups to Execute** column, check all three boxes. Even though the Coordinator was configured under the <System> process group, this ensures that all configuration changes to the Coordinator, regardless of process group, can be tested.



The image shows a 'Process Groups to Execute' dialog box. It has a 'Select All' link and three checkboxes, all of which are checked: '<System>', 'Deviations', and 'Initial Group'.

SS 8-48 All three process groups are set to run.


6. Click **Start Auto Execution** for the Coordinator to start.
7. Minimize the Coordinator while it runs. Log back into TrackWise and refer to a new or existing Deviation before the state of **Investigation**. One Investigation child needs to be available. Progress the deviation to the state of **Investigation**.

PR # ^	Title	Project	Division	Opened	Date Due	Status
1007	Cracked bottles on assembly line.	Deviations	New Jersey	10/11/2010 05:17 PM	10/15/2010	Investigation
1009	Investigating how the bottles became cracked on the assembly line.	Investigations	New Jersey	10/11/2010 10:46 PM		Opened

SS 8-49 In this example PR#1007 is a Deviation in the state of Investigation and PR#1009 is a child Investigation in the state of Opened.

8. With at least one open child investigation, there is no match based on the admin trigger. Progress the investigation child to **Closed – Done**. Afterwards, watch as the Coordinator fetches the investigation and progresses the Deviation to the next state of **Root Cause Analysis** since there is no more open investigations left.

9. Coordinator does not have to repeatedly check on the parent record until the child investigation is closed. None of the group categories in the Investigation project have the ability to progress the Deviation forward. It waits until all Investigation children are closed.



SS 8-50 When the Investigation is closed, Coordinator progresses the Deviation to the state of Root Cause Analysis.

PR # ^	Title	Project	Division	Opened	Date Due	Status
 1007	Cracked bottles on assembly line.	Deviations	New Jersey	10/11/2010 05:17 PM	10/15/2010	Root Cause Analysis
 1009	Investigating how the bottles became cracked on the assembly line.	Investigations	New Jersey	10/11/2010 10:46 PM		Closed - Done 

SS 8-51 PR#1009 the Investigation child is closed while Coordinator progressed PR#1007 to the state of Root Cause Analysis automatically.


10. Create a CAPA child next from Pending CAPA Plan. Continue with the same Deviation in the state of **Root Cause Analysis** by progressing it in the workflow to the state of **Pending CAPA Plan**. Schedule one of the three parallel activities first for Jane Doe to perform.

Activity Type	Date Posted	Date Scheduled	Date Performed	Responsible Name	Time Spent	Posted By
Quality Approval	10/12/2010 11:29 AM	10/12/2010 11:29 AM		Doe, Jane		John Doe

SS 8-52 Jane is scheduled to perform Quality Approval.


11. Log out of TrackWise and log in as Jane Doe using **jane** as login and **123** as password. At the prompt for password change, set the password to match the login name. Set the scope.

12. On the desktop screen, run the public query **My Scheduled Activities** to fetch Jane's scheduled activities. Perform the scheduled activity for Jane from the desktop under **My Scheduled Activities**.



SS 8-53 From Jane's perspective, there is a scheduled activity for her to perform based on the highlighted record from step nine.

13. Once the e-signature is signed, refer back to the Deviation which is now in the state of **Pending CAPA Execution**.
14. Progress the CAPA and close it. With no open CAPA records remaining, Coordinator performs the activity **CAPA Completed** to move the Deviation from the state of **Pending CAPA Execution** to **Pending Final Approval**.



SS 8-54 The Deviation progresses once the CAPA is closed by using Admin Triggers and looking for a minimum and maximum result of zero. There are no open CAPA records left.

15. For each milestone of progression with closed children, Coordinator was responsible for performing activities and moving the Deviation forward.

PR # ^	Title	Project	Division	Opened	Date Due	Status
1007	Cracked bottles on assembly line.	Deviations	New Jersey	10/11/2010 05:17 PM	10/15/2010	Pending Final Approval
1009	Investigating how the bottles became cracked on the assembly line.	Investigations	New Jersey	10/11/2010 10:46 PM		Closed - Done
1010	Correct the way the bottles are packaged to prevent cracked ones from appearing.	CAPA	New Jersey	10/11/2010 10:51 PM		Closed - Cancelled

SS 8-55 The parent Deviation progressed automatically by the Coordinator during specific points in the workflow when the child CAPA and Investigation were closed.



Use the following chart and create the four additional scheduled events to run with the Coordinator in Web Administrator. For each chart there is an example listed underneath to use in TrackWise in order to confirm that the admin queries run correctly.

<i>Admin Query Screen</i>	Is Active : Yes
Name : Create Investigations	Output Only : No
Query : State = Investigation	Triggered (Initial) Admin Activity Type : Create Investigations
Admin Scope : Deviations	Priority Group : 1
Admin Schedule : Test Schedule	

To test this event, progress a Deviation record to the Investigation state. Then watch as the Coordinator fetches this record and create an Investigation child for it. Confirm that the 'Title' field in the Deviation matches the newly created child Investigation.

<i>Admin Query Screen</i>	Is Active : Yes
Name : Auto Assign Investigations	Output Only : No
Query : Records Created Today	Triggered (Initial) Admin Activity Type : Auto Assign Investigation
Admin Scope : Investigations	Priority Group : 1
Admin Schedule : Test Schedule	

To test this event, create new children Investigation records in TrackWise based on existing Deviations. Or refer to the children records created by the Coordinator from the first on your own exercise. Each Investigation is fetched by the Coordinator and has the Assigned To field auto assigned to a project member.

<i>Admin Query Screen</i>	Is Active : Yes
Name : Notify Past Due Records	Output Only : No
Query : Past Due Records	Triggered (Initial) Admin Activity Type : Past Due Notifications
Admin Scope : CAPA	Priority Group : 1
Admin Schedule : Test Schedule	

To test this event, refer to some of the CAPA records already in TrackWise which have a Date Due that is now in the past. Refer to the record's Activity History to verify that the notification did go out.

<i>Admin Query Screen</i>	Is Active : Yes
Name : CAPA Required=Yes	Output Only : No
Query : New CAPA Required=Yes	Triggered (Initial) Admin Activity Type : Create CAPA
Admin Scope : Deviations	Priority Group : 1
Admin Schedule : Test Schedule	

To test this event, refer to a new or existing deviation with the New CAPA Required field set to yes. Based on the deviation, a new CAPA is required with this specific selection field. If set to no, a new CAPA is not required.

8.15 Re-Check on Entering PR States

When Coordinator fetches a record for the first time with a scheduled event, this is considered as a first occurrence. This means that the particular record was never found by the event until now, therefore it is updated. If the same scheduled event finds the same record the next time it runs, it notices that the record was already fetched before and does not proceed with the update again. The record is no longer considered a first occurrence for this particular Admin Query.

There may situations where the record does become a recurrence if it is no longer found but then re-discovered a future time when the event runs. In these situations Coordinator can still ignore the record or re-fetch it and apply the same action to the record again.

This feature is used when the originally fetched record was based on the state that it was in. The next workbook exercise uses this feature for re-opened children that were taken into account based on the admin trigger exercise.




1. Refer to the **Progress Deviation/Closed CAPAs** event within **Coordinator Configuration – Admin Queries**.

Admin Queries		
New Report		
Search		
Show 15 Results Per Page First Previous 1-2 of 2 Next Last		
Activate Inactivate		
☐ Name ^	Query	Triggered (Initial) Admin Activity Type
☐ Progress Deviation / Closed Investigations	State=Closed - Done	Progress Deviation/Closed Investigations
☐ Progress Deviation/ Closed CAPAs 	State=Closed - Done	Progress Deviation/Closed CAPA

SS 8-56 Choose the Second Admin Query.


2. Select **Closed – Done** from **Re-Check on Entering PR States**. Coordinator checks for any child CAPA that is re-opened and closed a second time if more than one exists.



SS 8-57 Selecting the state Closed – Done will check if the conditions match when re-entering the state Closed-Done.


8.16 Check Recurring Activities

Check Recurring Activities is used when the **Coordinator needs to re-fetch a record** if a recurring action such as a field change or performed activity should happen again. For example, if a notification should go out when the activity Final Approval was performed for a Deviation, Coordinator can notify project members that the record was closed. However, if the same record was re-opened then Coordinator would only need to alert the same people again if it was closed a second time. The activity, Final Approval, could be considered a recurring action.



SS 8-58 If an Admin Query was to fetch a Deviation where Final Approval was performed, a notification could go out. If the record was re-opened back to Pending Final Approval then a second notification could go out when Final Approval was performed again.

The Final Approval activity would be highlighted from within the Check Recurring Activities screen.



SS 8-59 Final Approval is a recurring activity which would trigger a closed notification when performed.

8.17 Check Recurring Conditions

In situations where states or activities may not be acceptable to rerun coordinator events, the feature Check Recurring conditions may be used. However, Check Recurring Conditions is a legacy feature that has been replaced by the more efficient Re-Check on Entering PR States and Check Recurring Activities features. To learn more about this feature, please see the appendix of TrackWise 8 Coordinator Guide, which can be found on your TrackWise install CD.

8.18 When to Automate Processes

As a quality watchdog application for TrackWise records, Coordinator can automate many business rules. The following chart uses business scenarios of when to use coordinator for automation and when to rely on manual system settings.

Automate with Coordinator	Manual System Settings
Setting date values based on priority types	Notify users about scheduled activities
Assigning users to a record after it remained unassigned for more than a week	Evaluation records using Flexfields
Notify the assignee of an overdue record	Generating on the spot reports
Progress parent when child is closed	
When parent progresses, move children records	

Conclusion:

The Coordinator is the quality watchdog looking for specific records in TrackWise which an automated response is needed. A few examples in this chapter ranged from progressing records based on another record's status, notifications for Past Due records, create new children records automatically and auto-assign records to project members. By taking a look at the business rules and project workflow, one can identify instances where Coordinator can automate specific actions.


8.19 Auto Reports

AutoReports is a feature in Coordinator that allows the automatic creation and distribution of Crystal Reports files in Portable Document Format (.PDF). AutoReports operate in a similar manner to other Admin Queries utilizing a Query, Admin Scope, and Admin Schedule.

AutoReports also provide the functionality of grouping the record set by the Assigned To and/or their manager. This functionality is especially useful for producing daily scheduled To Do lists of overdue items for all system users. Also, AutoReports can be generated without groupings and therefore all items in the record set are included within a single report and sent to a recipient or list of recipients. This approach can be used for quarterly management reports, showing specific types of records for that quarter, as well as providing the automated distribution of trending charts and matrices.

When setting up AutoReports for the first time, refer to the Sparta.ini file and ensure that the correct parameters have been established. This includes CrystalDSN to refer to an existing ODBC DSN connection to the database. This is established by the IT administrator responsible for the TrackWise server.

For the reports themselves, check that the Autoreports folder, within the installed WebAdmin directory, has the reports in place.



SS 8-60 The AutoReports folder is where the crystal report RPT files are stored.




1. Log out of Web Administrator. Copy Desktop Report.rpt from C:\TrackWiseWeb\tw2_TrackWise\TWReports to C:\TrackWiseWeb\tw2_Admin\autoreports.
2. Log back into Web Administrator. Refer to **Coordinator Configuration – AutoReports**.




SS 8-61 AutoReports are located under Coordinator Configuration list.

3. Click **New** and enter the following name: **Past Due Report**. Click **Save**.



SS 8-62 This auto report is sent to users who have fetched records assigned to them that are past due.

4. Click the **Report** tab and then click **New**. Select a Crystal Reports (.rpt) file by clicking in the Report Template column. In this example, select **Desktop Report.rpt**.



SS 8-63 Different reports are available based on the fetched content type by the Coordinator and the recipient.

5. Click inside the **E-mail Text** column and enter the text: **This report indicates that the following records are Past Due.**

6. Select the **Append Default Summary** check box. The default summary includes the name of the Admin Query used by the Coordinator amongst other notifying information.

▶ Report Template	Desktop Report.rpt ▼
Append Default Summary	☒
E-mail Text	This report indicates that the following records are Past Due.

SS 8-64 The email text is first followed by the details from the append default summary option

7. Select a world Time Zone by clicking in the **Time Zone**. Select **Eastern Standard Time**. Any Date/Time field in the report shows the specific time equivalent based on this setting.

8. The recipient of an AutoReport can be based on a particular person or based on a person within a data person field. For **Manually Select Members** refer to the following screen capture.

Recipients			
▶ Send to Person	Manually Select Members... ▼	Send to Manager	☐
 Add			
Delete ☐	▶ Person Name ▲	▶ To: or CC:	Seq. No [Clear All]
NO RECORDS RETURNED			

SS 8-65 Reports can be sent to persons outside of the record who are not mentioned within.

*Note: The **Send to Manager** option includes the manager of the selected individual(s). This ensures that the notification goes to the manager of the Person Field or the manager of the manually selected member.*

9. In this example, the recipient is based on a person within person date field. Select the **Assigned To** person field as the recipient. Click **Save** when finished.

AutoReport Details: Past Due Report

Details		Reports (1)	
Back To AutoReport Details Select Edit Delete Report			
Report Template	Desktop Report.rpt	Time Zone	(GMT-05:00) Eastern Time (US & Canada)
Append Default Summary	Yes		
E-mail Text	This report indicates that the following records are Past Due.		
Recipients			
Send to Person	Assigned To	Send to Manager	No

SS 8-66 The Assigned To person in any of the fetched Past Due records found by the Coordinator receives a report with their records inside.

- To assemble this rule within an Admin Query, refer to **Coordinator Configuration – Admin Queries**. Click **New** and create an Admin Query called **Past Due AutoReport**.
- For Query, choose **Past Due Records**. Include the Admin Scope **CAPA** and the **Test Schedule**.

Admin Query Details: <New Record>	
Details Program Sequence (0)	
Save Save+ Cancel	
Name	Past Due Autoreport
Query	Past Due Records
Admin Scope	CAPA
Admin Schedule	Test Schedule

SS 8-67 Coordinator is looking for CAPA records that are overdue in order to send out reports.

- For AutoReports, search for the established AutoReport rule to populate this field. In this example for **Past Due Report** and select the **Output Only** check box. The Triggered (Initial) Admin Activity Type is grayed out. You have the option of only using this Admin Query for reporting purposes or to trigger an initial admin activity and send out a report.

Output Only	☒
AutoReport	Past Due Report

SS 8-68 Output Only tells the Coordinator that this event is meant for reporting only and not record updating. If not checked, an admin activity is required.

13. Click **Save** when finished. If email capabilities are available, start the Coordinator and open the email program used to test with. Notice that there are a number of emails with attached PDF reports. In a Production environment, the schedule to use would be set to once a day, week, month, or quarter. Recipients of the reports can be based on persons associated with the fetched records or specific individuals based on name.


8.20 Auto Export

AutoExports is a feature in TrackWise Coordinator that allows the automatic creation of delimited flat-files. Upon creation of such AutoExports, they may be saved with as little or as many fields (columns) as desired, with any delimiter, and saved in any location. Using the currently functionality of Admin Queries, Admin Scopes and Admin Schedule, the TrackWise Coordinator exports only records implicated and fetched by the Admin Query.




Workbook Exercises

1. Stop the Coordinator from running by clicking the button **Stop Auto Execution**. Close the Coordinator screen.
2. On the desktop screen click **Start – Programs – TrackWise – sparta.ini**
3. At the bottom of the sparta.ini under the TrackWise Coordinator section, add the **C:** drive file path to the ExportDir parameter. It appears as ExportDir=C:\
4. Save the file change and close the sparta.ini file.
5. Setting up AutoExports is a two-step process. A template which contains fields to export from a record is defined first. Then the template is applied to a set of rules to decide the file format and delimiter to use.
6. Click **Coordinator Configuration – Exports – Export Templates**. Click **New** and provide a name for the template. It describes the types of fields which are exported. Call the template, **General Data Fields**. Click **Save**.



SS 8-69 The name of the template is defined.

- To define which data fields are included in the template, click the **Template Fields** tab. Add the following general fields from the **Available** column over to the **Data Fields in Template** column: **Date Created, Date Due, Title, Division, Project**.



SS 8-70 The fields listed appear in the export file in this order from left to right (top to bottom).

- When this template is appended to an Admin Query, all of the data fields listed above are filled in by the fetched records. Click **Save** when finished.
- Click **Coordinator – Exports – AutoExports**, to include the template and other configuration settings for the export. Click **New** and type in the following to describe this particular AutoExport, **General Export**. Click **Save**.



SS 8-71 The general export AutoExport can be used for a daily export of new records in TrackWise.

- Click the **Exports** tab. Click **Add** and select an export template by clicking in the **Export Template** column in the first configuration line. Select the **General Data Fields**, template that was created in the previous step.
- Enter the text **general field export** in the Short Description column. This is a field which you can provide a description of the purpose for this export. Select a world Time Zone by clicking in the Time Zone column in the first configuration line. Select **Eastern Standard Time**.

Delete ☐	▶ <u>Export Template</u> ▲	▶ <u>Short Description</u>	▶ <u>Time Zone</u>
☐	General Data Fields ▼	general field export	(GMT-05:00) Eastern Time (US & Canada) ▼

SS 8-72 The template along with the short description for the export and time zone for Date/Time fields in the export template.

12. Enter the filename **field export.txt** in the **Output Filename** column. The file extension can also be .csv. Ensure that there is a comma in the **CSV Delimiter** column. This is the symbol which separates export data fields in the export file.
13. If exporting Flexfields, (long string fields) you can indicate which symbol is to be used in order to show a spacing / carriage return between paragraphs of text.
14. Select the **Include Header Record** check box. This ensures that the names of the data fields appear on the first row within the export file.
15. Select the **Create if No Records Returned** check box. The AutoExport file is still be generated, even if Coordinator did not fetch any records.
16. Do not select the **Append if Exists** check box. If checked, any record previously fetched and added to the export file, is added again to the file if it is already there.
17. Click **Save** when finished. The final step is to apply these rules for the Coordinator to run.

AutoExport Details: General Export									
Details		Exports (1)							
 Edit									
Delete	▶ <u>Export Template</u> ▲	▶ <u>Short Description</u>	▶ <u>Time Zone</u>	▶ <u>Output File Name</u>	▶ <u>Delimiter</u>	<u>New Line Replacement</u>	<u>Include Header Record</u>	<u>Create if No Records Returned</u>	<u>Append if Exists</u>
☐	General Data Fields	general field export	(GMT-05:00) Eastern Time (US & Canada)	field export.txt	,		Yes	Yes	No

SS 8-73 This export contains general fields based on records created today.

18. Before continuing, go to **Coordinator Configuration – Admin Scopes** and create a new one called **All Projects**. Ensure all of the check boxes are selected.

Admin Scope Details: <New Record>

▶ Name

Included Projects

Division ▲	Project	Include In Scope
New Jersey	CAPA	☒
New Jersey	Deviations	☒
New Jersey	Investigations	☒

SS 8-74 This scope allows an export of all records created today regardless of project.

19. Refer back to **Coordinator Configuration – Admin Queries**. Click **New** and create another admin query event. Name it **General Export of new records**.
20. For **Admin Query**, use **Records Created Today**. For Admin Scope, use **All Projects** and the **Test Schedule**.

▶ Name

▶ Query

▶ Admin Scope

▶ Admin Schedule

SS 8-75 Records created today are fetched and printed into the exported file.

21. Select the **Output Only** check box and use the export template **General Export**.

Output Only ☒

AutoReport

AutoExport

SS 8-76 The template in the previous steps along with the file type and delimiter is used when records created today are fetched.

22. Click **Save** when finished. To test, run the Coordinator and create new records of any project. By default the Coordinator creates the export file within the TrackWise folder unless a local directory was established within the Sparta.ini file's ExportDir parameter.

8.21 Program Sequence

Program Sequence is a feature that is available from within the Admin Queries screen in Web Administrator. This allows additional admin activities to occur with repeated fetched records through the use of a time interval. If a past due record is fetched for the first time once a day at 7:00 AM, Coordinator sends out a notification. If the same past due record is found the next day at 7:00 AM, it is left alone by default unless the program sequence uses another triggered action to occur at approximately 1,440 minutes later which is the equivalence of one day.



1. Refer back to the AutoReport event which is looking for past due records to report on. Click **Program Sequence**.
2. Note the admin activity types to the left with the option to bring one or several over to the right side of the screen. Additional events to follow up with are available this way.
3. The time interval allows a sequence of events to occur in the order they are placed. The last event can continue forever based on the time interval. With this functionality, escalation of actions is permissible in addition to the initial admin activity action found on the main admin query details screen.
4. If recurring conditions is used with this where the record is missing and reappears within the admin query and scope range later on, the whole sequence starts again from the main screen with the initial admin activity type followed by the program sequence if necessary.

Conclusion:

The Coordinator as a quality watchdog application is capable of many things with regards to record upkeep. Whether it is progressing records within a workflow, filling out a person field, notifying users about records based on a specific condition; it constantly monitors the database based on a predefined schedule.

Coordinator can also export data such as a txt or csv file. It can also send out reports to users about the status of records.

Records previously fetched and updated can be escalated with Program Sequence. Records

once updated by the Coordinator but are no longer within a persistent condition could be found again later due to the same circumstances from before. With these records Coordinator can choose to ignore them or follow up with additional actions.

Finally, Admin Triggers are a delay effect for fetched records where a threshold establishes a minimum or maximum number of returned results. Once these results are met, Coordinator implements actions to the records. From a database perspective, Coordinator provides an IF-THEN-ELSE statement with this feature.

Notes:

9. Configuration and Coordinator Exercise



Using what you have learned throughout this course, modify the existing project called CAPA based on the criteria below and test each. This is a self-paced exercise and the instructor is available to assist as needed.

9.1 Reference Records

Create two reference record fields to add to the CAPA and Deviations configuration forms.

1. Create a field that allows a CAPA to reference a Deviation. Title this field **Deviation Reference Records**.
2. Create a field that allows a Deviation to reference a CAPA. Title this field **CAPA Reference Records**.
3. For both newly created fields, create a **Reference Record Display** containing:
 - a. Record ID
 - b. Title
 - c. Assigned To
 - d. Date Opened
4. For both newly created fields, create a **Reference Record Layout** containing:
 - a. Project Name
 - b. Title
 - c. Date Opened
5. For both newly created fields, create a **Reference Record Search** containing:
 - a. Title
6. Once complete, apply the Record Display, Record Layout and Record Search to the **CAPA Reference Record** field and the **Deviations Reference Record** field.
7. Ensure the data fields correspond to the correct record type.
8. Ensure the newly created reference each other through the use of duplexing.
9. Ensure that the CAPA team members are entitled to **View** and **Edit** the Deviations Reference Record field.
10. Also ensure the Deviations team members are entitled to **View** and **Edit** the CAPA Reference Records field.

11. Finally, modify the Deviation configuration form to add a row and include the **CAPA Reference Records** field. Modify the CAPA configuration form to add a row and include the **Deviation Reference Records** field.

Notes:

9.2 Grid Fields

In the next steps, create a grid field that captures the information for the SOP and affected locations of the CAPA.

1. Create a grid titled **SOP and Locations Grid**.
2. The grid should contain a single selection data field titled **SOP Number** that contains the following:
 - a. SOP001
 - b. SOP002
 - c. SOP003
 - d. SOP004
 - e. SOP005
3. The grid should also contain a single selection data field titled **Impacted Location** that contains the following:
 - a. Hamilton, NJ
 - b. Canada
 - c. Paris
4. Set the group categories for the CAPA to have Can Edit and Can View rights to the grid and the fields within.

5. Ensure the data fields are associated with the grid as well as the project.
6. Add the grid to the form under the **CAPA Information** section.

Notes:

9.3 Schedulable Activities

It has been decided by your organization that the activity QA Approval should no longer be a “Perform Only” activity.

1. Modify the **QA Approval** activity to be a schedulable activity.
2. Require a person to be responsible for performing the activity.
3. This activity must performed by someone other than the scheduler.
4. Modify the message displayed during electronic signature to read “By performing this activity, you acknowledge full review of the contents of record”.

Notes:

9.4 Lock Field

1. Ensure the **Actions Taken** field cannot be edited until the record is in a state of Work In Progress.

Notes:

9.5 Virtual Group Categories

From time to time, users in the person role of Project Manager may need to step in and take action as the **Assigned To** person on the record.

1. Ensure they are entitled via use of the **CAPA-Assignee Virtual Group** Category, allowing them to participate in the project as the Assignee.

Notes:

9.6 Associate Activities with a Process Group

Currently, the workflow is complete with the action of QA Approval that progresses the record to Closed-Done.

1. Add one more level of approval – **Final Approval** – to the workflow. This activity currently exists for the Deviations Process Group. Associate this activity with the **Initial Group** and add the following states and activities to the CAPA project workflow:
 - a. From Pending Approval, have the QA Approval activity progress the record to Pending Final Approval.
 - b. Perform Final Approval to progress the record to Closed-Done.

Notes:

9.7 Notifications

In the event a CAPA record priority changes, the project manager should be notified. This allows the manager to review due dates to ensure timely resolution

1. Establish a notification to alert the project manager when a record priority is updated.
2. Create a Notification Template that contains the following:
 - a. Name the template **Priority Changed**.
 - b. Ensure the template displays the numeric identifier and summary.
 - c. The email subject line should read: **Record Priority Updated**
 - d. The content should read: **Please note record <%PR ID%> has had a change in priority. Please review the Due Date of the record to identify updates if necessary.**

3. Finally, use this Notification Template in the previously established notification rule.

Notes:

9.8 Auto Create Child Records

Some of the processes on the CAPA project are automated using the Coordinator, including the creation of child Effectiveness Checks. Configure TrackWise so that the CAPA record creates a child Effectiveness Check when the record is in the state of Pending Approval.

1. Create an **Admin Query** that searches for CAPA records with the Complete activity performed today.
2. Create an **Admin Scope** for **CAPA Records**.
3. Create an **Admin Schedule** to search for records every two minutes.
4. Create an **Admin Activity** that will create the child Effectiveness Check record.

Notes:

9.9 Auto Assign

For CAPA records, auto assign records to the next available associate based on person role in sequential order. The record should be auto assigned to the project leader when Approval Received is performed.

1. Create the **Admin Scope**.
2. Create the **Admin Query**.
3. Create an **Admin Schedule** to have Coordinator search for records every three minutes.
4. Auto assign the CAPA record to the Project Leader based on sequential order.

Notes:

9.10 Past Due Notifications

Send a past due notification to the Project Managers when a CAPA record is past due by more than two days.

1. Create the **Admin Scope**.
2. Create the **Admin Query**.
3. Have Coordinator check once a day for records.
4. Have Coordinator send the notification to the Project Manager.

Notes

9.11 Post Activities

Configure TrackWise to automatically progress an Effectiveness Check record from the state of Opened to Work in Progress.

1. Create the **Admin Scope**.
2. Create the **Admin Query**.
3. Have Coordinator check once a minute for records.

Notes:

9.12 Admin Trigger Exercises

In this first exercise, you want to ensure the CAPA policy is understood and implemented by various departments. The Effectiveness Checks are children of the CAPA. A completed Effectiveness Check is the department signoff to verify their comprehension. Configure Coordinator to close out the parent CAPA record once all child Effectiveness Checks are closed.

1. Configure an Admin Trigger to check for any open Effectiveness Check records that are children of a CAPA. When the last Effectiveness Check closes, Coordinator closes the CAPA record.
2. Create/use the **Admin Query** for **Closed Records**.
3. Create/use the **Admin Scope** for **Effectiveness Check**.
4. Create/use an **Admin Schedule** to check for records every minute.
5. Open two Effectiveness Checks as children of the same CAPA record.
6. Progress the two Effectiveness Checks through to closure.
7. Observe the parent CAPA closing as a result of Coordinator activity.

In this second exercise, the Deviation is automatically progressed back to a previous state when the child CAPA is rejected. Configure Coordinator to look for CAPA records with Reject performed in order to trigger the parent Deviation to move back to the previous state. Use the recurring activity Reject as way to continuously push the Deviation back whenever the CAPA performs a rejection. Refer to the following components.

1. Create/use an **Admin Query** to look for the activity **Reject** performed in the last three days based on Date Activity.
2. Create/use an **Admin Scope** for **CAPA records** only.
3. Create/use an **Admin Schedule** to check for records every minute.
4. Create/use a Dynamic Query to use the Deviation Parent PR in the state of Pending Final Approval as the dynamic query for input and output.
5. Create an Admin Activity to perform **Reject – CAPA Plan** as the action to use on a match within the Admin Trigger.
6. Set the Admin Trigger to Always Trigger instead of a minimum or max count.
7. To demonstrate once it is running, progress a Deviation into the state of Pending Final Approval. Create a child CAPA for this Deviation. Progress the CAPA to the state of Pending Approval and then perform Reject. Observe how the Deviation also returns to a previous state.

Notes:**9.13 Recurring Activities**

For this exercise, if a record is returned throughout the workflow process, a notification should be sent to the Assigned To associate to let them know the work was returned and requires their attention. Configure the Effectiveness Check project to alert the Assigned To associate when a record is returned to them from the state of Pending Approval.

1. Create/use an **Admin Query** to look for records in state of **Work in Progress**.
2. Create /use an **Admin Scope** for **Effectiveness Check**.
3. Create/use an **Admin Activity** for notifying the Assigned To.
4. Have Coordinator check for records every minute.

Notes:

9.14 Auto Reports

1. Configure Coordinator to send a weekly report to the Assigned To associates on CAPA records to alert them of records that are still open. Use the Desktop Report for this task.

Notes:

9.15 Auto Export

1. Create an auto export to look for all CAPAs closed within the last seven days. Export the following fields:
 - a. Title
 - b. Description
 - c. Priority
2. Run this report every Monday at 6AM.
3. Export this file to the C drive.

Notes:

10. Coordinator Configuration Workshop

10.1 Overview

The following chapters are designed to teach you how to configure moderate to complex Admin Queries from start to finish. Using pre-configured projects we will work to configure the following Coordinator functionality:

1	Update Parent Record's Due Date
2	Notify Project Members after 5 Complaints
3	Progress a PR Based on Reference Records
4	Schedule Approval Activity after Due Date Changes 3 times
5	Create children records for multiple departments
6	Let Coordinator Make a Decision

11. Exercise – Update Parent Record's Due Date

Coordinator can update the parent record's date due based on the child record's date due, if it's later. For example, when an Audit (Parent) has been scheduled, and if the Observation (child) record has a later due date than the parent, Coordinator can update the Parent record's due date of the child.



Workbook Exercises

This exercise is to create an Admin Query so that Coordinator fetches the child record (Observation) due date and compares it with the parent record's due date (Audit). If it's greater, then update the parent's due date with the latest of the child's.


Prerequisites for putting this Admin Query together:

- TrackWise Admin Query
- Admin Scope
- Admin Schedule
- Two Admin Activity Type
- Three Dynamic Queries
- Admin Trigger
- Admin Query

11.1 Designing TrackWise Admin Queries

1. Log into **TrackWise** with the username/password of **admin/admin**.
2. Based on the steps above, we must first design an Admin Query to fetch open records. Click on **Query**.
3. This Admin Query will look for open records. Click **Save**.
4. Name this query **Open PRs**.
5. For Visibility, choose **Admin**.
6. Select **Initial Group** for the process group.

7. Click **Save**.



Query Manager

<New Query>

Run Query Save... Discard More Actions

Query Criteria (based on current Scope: All Projects (publ))

Enter or choose field

Query Details

Name

Open PRs

Description

This query looks for any open records.

Visibility

My Public Admin

Process Group:

Initial Group

Save Cancel

Quick Criteria

☐ Originated By Me
☐ Assigned To Me
☐ Not Assigned
☐ Past Due
☐ Activities Past Due
☐ Date Due Not Set
☐ Root Parent Only
☐ Include Closed Records

SS 11-1 Creating a TrackWise Admin Query for Coordinator to fetch Open Records.

This query will be used for coordinator to fetch open records which the date due has been changed. The rest of the configuration for this example will be done in Web Admin. Remember, the only item that needs to be done in TrackWise for Coordinator is designing the “Admin Query”.

11.2 Designing Admin Scopes

An Admin Scope must be configured in order for Coordinator to fetch the proper project record.



1. Log into **WebAdmin**.
2. Expand **Coordinator Configuration**.
3. Click **Admin Scopes**.
4. Click **New** and name this new scope **Observations**.
5. Select the two Observation Projects: **Observation – Internal** and **Observation – Supplier**.
6. Click **Save**.

Back To Admin Scopes			Process Group: Initial
Edit Delete Report			
Admin Scope Details: Observations			
Name: Observations			
Included Projects			
Division	Project	Include In Scope	
San Diego	Addendum	No	
San Diego	Audit - Internal	No	
San Diego	Audit - Supplier	No	
San Diego	Change Control	No	
San Diego	Complaint	No	
San Diego	Corrective Action	No	
San Diego	Corrective Action - Audit	No	
San Diego	Deviation	No	
San Diego	Document	No	
San Diego	Document Change	No	
San Diego	Document Obsolete	No	
San Diego	Effectiveness Check	No	
San Diego	Investigation	No	
San Diego	MedWatch Report	No	
San Diego	Observation - Internal	Yes	
San Diego	Observation - Supplier	Yes	

SS 11-2 Selecting projects for an Admin Scope.

11.3 Designing Admin Schedules

The next exercise is to configure and Admin Schedule. This is the schedule Coordinator will use to fetch certain records. For the scope of this class, we will construct a test schedule which is normally reserved for testing in development environments. NOTE: This will never be done in production since it can cause performance issues.



1. While in WebAdmin, expand **Admin Queries**.
2. Select **Admin Schedules**.
3. Click **New**.
4. Name this **Test Schedule**.
5. Check **Always Run Schedule**.
6. Place **1** in the **Time Interval (Minutes)** column. Make sure 1 is in every row.
7. Click **Save**.

Admin Schedule Details: Test Schedule					
Name: Test Schedule					
Weekly Schedule					
Day	Always Run Schedule	Start Time	End Time	Run Only Once	Time Interval (Minutes)
Monday	Yes			No	1
Tuesday	Yes			No	1
Wednesday	Yes			No	1
Thursday	Yes			No	1
Friday	Yes			No	1
Saturday	Yes			No	1
Sunday	Yes			No	1
By Date					
Delete	Start Date/Time	Is Recurrent	Description		
NO RECORDS RETURNED					

S 11-3 Creating an Admin Schedule for Coordinator to run based on the schedule.

11.4 Designing Admin Activity Type Part 1.

The next exercise will be configuring an Admin Activity type (1st out of 2) which will update the Date Due of the parent record.



1. In **WebAdmin**, click **Admin Activities Types**.
2. Click **New** and name this **AA - Set Parent's Date Due**. In the Comments section, it is good practice to describe the admin activity.
3. Click **Save**.
4. Select **Date Values** tab.
5. Select **Date Due** for the **Data Field To Set** column.

6. For the **Value to Set (If Blank)** column, enter in **0 Minutes After, Date Due** for the Base Value, **Fetches PR** for the Source, and select **Use Admin Triggered PR**. The Use Admin Triggered setting indicates to the activity to base the date setting from the Admin trigger created in a future step.
7. Repeat the same for the column **Value To Set (If Set)**.
8. Select **Calendar** Business Days Rule column.
9. Click **Save**.

Admin Activity Type Details: AA - Set Parent's Date Due					
Details Selection Values (0) Date Values (1) Person Values (0) Set Other Fields (0) Post Activities (0) Create PRs (0) Admin Triggers (0)					
Edit Report					
Delete	Data Field To Set	Value To Set (If Blank)	Value To Set (If Set)	Business Days Rule	Seq. No
	☐ Date Due	Time: 0 Minute(s) After Base Value: Date Due End of Month: No Source: Fetches PR Use Admin Triggered PR: Yes	Time: 0 Minute(s) After Base Value: Date Due End of Month: No Source: Fetches PR Use Admin Triggered PR: Yes	Calendar	1

SS 11-4 Setting the Admin Activity type for Date Values.

The reason why we inserted 0 minutes after and selected “Use Admin Trigger PR” is because the Admin Trigger will handle the logic to see if the date due is less in the parent record based on the Dynamic Queries.

11.5 Designing Dynamic Queries

The next exercise is to create three Dynamic Queries:

1. Match Criteria: Dynamic Query for input is to check to see if the parent record has a date due filled out
2. On Match: Dynamic Query for output is to set the logic if the parent record's date due is less than the child(ren).
3. No Match: Dynamic Query for output is to see if the parent record has null value. (null is not less than anything)

The next exercise is to check to see if a parent record has its Date Due filled out. This will be used in the **Match Criteria** section for the Admin Trigger.



For the first Dynamic Query:

1. In **WebAdmin**, click on **Dynamic Queries**.
2. Click **New** and name this **DQ – Parent with a Date Due**
3. In the **Included PRs** section, select **Parent PR**. This will ensure that the parent record has been fetched and not the child record.
4. Click **Add** in the **Dynamic Conditions** section. Search for **Date Due**.
5. Set the condition to **Not Equal**. This will compare the date due values in both the parent and child record. If it's equal, then do nothing. If it's NOT equal, go to the match Criteria section in the Admin Trigger.
6. Click **Save**.

Dynamic Query Details: DQ - Parent with a Date Due			
Details			
 Edit			
Name	DQ - Parent with a Date Due	Query	
Ref. Record		Admin Scope	
Comments	This DQ is looking at the parent record date due.		
Included PRs			
All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	Yes
Children PRs	No	Root Parent PR	No
Dynamic Conditions			
Delete	► Data Field Name ◄	► Field Type	► Condition
☐	Date Due	Date/Time	Not Equal

SS 11-5 Designing the first Dynamic Query for Coordinator check for certain conditions.

The second Dynamic Query is to use in the Match Criteria section. This will copy up the latest child's date due value up to the parent.



1. Click on **Dynamic Queries**.
2. Select **New** and name this **DQ – Parent Date Due Less Than Child**.
3. Select **Parent PR** in the **Included PRs** section.
4. Select **Add** for a **Dynamic Conditions** section.
5. For the **Data Field Name** column, select **Date Due**.
6. In the **Condition**, select **Before**. This will check to see if the date due value in the parent is less than the child's. If it is, then update the parent record with the date due of the child's record.
7. Click **Save**.

Dynamic Query Details: DQ - Parent Date Due Less Than Child

Details

 Edit

▶ Name	DQ - Parent Date Due Less Than Child	Query	
Ref. Record		Admin Scope	
Comments	This DQ is looking at the child record.		

Included PRs

All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	Yes
Children PRs	No	Root Parent PR	No

Dynamic Conditions

Delete	▶ Data Field Name ▲	▶ Field Type	▶ Condition
☐	Date Due	Date/Time	Before

SS 11-6 Designing the second Dynamic Query for Coordinator check for certain conditions.

The last Dynamic Query will be checking to see if the parent has no Date Due value.



Workbook Exercises

1. Click **New** and name this DQ as **DQ – Parent w/ No Date Due**.
2. Select **Parent PR** in the **Included PRs** section.
3. Click **Save**.

Dynamic Query Details: DQ - Parent Record w/ No Date Due

Details

Edit

Name	DQ - Parent Record w/ No Date Due	Query	
Ref. Record		Admin Scope	
Comments			

Included PRs

All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	Yes
Children PRs	No	Root Parent PR	No

Dynamic Conditions

Delete	► Data Field Name ▲	► Field Type	► Condition
NO RECORDS RETURNED			

SS 11-7 Designing the last Dynamic Query for Coordinator check for certain conditions.

This will be used to check to see if the parent record does not have a Date Due value.

11.6 Designing Admin Triggers

Admin Triggers are an advanced way of determining if and when records should be updated by the Coordinator. From a database perspective, it is the IF THEN ELSE statement behind the scenes to decide when a record should be updated. Admin Triggers can use a minimum and maximum number to determine a threshold of returned records. If the returned results are within range, an action can occur. If not, something else can happen instead or nothing would occur but Coordinator can check back at a particular time interval.

The records that are returned and evaluated this way are based on dynamic queries. Dynamic Queries are mini-queries or a subset of results based on the original results found by the Coordinator.

Admin Triggers are used in a variety of ways. The most common use is to close out or progress Parent records when the children records are closed or at a certain status. They are also used to auto trend recurring events such as Deviations referencing the same CAPA record for correcting and preventing the same type of occurrence. Admin Triggers can also be used to identify duplicate data such as a part number or serial number after it was already reported.

The next exercise will incorporate all of the dynamic queries into a single admin trigger which will look to see if the parent record has the date due populated or not, and perform an action if there is a match, or not.



Workbook Exercises

1. In **WebAmin**, click **Admin Triggers**. Name this **AT – Set Parent Date Due**.
2. On the **Match Criteria** section, select **DQ – Parent with a Date Due** for the **Dynamic Query for count (Input)**.
3. Set the **Min. Count** to **1**. This tells Coordinator it takes at least 1 child for this to work.
4. In the **On Match** section, select **AA – Set Parent's Date Due** for the **Admin Activity Type** and **DQ – Parent Date Due Less Than Child** for the **Dynamic Query**. <----This is the output DQ.
5. In the **No Match** section, select **AA - Set Parent's Date Due** for the **Admin Activity Type** and **DQ – Parent Record w/ No Date Due** for the Dynamic Query. <--- This is the output DQ as well.
6. Click **Save**.

Admin Trigger Details: AT - Set Parent Date Due			
Name		AT - Set Parent Date Due	
Always Trigger		No	
Comments			
Match Criteria			
Dynamic Query for Count (Input)		DQ - Parent with a Date Due	
Min. Count		1	
Max. Count			
On Match			
Admin Activity Type		AA - Set Parent's Date Due	
AutoExport			
Dynamic Query		DQ - Parent Date Due Less Than Child	
No Match			
Admin Activity Type		AA - Set Parent's Date Due	
AutoExport			
Dynamic Query		DQ - Parent Record w/ No Date Due	

SS 11-8 Creating the Admin Trigger to incorporate all of the Dynamic conditions and perform an action when all criterion are met.


After the Admin Trigger is saved, the next step is to design the second Admin Activity Type to enable the Admin Trigger perform the IF THEN ELSE statement.

11.7 Designing Admin Activity Type Part 2.



Workbook Exercises

1. Click **Admin Activity Types** and click **New**.
2. Name it **AT – Date Due Changed**.
3. Click **Save**.
4. Select the **Admin Triggers** tab.
5. From the **Available Admin Triggers (DQ In)** column, bring over **AT – Set Parent Date Due (DQ – Parent with a Date Due)** to the right column **Admin Triggers Selected (DQ In)**
6. Click **Save**.



SS 11-9 Designing the second Admin Activity type to trigger the Admin Trigger.

11.8 Designing The Admin Queries (AQ) – Putting It All Together

The final step now is to design the Admin Query and bring all of the steps together. After this is finalized, Coordinator will pick up the Admin Query (AQ), fetch the records, and perform the necessary updates.



1. In **WebAdmin**, select **Admin Queries**.
2. Click **New** and name it **AQ - Set Parent's Date Due from Child**.
3. **Query = Open PR**
4. **Admin Scope = Observations**
5. **Admin Schedule = Test Schedule**
6. **Triggered (Initial) Admin Activity Type = AT – Date Due Changed**

7. **Check Recurring Activities = Date Due Changed.** This needs to be checked to see if an existing child's date due value is updated as the latest.

Admin Query Details: AQ - Set Parent's Date Due from Child			
Details Program Sequence (0)			
Edit			
Name		AQ - Set Parent's Date Due from Child	
Is Active		Yes	
Query		Open PR	
Output Only		No	
Admin Scope		Observations	
AutoReport			
Admin Schedule		Test Schedule	
AutoExport			
Priority Group		1	
Triggered (Initial) Admin Activity Type		AT - Date Due Changed	
Check Recurring Conditions		No	
Re-Check on Entering PR States			
Check Recurring Activities		Date Due Changed	
Comments		This AQ will update the Parent's Date Due if any child has a later date value.	


SS 11-10 Putting all of the steps together in an Admin Query for Coordinator to execute based on the Admin Schedule.

11.9 Launching the Coordinator

After designing the Admin Query in Web Administrator, its good practice to test out the Admin Query.



1. From the desktop, click **Start, All Programs**, select **TrackWise**.
2. Select **TrackWise Coordinator**.
3. Log into the application. Use admin/admin for the username and password. Select the **tw86** database from the drop down.
4. Click **OK**.
5. Make sure **Initial Group** is selected only.
6. Click **Start Auto Execution**.



SS 11-11 Starting the Coordinator application. This will execute the Admin Queries designed in Web Administrator.



Workbook Exercises

1. Log into **TrackWise**.
2. **Create an Audit – Internal** record by click on **New PR**.
3. Fill out the required field and click **Save**.
4. Go into the details of the new record, and click **Child**. Fill out the required fields and then save.
5. Go into the newly created **Observation - Internal** child record, and progress it by performing the activity **Ready for Response**. Click **Save**.
6. Select the **CAPA information tab**, and fill out the **Date Due** field. Make sure it's greater than the parent's date due value.
7. Click **Save**.

The result should be that the parent's date due value is now the same as the child date due value since the child's was greater than the parent's.



Create another child record from the same parent, and set the Date Due to be the latest. Did Coordinator update the parent's Date Due?

Circle One:

- Yes
- No

Update the first child's Date Due to be the latest. Did Coordinator update the parent's Date Due?

Circle One:

- Yes
- No

Notes:

12. Exercise – Notify Project Members After 5 Deviations

Coordinator can track, analyze, and trend on certain events. There may be times when multiple complaints from different time periods are entered into the system which are of the same type. For example, within the last 6 months, multiple Deviation records have been entered in with the same Type, ex. Labeling Error. What Coordinator can do is send out an alert (email) to the project members, notifying the same reoccurrence of Deviations.

The next exercise will notify project members after the fifth (or more) Deviation record with the same type value is entered into the system.

Prerequisites for putting this Admin Query together:

- TrackWise Admin Query
- Admin Scope
- Admin Schedule
- Two Admin Activity Type
- Notification Class
- Two Dynamic Queries
- Admin Trigger
- Admin Query

12.1 Designing TrackWise Admin Queries



Workbook Exercises

1. Log into TrackWise and click **Query**.
2. Select **Date Created** from the dropdown. This query will look for complaint records that was created 1 week ago and up until today.
3. Set the condition **is in the range 7 day(s) before [Current Date] to [Current Date]**.
4. At the bottom of the screen, select the check box **Include Closed Records**.
5. Click **Save**.

6. Name this query **Created in Last 7 Days Including Closed**.
7. Choose **Admin** for the visibility and choose **Initial Group** for the process group.
8. Click **Save**.

Created in Last 7 Days Including Closed

Run Query Edit More Actions ▾

Query Criteria (based on current Scope: **All Projects (pub)**)

Date Created is in the range **7 day(s) before [Current Date]** to **[Current Date]**

Quick Criteria

☐ Originated By Me	☐ Past Due	☐ Root Parent Only
☐ Assigned To Me	☐ Activities Past Due	☒ Include Closed Records
☐ Not Assigned	☐ Date Due Not Set	

Query Details [X]

Name

Created in Last 7 Days Including Closed

Description

Visibility

☐ My

☐ Public

☒ Admin

Process Group:

Initial Group ▾

Save Cancel

SS 12-1 Creating the Admin Query for Coordinator searching for records with the Type field set to Leakage.

12.2 Designing Admin Scopes

Since we are only looking for Deviation records, we need to create an Admin Scope to tell Coordinator which project to filter. Depending on the configuration, Admin Scopes can have multiple projects selected or just one. In this case, we will be explicit and tell Coordinator to only look in Deviation project records.



1. In **WebAdmin**, click **Admin Scopes**.
2. Click **New** and name this **Complaint**.
3. Select only the Complaint project from the list.

« Back To Admin Scopes
Process Group: Initial Gro

Save Save+ Cancel Delete Report

Admin Scope Details: Complaint

▶ Name

Included Projects

Division ▲	Project	Include In Scope
New Jersey	CAPA	☐
New Jersey	Change Control	☐
New Jersey	Deviations	☒

SS 12-2 Designing the Admin Scope for Coordinator searching Complaint records only.

4. Click **Save**.

12.3 Designing Admin Activity Type Part 1.

Next, is to create an Admin Activity Type which is reserved as a place holder. This Admin Activity Type will be used in the notification class. When Coordinator is involved with sending notifications, you must design an Admin Activity Type as a place holder to be used within the notification class for that specific project. Otherwise, you can base this on activities or data field level changes which TrackWise (the core) can send notifications. Note: Only when you want specific conditions based in the record is when Coordinator is needed.



1. Click **Admin Activity Types**.
2. Click **New** and name it **Notify Supervisor/Manager**.
3. Click **Save**.



SS 12-3 This Admin Activity type will be used as a place holder for the notification.

This Admin Activity Type will be used inside the notification class along with the Admin Trigger and dynamic queries in a future section.

12.4 Setting up the Notification Class

The next exercise is to take the newly created Admin Activity Type, Notify Supervisor/Manager, and to make it part of the notification class.



Workbook Exercises

1. Expand **Notification**, select **Notification Classes**.
2. Use the already created Deviation Notifications class.
3. Under the Notification Rules tab, from the Activity Type dropdown, select **Notify Supervisor/Manager**
4. Click **Add**.
5. Notify When = **Performed**.
6. Person(s) To Be Notified = **Select Data Field = Supervisor/Manager**.
7. Source = **Fetches**.
8. Notification Type = **Email**.
9. To: or CC: = **To**.
10. Notify Manager = [Leave Blank]
11. Notification Template = **Default Template**.
12. Click **Save**.

Notification Class Details: Deviations

Details
Notification Rules (1)

Activity Type
Notify Supervisor/Manager

Add Save Cancel

Show 15 Results Per Page
First | Previous | 1-1 of 1 | Next | Last

Delete	Notify When	Person(s) To Be Notified	Source	Notification Type	To: or CC:	Notify Manager(s)	Notification Template
☐	Performed	Select Data Field... Supervisor / Manager	Fetches PR	E-mail	To:		Default Template

SS 12-4 Setting a notification class for the Complaint project.

12.5 Designing the Dynamic Queries

The dynamic query for input will look for the data field Type with the values that are equal to each other. The other dynamic query for output will be used to fetch open PRs.



Workbook Exercises

1. Click **Dynamic Queries**, click **New**.
2. Name this DQ - **Complaint Type Equals All**
3. For the query, enter (or search) **Created in Last 7 Days Including Closed**.
4. Add a Dynamic Condition where the **Type** data field is set to **Equal**. This will allow the trigger to search for any Deviation Type entered and track each different value. With the criteria in the Admin Trigger, a notification can be sent.
5. Click **Save**. This will be used for the Dynamic Query Input.

Dynamic Query Details: DeviationsType Equal All

Details			
			
▶ Name	DeviationsType Equal All		Query
Ref. Record		Admin Scope	Created in Last 7 Days
Comments			
Included PRs			
All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	No
Children PRs	No	Root Parent PR	No
Dynamic Conditions			
Delete	▶ Data Field Name ▲	▶ Field Type	▶ Condition
☐	Type	Single Selection	Equal

SS 12-5 Creating a Dynamic Query for input to use with the Admin Trigger.

6. For the second DQ, click **New**.
7. Name it **Fetched PR**.
8. For the included PRs section, select **Fetched PR**. This will make sure to perform the action on the originally fetched PR.
9. Click **Save**.

Dynamic Query Details: Fetched Records

Details

 Edit

Name	Fetched Records	Query	
Ref. Record		Admin Scope	
Comments			

Included PRs

All Related PRs	No	Exclude Fetched PR	No
Fetched PR	Yes	Parent PR	No
Children PRs	No	Root Parent PR	No

SS 12-6 Creating the second Dynamic Query to use with the Admin Trigger.

12.6 Designing The Admin Trigger

Now with both Dynamic Queries configured, the next step is to put the logic together. Coordinator will send a notification on the fifth (or more) Complaint with the same Type value. The minimum in this case will be set to 5. On Match, perform the notification admin activity type which will notify the Supervisor/Manager assigned in the record, and on No Match, Coordinator will do nothing.



1. In WebAdmin, select **Admin Triggers**.
2. Name it **AT – Notify Supervisor/Manager**
3. In the Match Criteria section, Dynamic Query for Count (Input) = **Deviations Type Equals All** and set the Min Count =5.
4. On Match section set the Admin Activity Type = **Notify Supervisor/Manager** and the Dynamic Query = **Fetched Record**.
5. Click **Save**.

Admin Trigger Details: AT - Notify Supervisor/Manager

Name	AT - Notify Supervisor/Manager	Always Trigger	No
Comments			
Match Criteria			
Dynamic Query for Count (Input)	Deviations Type Equals All		
Min. Count	5	Max. Count	
On Match			
Admin Activity Type	Notify Supervisor/Manager	AutoExport	
AutoReport		Dynamic Query	Fetches Records
No Match			
Admin Activity Type		AutoExport	
AutoReport		Dynamic Query	

SS 12-7 Finalizing the Admin Trigger with utilizing the Dynamic Queries with a Min. count set to five.

12.7 Designing The Admin Activity Type Part 2

Now that the Admin Trigger is configured, the next step is to create the second admin activity which will be used to house the newly created Admin Trigger.



1. In **WebAdmin**, select **Admin Activity Types**.
2. Click **New** and name it **AT – Notify Supervisor/Manager**
3. Click **Save**.
4. Select **Admin Trigger** tab, and bring over **AT – Notify Supervisor/Manager (Deviation Type Equals All)**.
5. Click **Save**.

Admin Activity Type Details: AT - Notify Supervisor/Manager

Details	Selection Values (0)	Date Values (0)	Person Values (0)	Set Other Fields (0)	Post Activities (0)	Create PRs (0)	Admin Triggers (1)
Save Cancel Report							
Available Admin Triggers (DQ In)				Admin Triggers Selected (DQ In)			
				AT - Notify Supervisor/Manager (Complaint Type Equals All)			

SS 12-8 Creating the second Admin Activity type to trigger the newly created Admin Trigger.

12.8 Designing The Admin Query (AQ) – Putting It All Together

The final step now is to design the Admin Query and bring all of the steps together. After this is finalized, Coordinator will pick up the Admin Query (AQ), fetch the records and perform the necessary updates.



1. In **WebAdmin**, click **Admin Queries**
2. Click **New** and name it **AQ – Notify Supervisor/Manager**.
3. Query = **Created in Last 7 Days Including Closed**.
4. Admin Scope = **Deviation**.
5. Admin Schedule = **Test Schedule**.
6. Triggered (Initial) Admin Activity Type = **AT – Notify Supervisor/Manager**.
7. Click **Save**.

Admin Query Details: AQ - Notify Supervisor/Manager

Details		Program Sequence (0)	
			
▶ Name	AQ - Notify Supervisor/Manager	Is Active	Yes
▶ Query	<u>Created in Last 7 Days Including Closed</u>	Output Only	No
▶ Admin Scope	<u>Deviations</u>	AutoReport	
▶ Admin Schedule	<u>Test Schedule</u>	AutoExport	
▶ Priority Group	1	Triggered (Initial) Admin Activity Type	<u>AT - Notify Supervisor/Manager</u>
Check Recurring Conditions	No		
Re-Check on Entering PR States		Check Recurring Activities	
Comments			

SS 12-9 Putting all of the steps together in the Admin Query. This will start the process for Coordinator fetch and execute this Admin Query.

12.9 Testing The Newly Created Admin Query

Now that all of the pieces are in place, let's see if Coordinator can catch it and send a notification after the fifth Deviation is entered into the system with any Type value that was opened over the past 7 days. Remember, when Coordinator finds the fifth (or more) record of the same type, the admin trigger on match will perform the admin activity Notify Supervisor/Manager. This notification will occur on the fifth or more occurrences on the Fetched Record (DQ for output). Remember, the same type has to be selected. Choosing random five Deviation Types will not trigger the notifications.



1. Stop and start the coordinator. This is so that it can grab the newly created Admin Query
2. Create a Deviation record and fill out the required fields.
3. Make sure to fill in the Type field with any type that is available.
4. Create 5 or more Deviation records of any type. *Hint: you can copy a record already created.*
5. After the fifth record, look in the history of the record to see if there is a notification.

Filter: Standard View							
Sorted by Date Performed (Descending) << First < Previous Next > Last >> 1 to 2 of							
Activity Type	Date Posted	Date Scheduled	Date Performed	Responsible Name	Posted By	Origin State	Resulting State
Notification	01/29/2014 02:00 PM		01/29/2014 02:00 PM	First Last	First Last	Opened	Opened
Open	01/29/2014 02:00 PM		01/29/2014 02:00 PM	First Last	First Last	Opened	Opened

SS 12-10 Viewing the history of the record to verify the notification has been sent to the recipient.



Create new Deviation records and select a different Deviation Type such as "Leakage". Did Coordinator find it and perform the Notification activity (Check the History)?

- Yes
- No

Notes:



Notify the Main Contact in the **Audits** record when there are three **Observation** children records with their **Type** set to “**Foreign Material**”.

Prerequisites for putting this Admin Query together:

- TrackWise Admin Query
- Admin Scope
- Admin Schedule
- Two Admin Activity Type
- Notification Class
- Two Dynamic Queries
- Admin Trigger
- Admin Query

Notes:

13. Exercise – Progress PR Based on Reference Records

Coordinator, based on the admin query, can progress records based on state, field, activity performed, status of children records, etc. There are some cases, where a “Parent” record will reference another record. We have seen in the above example how a record can close based on the child records status. In this example, we will see how a reference record status can influence another record’s progression. This requires an additional Admin Query to look inside the history of the record for the Admin trigger being posted to the record. Then, the second Admin Query will perform the actual activity.

Prerequisites for putting this Admin Query together:

- Three TrackWise Admin Queries
- Admin Scope
- Admin Schedule
- Three Admin Activity Types
- Two Dynamic Queries
- Admin Trigger
- Two Admin Queries


In this example, we will have a Deviation record progress to the state of Root Cause analysis, if the record Corrective Action is in the state of Approved.

13.1 Designing TrackWise Two Admin Queries



1. In TrackWise, create three admin queries.
2. First admin query will be looking for Deviation records in the state of Root Cause Analysis. Name it **PR State = Root Cause Analysis**.
3. Choose **PR State** and set the value to **Root Cause Analysis**.
4. Click **Save**.


5. Choose **Admin** for visibility.
6. Select **Initial Group** for process group.
7. Click **Save**.



The screenshot shows a 'Query Details' dialog box with a title bar and a close button. The main content area has a light blue header with the text 'PR State = Root Cause Analysis'. Below this, there are three sections: 'Name' with a text input field containing 'PR State = Root Cause Analysis', 'Description' with a large empty text area, and 'Visibility' with a radio button labeled 'Admin' and a label 'Process Group: Initial Group'.

SS 13-1 Creating a TrackWise Admin Query for Coordinator to find records in a specific state.

8. Second admin query will be looking for CAPA's in the state of Approved. Name it **PR State = Approved**.
9. Choose **Admin** for visibility.
10. Select **Initial Group** for process group.
11. Click **Save**.



The screenshot shows a 'Query Details' dialog box with a title bar and a close button. The main content area has a light blue header with the text 'PR State = Approved'. Below this, there are three sections: 'Name' with a text input field containing 'PR State = Approved', 'Description' with a large empty text area, and 'Visibility' with a radio button labeled 'Admin' and a label 'Process Group: Initial Group'.

SS 13-2 Creating a TrackWise Admin Query for Coordinator to find records in a specific state.

13.2 Designing Admin Scopes



Workbook Exercises

1. Log into **WebAdmin**.
2. Expand Coordinator Configuration, click **Admin Scopes**.
3. Ensure Deviation and CAPA records are there.

Admin Scopes

[New](#) [Report](#)

[Search](#)

Show **15** Results Per Page [First](#) | [Previous](#) | **1-4 of 4** | [Next](#) | [Last](#)

[Delete](#)

☐ Name ^	Included Projects
☐ CAPA	2
☐ Complaint	1
☐ Deviations	2
☐ Investigations	2

SS 13-3 Setting an Admin Scope for Coordinator to find the right projects.

13.3 Designing the Admin Activity Type – Part 1

The next exercise will be configuring an Admin Activity type (1 out of 2) which will progress the Deviation record by performing Analysis Complete activity.



Workbook Exercises

1. In **WebAdmin**, click **Admin Activity Types**.
2. Click **New** and name it **AA – Perform Analysis Complete**.
3. Click **Save**.
4. Select **Post Activities** tab, click **Add**.

5. From the Activity Type To Post dropdown, select **Analysis Complete**.
6. Posting Parameters = **Perform**
7. Person Responsible = **Services, TrackWise**.
8. Click **Save**.

Admin Activity Type Details: AA - Perform Acknowledge

Details			Selection Values (0)			Date Values (0)			Person Values (0)			Set Other Fields (0)			Post Activities (1)			Create PRs (0)			Admin Triggers (0)										
 Edit  Report																															
Show 15 Results Per Page First Previous 1-1 of 1 Next Last																															
Delete								Activity Type To Post ▲								Posting Parameters								Person Responsible							
☐								Acknowledge								Posting Mode: Perform								<u>Services, TrackWise</u>							

SS 13-4 Creating an Admin Activity type for Coordinator to post Analysis Complete and progress the record.

13.4 Designing The Dynamic Queries

The first Dynamic query for input will be looking at the Reference Record field in the state of Approved, and looking in the CAPA project.



1. In **WebAdmin**, click **Dynamic Queries**.
2. Click **New**, and name it **DQ – Reference Records**
3. Query = **PR State = Approved**
4. Ref. Record = **Referenced Records**.
5. Admin Scope = **CAPA**.

6. Click **Save**.

Dynamic Query Details: DQ - Referenced Recrod

Details			
 Edit			
Name	DQ - Referenced Recrod	Query	PR State = Approved
Ref. Record	Referenced Records	Admin Scope	CAPA
Comments			
Included PRs			
All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	No
Children PRs	No	Root Parent PR	No
Dynamic Conditions			
Delete	► Data Field Name ▲	► Field Type	► Condition
NO RECORDS RETURNED			

SS 13-5 Designing the Dynamic Query to fetch the Reference Record Coordinator finds.

The second dynamic query for output will be looking at the fetched record, in this case, Deviation. This is already created: DQ – Fetched Record.

13.5 Designing the Admin Trigger

The next exercise will incorporate all of the dynamic queries into a single admin trigger which will look to see if the Referenced Record (CAPA) is in the state of Approved, and if the Deviation record is in the state of Root Cause Analysis. The min in this case is set to one because it needs to have at least one reference record.



1. In **WebAdmin**, select **Admin Triggers**.
2. Click **New**, and name it **AT – Perform Analysis Complete**.
3. For Match Criteria section:
 - a. Dynamic Query for Count (input) = **DQ – Referenced Record**.
 - b. Min Count = **1**.
4. On Match section:
 - a. Admin Activity Type = **AA - Perform Analysis Complete**.

b. Dynamic Query = **DQ – Fetched Record.**

5. Click **Save.**

Admin Trigger Details: AT - Perform Analysis Complete			
Name	AT - Perform Analysis Complete		Always Trigger
Comments			
Match Criteria			
Dynamic Query for Count (Input)	DQ - Referenced Record		
Min. Count	1	Max. Count	
On Match			
Admin Activity Type	Perform Analysis Complete	AutoExport	
AutoReport		Dynamic Query	DQ - Fetched Record
No Match			
Admin Activity Type		AutoExport	
AutoReport		Dynamic Query	

SS 13-6 Putting together the two Dynamic Queries in the Admin Trigger for Coordinator to perform an activity if all criteria match.

This admin trigger is looking for a record that is being referenced, and it will perform Analysis Complete on the fetched PR's history. Then the second AQ will post the activity.

13.6 Designing The Admin Activity Type – Part 2


Next, is to incorporate the admin trigger with the use of another admin activity type.



Workbook Exercises

1. In **WebAdmin**, click **Admin Activity Types**
2. Click **New**, and name it **AT – Perform Analysis Complete.**
3. Click **Save.**
4. Select **Admin Triggers** tab and from the available Admin Triggers (DQ In), select **AT – Perform Analysis Complete (DQ – Referenced Record).**

5. Click **Save**.



SS 13-7 Designing the second Admin Activity type to trigger the newly created Admin Trigger.

13.7 Designing The Admin Query (AQ) – Putting It All Together – Part 1

Now that all of the configurable components have been established, the next exercise is to incorporate them into an Admin Query. This admin query will be used to write to the history of the record. This will not actually progress the record. A second admin query will be designed to look into the history of the record looking specifically for “AT – Perform Analysis Complete”.



1. In **WebAdmin**, click **Admin Queries**.
2. Click **New**, and name it **AQ – Perform Analysis Complete**.
3. For Query, select **PR State = Root Cause Analysis**.
4. For Admin Scope, select **Deviation**.
5. Admin Schedule, select **Test Schedule**.
6. Triggered (Initial) Admin Activity Type, select **AT – Perform Analysis Complete**.

7. Click **Save**.

Admin Query Details: AQ - Perform Acknowledge

Details		Program Sequence (0)	
 Edit			
▶ Name	AQ - Perform Acknowledge	Is Active	Yes
▶ Query	PR.State = Root Cause Analysis	Output Only	No
▶ Admin Scope	Deviation	AutoReport	
▶ Admin Schedule	Test Schedule	AutoExport	
▶ Priority Group	1	Triggered (Initial) Admin Activity Type	AT - Perform Acknowledge
Check Recurring Conditions	No		
Re-Check on Entering PR States		Check Recurring Activities	
Comments			

SS 13-8 Putting all of the steps together in an Admin Query for Coordinator to execute the event.


13.8 Designing TrackWise Third Admin Query

This Admin Query will look inside the history of the Deviation record and check to see if the Admin Activity **AT – Perform Analysis Complete** is posted. Once found, this will trigger Coordinator to perform Analysis Complete activity and progress the record.



1. In **TrackWise**, click **Query**.
2. Choose **Activity History** from the criteria dropdown.
3. Select **These specific items**
4. From the dropdown, select **AT – Perform Analysis Complete**.
5. Click **Save**.
6. Name it **AT – Performed in History – Analysis Com.**
7. Choose **Admin** for the visibility
8. Choose **Initial Group** for Process Group.

9. Click **Save**.



SS 13-9 Creating the TrackWise Admin Query for Coordinator.

13.9 Designing The Admin Query (AQ) - Putting It All Together – Part 2

This will take the newly created Admin Query (TrackWise) and search the history of the Deviation records to find **AT – Perform Analysis Complete**. If it's a match, then perform the activity Analysis Complete.



1. In **WebAdmin**, click **Admin Queries**.
2. Click **New**, and name it **AQ – Perform Analysis Complete 2**.
3. Query= **AT - Performed In History - Analysis Com**
4. Admin Scope = **Deviation**
5. Schedule = **Test Schedule**
6. Triggered (Initial) Admin Activity Type = **AA - Perform Analysis Complete**

7. Click **Save**.

Admin Query Details: AQ- Perfrom Analysis Complete 2

Details		Program Sequence (0)	
 Edit			
▶ Name	AQ- Perfrom Analysis Complete 2	Is Active	Yes
▶ Query	AT - Performed In History - Analysis Com	Output Only	No
▶ Admin Scope	Deviation	AutoReport	
▶ Admin Schedule	Test Schedule	AutoExport	
▶ Priority Group	1	Triggered (Initial) Admin Activity Type	Perform Analysis Complete
Check Recurring Conditions	No		
Re-Check on Entering PR States		Check Recurring Activities	
Comments			

SS 13-10 Designing the second Admin Query for Coordinator to fetch the record and execute the Admin Activity type.

13.10 Testing The Newly Created Admin Query



1. To test this, create a Deviation record and progress it to the state of Supervisor Review.
2. In the Deviation record, click the tab **Reference Info/Comments**.
3. Click **Find Similar** next to the field **Referenced Records**.
4. Reference any CAPA record in the state of Approved. Use a query if necessary to find a record, or create a new CAPA.
5. Progress Deviation to the state of Root Cause Analysis.
6. Stop and Start the Coordinator.

Did your Deviation record progress to the state of Pending CAPA Plan?

- Yes
- No

Notes:

14. Schedule Record - Approval After Date Due Changes

For this next exercise, Coordinator will schedule the activity “Needs Supervisor Approval” if the Date Due field has been updated three times, while the Change Control record is in the state of Impact Analysis. This can happen if the Assignee keeps requesting more time to work on the Change Control. For this to work, there needs to be a hidden field to count the amount of times the Date Due field has been changed. Once the count equals three, then coordinator will schedule the record.

Prerequisites for putting this Admin Query together:

- Two TrackWise Admin Queries
- Admin Scope
- Admin Schedule
- Two Admin Activity Types
- Two Admin Queries


14.1 Designing The TrackWise Admin Queries

This query will be looking for records in the state of Impact Analysis and Date Due Changed. The Date Due Changed is the audit trail name for Date Due which is used to track any changes/updates made to this field.



1. In **TrackWise**, click **Query**.
2. From the Query drop down, select **PR State**. Set the condition to **Impact Analysis**.
3. Click **Add**, and from the drop down, select **Activity History**, and select **These specific items**:
 - a. From the Data Changes drop down, select **Date Due Changed**.
4. Click **Save** and name it **State = Impact Analysis&Date Due Changed**. Set the visibility to **Admin** and choose **Initial Group** for Process Group.
5. Click **Save**.

14. Schedule Record Approval After Date Due Changed Intermediate Configuration and Administration




The screenshot shows the 'Query Details' window for a query named 'State = Impact Analysis&Date Due Changed'. The window has a title bar with a close button. Inside, there are three sections: 'Name' with a text field containing 'State = Impact Analysis&Date Due Changed', 'Description' with a large empty text area, and 'Visibility' with a checkbox labeled 'Admin' and a text field labeled 'Process Group: Initial Group'. At the bottom right are 'Update Details' and 'Cancel' buttons. The background shows a blurred view of the main interface with a header 'PR State is any of Impact Analysis' and a sub-header 'Activity History and Person Responsible performed includes Date Due Changed is anyone'.

SS 14-1

SS 14-2 Designing the TrackWise Admin Query for a particular state and when the Date Due field has been changed.

6. The next Admin Query is looking for Counter equal to three. Click **Save** and name it **Counter=3**. This will trigger Coordinator to schedule the record to the supervisor/manager.
7. Choose **Admin** for the visibility and **Initial Group** for the Process Group.
8. Click **Save**.



The screenshot shows the 'Query Details' window for a query named 'Counter=3'. The window has a title bar with a close button. Inside, there are three sections: 'Name' with a text field containing 'Counter=3', 'Description' with a large empty text area, and 'Visibility' with a checkbox labeled 'Admin' and a text field labeled 'Process Group: Initial Group'. At the bottom right are 'Update Details' and 'Cancel' buttons. The background shows a blurred view of the main interface with a header 'Counter is any of 3'.

SS

14-3 Designing the TrackWise Admin Query for when the Counter field is set to three.

14.2 Designing The Admin Scope

Create an Admin Scope so Coordinator can fetch the Change Control record only.

14. Schedule Record Approval After Date Due Changed Intermediate Configuration and Administration



1. In **WebAdmin**, click on **Admin Scopes**.
2. Click **New**, and name it **Change Control**. Select Change Control from the list of projects.

Save Save+ Cancel

Admin Scope Details: <New Record>

Name: Change Control

Included Projects

Division ^	Project	Include In Scope
Holdmel, NJ	Action Item	☐
Holdmel, NJ	Addendum	☐
Holdmel, NJ	Audit - Internal	☐
Holdmel, NJ	Audit - Supplier	☐
Holdmel, NJ	Change Control	☒

SS 14-4 Creating an Admin Scope for Coordinator to search only Change Control records.

3. Click **Save**.

14.3 Designing The Admin Activity Type – Part 1

This Admin Activity Type will increment the counter by one until the max three is reached, based on the Date Due Changed. That is when the second AQ will fetch the record if “Counter” equals three and schedule the activity type.



1. In **WebAdmin**, click **Admin Activity Types**
2. Click **New** and name it **AA - Increment Counter**, click **Save**.
3. Select the **Selection Values** tab and from the Available Data Fields column, select **Counter** to the Data fields To Set column.
4. Choose **Increment** for the **Value(s) To Set** column
5. Click **Save**.

14. Schedule Record Approval After Date Due Changed Intermediate Configuration and Administration

Admin Activity Type Details: AA - Increment Counter

Details | **Selection Values (1)** | Date Values (0) | Person Values (0) | Set Other Fields (0) | Post Activities (0) | Create PRs (0) | Admin Triggers (0)

Edit | Report

Available Data Fields (Field Type)	Data Fields To Set
Additional Positions (Multi Selection)	☐ Name (Field Type) ▲
Adverse Event/Product Problem (Single Selection)	☐ Counter (Single Selection)
Affected Areas (Multi Selection)	
Affects Automation Systems? (Single Selection)	

Value(s) To Set: Increment

SS 14-5 Setting the counter to increment by one when the Date Due is updated.

14.4 Designing The Admin Activity Type – Part 2

This admin activity type will be used to schedule the activity “Needs Supervisor Approval” to the person in the supervisor/manager field.



1. In **WebAdmin**, click **Admin Activity Types**.
2. Click **New**, and name it **AA – Schedule Needs Supervisor Approval**.
3. Activity Type To Post = **Needs Supervisor Approval**.
4. Posting Mode: = **Schedule**.
5. Time: = **3 Day(s) After**
6. Base Value: = **Current Date/Time**
7. Business Day Rule: **Calendar**
8. From the person responsible drop down, select **Supervisor/Manager** from the Person Field Value Section.
9. Click **Save**.

Admin Activity Type Details: AA - Schedule Needs Supervisor Approval

Details | Selection Values (0) | Date Values (0) | Person Values (0) | Set Other Fields (0) | **Post Activities (1)** | Create PRs (0) | Admin Triggers (0)

Edit | Report

Show 15 Results Per Page First | Previous | 1-1 of 1 | Next | Last

Delete	Activity Type To Post ▲	Posting Parameters	Person Responsible
☐	Needs Supervisor Approval	Posting Mode: Schedule... Time: 3 Day(s) After Base Value: Current Date/Time Business Days Rule: Calendar	Person Field Value: Supervisor/Manager

SS 14-6 Setting up the Admin Activity type for Coordinator to post the activity Needs Supervisor Approval.

14.5 Designing The Admin Queries (AQ) – Putting It All Together

The first AQ will check to see how many times the Date Due was updated. If it was updated, then the Counter will increment by one.



Workbook Exercises

1. In **WebAdmin**, click on **Admin Queries**. Click **New**.
2. Name = **AQ - Increment Counter**
3. Query = **State = Impact Analysis&Date Due Changed**
4. Admin Scope = **Change Control**
5. Admin Schedule = **Test Schedule**
6. Triggered (Initial) Admin Activity Type = **AA – Increment Counter**
7. We need to make sure we count every time the date due is changed per record. For this example, we must check the recurring activities, specifically the Date Due Changed. Select Date Due Changed from the Check Recurring Activities.

Admin Query Details: AQ - Increment Counter			
Details Program Sequence (0)			
Edit			
▶ Name	AQ - Increment Counter	Is Active	Yes
▶ Query	State = Impact Analysis&Date Due Changed	Output Only	No
▶ Admin Scope	Change Control	AutoReport	
▶ Admin Schedule	Test Schedule	AutoExport	
▶ Priority Group	1	Triggered (Initial) Admin Activity Type	AA - Increment Counter
Check Recurring Conditions	No		
Re-Check on Entering PR States		Check Recurring Activities	Date Due Changed
Comments			

SS 14-7 Designing the Admin Query for Coordinator to execute and post to the history of the record.

8. Click **Save**.
9. The next Admin Query (AQ) will look for Counter equal to three. If this is a match, then Coordinator will schedule the activity “Needs Supervisor Approval” to the supervisor/manager in the record. Click **New**.
10. Name it **AQ – Schedule Needs Supervisor Approval**.

14. Schedule Record Approval After Date Due Changed Intermediate Configuration and Administration

11. Query = **Counter=3**

12. Admin Scope = **Change Control**

13. Admin Schedule = **Test Schedule**

14. Triggered (Initial) Admin Activity Type = **AA – Schedule Needs Supervisor Approval**

15. Click **Save**.

Admin Query Details: AQ-Schedule Needs Supervisor Approval

Details		Program Sequence (0)	
			
▶ Name	AQ-Schedule Needs Supervisor Approval	Is Active	Yes
▶ Query	<u>Counter=3</u>	Output Only	No
▶ Admin Scope	<u>Change Control</u>	AutoReport	
▶ Admin Schedule	<u>Test Schedule</u>	AutoExport	
▶ Priority Group	1	Triggered (Initial) Admin Activity Type	<u>AA-Schedule Needs Supervisor Approval</u>
Check Recurring Conditions	No		
Re-Check on Entering PR States		Check Recurring Activities	
Comments			

SS 14-8 Creating the second Admin Query for Coordinator to fetch the record when the Counter equals three.

14.6 Testing The Newly Created Admin Queries



On Your Own Exercises

Create a new Change Control record and set Jane Doe as the supervisor/manager and the Date Due. Progress the record to Impact Analysis, and change the Date Due 3 times. Each time you change it, check the Counter field to see if it's incrementing. Log in as Jane and set the query to "Scheduled Activities Assigned To Me". Does Jane have the record scheduled to her. Did the record progress accordingly?

- Yes
- No

14. Schedule Record Approval After Date Due Changed Intermediate Configuration and Administration

Notes:

15. Create Children Records for Multiple Departments

Coordinator has the ability to create children records based on triggers such as single selection and multi selection fields. Coordinator can also copy down values from the parent to the children record(s). To take it one step further, there can be times that coordinator will set new values for fields in the child record by combining the actions into one admin activity type.

The next exercise will look at in the Department field, for Change Control records, to create children records. After the children records are created, we will have an admin query to set certain fields with one Admin Activity Type.

Prerequisites for putting this Admin Query together:

- Two TrackWise Admin Queries
- Admin Scope
- Create PR Class
- Two Admin Activity Types
- Dynamic Query
- Admin Trigger – Always Trigger
- Admin Query

15.1 Designing The TrackWise Admin Queries


This query will look for values selected in the department field. If Department equals any one of the department is selected from the list, then Coordinator will fetch the record and create children records for the parent Change Control.



1. Log into **TrackWise**.
2. Click **Query**.
3. Set the first criteria to **Department** and select **Lab**. So when the query is executed, Coordinator will look to see if there is Lab selected and create a child.
4. Click **Add**. For the second criteria, Coordinator will look to see if the Change Control records were created as of today. Select **Date Created**.


15. Create Children Records For Multiple Departments Intermediate Configuration and Administration

5. Set the condition to **is [Current Date]**.



SS 15-1 Designing the TrackWise Admin Query for Coordinator to fetch certain records based on the criteria.

6. Click **Save**. Name it **Department=Lab&Created Today** set the visibility to **Admin**.
7. Select **Initial Group** for Process Group.



SS 15-2 Saving the TrackWise Admin query with the visibility set to Admin and Initial Group for the process group.

8. Click **Save**.

The second query will look inside the child Action Item record. The “Type” field will be used to trigger Coordinator to set fields in the child records automatically.

9. Create a new Query.
10. Set the first criteria to **Type** and set the condition to **is not set**.


15. Create Children Records For Multiple Departments Intermediate Configuration and Administration

11. Add a second criterion to find records created today. Click **Add** and choose **Date Created is [Current Date]**.



SS 15-3 Creating another TrackWise Admin Query for Coordinator to fetch certain records.

12. Click **Save**. Name it **Type=Null&Created Today**.
13. Set Visibility to **Admin**, and **Initial Group** for Process Group.



SS 15-4 Saving the TrackWise Admin query with the visibility set to Admin and Initial Group for the process group.

14. Click **Save**.

15.2 Designing The Admin Scope

This Admin Scope will look only for Action Items.



15. Create Children Records For Multiple Departments Intermediate Configuration and Administration

1. Click **Admin Scopes**
2. Click **New** and name it **Action Item**. Select only the **Action Item** project. Click **Save**.

Admin Scope Details: Action Item

▶ Name X

Included Projects

Division ^	Project	Include In Scope
San Diego	Action Item	☒
San Diego	Addendum	☐

SS 15-5 Setting the Admin Scope to find Action Item records only for Coordinator.

15.3 Designing The Create PR Class

Coordinator needs to know which children records to create based on the workflow. The Create PR class will be utilized in order for Coordinator to create a child record. This class also gives you the ability to copy values down to the child.



Workbook Exercises

1. In **WebAdmin**, click **Create PR Classes** and click **New**.
2. Name this **Create Action Item Records**.
3. Select **Create PR as Child of Fetched PR**. This will ensure this is created as a child record of the Parent in question.
4. Created PR = **by Record Type**. Choose **Action Item** from the Create PR by Record Type dropdown. Keep in the same division, select **Same Division as Fetched PR**.
5. Click **Save**.

Create PR Class Details: Create Action Item Records

Details PR Fields (0)

 Edit  Report

▶ Name	Create Action Item Records	Create PR as Child of Fetched PR	Yes
Template PR		Create PR as Child of Template PR	No
Create PR	by Record Type...		
Comments			

Create PR by Record Type

▶ Record Type	Action Item	▶ Division to Create in	Same Division as Fetched PR
---------------	-------------	-------------------------	-----------------------------

SS 15-6 Creating the Create PR class for Coordinator to create certain records based on Record Type.

15. Create Children Records For Multiple Departments Intermediate Configuration and Administration

6. Select **PR Fields** tab. This tab allows the copy of values down to the child from the parent record.
7. From the **Copy Field From Fetched** column, select **Department, Description, and Short Desc.** Click **Save.**

15.4 Designing The Admin Activity Type – Part 1

This Admin Activity type will be used to set a few fields on the child record (Action Item).



1. In **WebAdmin**, click **Admin Activity Types**
2. Click **New**, and name it **AA – Set Action Item Fields**, click **Save.**
3. Select **Selection Values** tab, and from the available data fields (field type) column, choose **Type** to bring over to the Data Fields To Set column. Select **Set Value(s)** and the default value will be set to **Device(s)**. Click **Save.**

Admin Activity Type Details: AA - Set Action Item Fields

Details		Selection Values (1)	Date Values (0)	Person Values (0)	Set Other Fields (0)	Post Activities (0)	Create PRs (0)	Admin Triggers (0)				
Edit Report Available Data Fields (Field Type) Additional Positions (Multi Selection) Adverse Event/Product Problem (Single Selection) Affected Areas (Multi Selection) Affects Automation Systems? (Single Selection) Are units (device) (Single Selection) Data Fields To Set <table border="1"> <thead> <tr> <th>Name (Field Type) ^</th> <th>Value(s) To Set</th> </tr> </thead> <tbody> <tr> <td>Type (Single Selection)</td> <td>Set Value(s)... Device(s)</td> </tr> </tbody> </table>									Name (Field Type) ^	Value(s) To Set	Type (Single Selection)	Set Value(s)... Device(s)
Name (Field Type) ^	Value(s) To Set											
Type (Single Selection)	Set Value(s)... Device(s)											

SS 15-7 Creating the Admin Activity type and setting values for the child record by Coordinator.

4. Select **Date Values** tab, and **Add** a row.
5. Data field to Set = **Date Due**. The default date for children record will be set to 14 days from today. This will allow enough time for the Assignee to work on the Action Item records.
6. For the Value To Set (If Blank) column, Time = **14 Days After**
7. Base Value = **Current Date/Time**
8. Business Day Rule = **Business.**

15. Create Children Records For Multiple Departments Intermediate Configuration and Administration

9. Click **Save**.

Admin Activity Type Details: AA - Set Action Item Fields

Details | Selection Values (1) | **Date Values (1)** | Person Values (0) | Set Other Fields (0) | Post Activities (0) | Create PRs (0) | Admin Triggers (0)

Edit | Report

Delete	Data Field To Set	Value To Set (If Blank)	Value To Set (If Set)	Business Days Rule	Seq. No
☐	<u>Date Due</u>	Time: 14 Day(s) After Base Value: Current Date/Time End of Month: No Source: Use Admin Triggered PR: No	Time: Base Value: End of Month: No Source: Use Admin Triggered PR: No	Business	1

SS 15-8 Setting Date values for the child record when Coordinator creates it based on the Create PR class.

10. Click **Person Values** tab and **Add** a row.
11. From the Data Field To set column, choose **Assigned To**.
12. Value To Set (If Blank), choose **Assignee** from the Use Person Role category.
13. Click **Add**, and choose **Verifier** from Data Field To Set column.
14. Value To Set (If Blank) column, select **Manually Select Peron**, choose **John Doe**.
15. Click **Save**.

Admin Activity Type Details: AA - Set Action Item Fields

Details | Selection Values (1) | Date Values (1) | **Person Values (2)** | Set Other Fields (0) | Post Activities (0) | Create PRs (0) | Admin Triggers (0)

Edit | Report

Delete	Data Field To Set	Value To Set (If Blank)	Value To Set (If Set)	Seq. No
☐	<u>Assigned To</u>	Use Person Role: Assignee Set to: Person with Person Role Use Manager: No		1
☐	<u>Verifier</u>	<u>Doe, John</u> Use Manager: No		2

SS 15-9 Setting Person values for the child record when Coordinator creates is based on the Create PR class.

15.5 Designing The Dynamic Query

This Dynamic Query will be used to find the children records that are created by Coordinator.



1. Click **Dynamic Queries** then **New**.
2. Name it **DQ – Find Children**
3. Query = **Type=Null&Created Today**. Scope = **Action Item**
4. Set **Children PRs** in the Included PRs section
5. Click **Save**.

15. Create Children Records For Multiple Departments Intermediate Configuration and Administration

Dynamic Query Details: DQ - Find Children			
Details			
 Edit			
Name: DQ - Find Children		Query: Type=Null&Created Today	
Ref. Record		Admin Scope: Action Item	
Comments			
Included PRs			
All Related PRs	No	Exclude Fetched PR	No
Fetched PR	No	Parent PR	No
Children PRs	Yes	Root Parent PR	No
Dynamic Conditions			
Delete	Data Field Name	Field Type	Condition
NO RECORDS RETURNED			

SS 15-10 Creating the Dynamic query for the Admin Trigger.

15.6 Designing The Admin Trigger – Always Trigger

This Admin Trigger will be used to find the children records, Action Item, from the fetched parent record, Change Control.



Workbook Exercises

1. In **WebAdmin**, click **Admin Triggers**. Click **New**.
2. Name this **AT – Set Action Item Fields**.
3. Select **Always Trigger**. This is done because there will always be a match since there will be children records created by the Coordinator.
4. Admin Activity Type = **AA – Set Action Item Fields**
5. Dynamic Query = **DQ – Find Children**
6. Click **Save**.

Admin Trigger Details: AT - Set Action Items			
Name: AT - Set Action Items		Always Trigger: Yes	
Comments			
Admin Activity Type: AA - Set Action Item Fields		AutoExport	
AutoReport		Dynamic Query: DQ - Find Children	

SS 15-11 Creating the second Dynamic Query for the Admin Trigger.

15.7 Designing The Admin Activity Type – Part 2

This Admin Activity type will be used to create the children records depending on how many departments are selected.



1. Click **Admin Activity Types**.
2. Click **New**, and name it **AT - Create Action Items & Set Fields**, then click **Save**.
3. Select the **Create PRs** tab, and bring over **Create Action Item Records** to the right.
4. Click **Save**.

Admin Activity Type Details: AT - Create Action Items & Set Fields

Details	Selection Values (0)	Date Values (0)	Person Values (0)	Set Other Fields (0)	Post Activities (0)	Create PRs (1)
---------	----------------------	-----------------	-------------------	----------------------	---------------------	----------------

Save Cancel Report

Available Create PR Classes(Template PR ID: PR Title)	Create PR Classes Selected(Template PR ID: PR Title)
	Create Action Item Records

SS 15-12 Creating the first Admin Activity type for Coordinator. This will create the child record Action Item.

5. Click **Admin Triggers** tab.
6. Bring to the right, **AT – Set Action items**.
7. Click **Save**.

Admin Activity Type Details: AT - Create Action Items & Set Fields

Details	Selection Values (0)	Date Values (0)	Person Values (0)	Set Other Fields (0)	Post Activities (0)	Create PRs (1)	Admin Triggers (1)
---------	----------------------	-----------------	-------------------	----------------------	---------------------	----------------	--------------------

Save Cancel Report

Available Admin Triggers (DQ In)	Admin Triggers Selected (DQ In)
AT - Notify Supervisor/Manager (DQ - Complaint: Type = Leakage) AT - Perform Analysis Complete (DQ - Referenced Record) AT - Set Parent Date Due (DQ - Parent with a Date Due)	AT - Set Action Items

SS 15-13 Creating the second Admin Activity to utilize the newly created Admin Trigger.

15.8 Designing The Admin Query (AQ) – Putting It All Together

This AQ will fetched the parent record, Change Control, and create the children records based on how the value selected for the department field. Then it will set values for the Action Item child record.



Workbook Exercises

1. Click **Admin Queries**.
2. Click **New** and name it **AQ – Create Action Item Children & Set Fields**.
3. Query = **Department=Lab&Created Today**
4. Admin Scope = **Change Control**
5. Admin Schedule = **Test Schedule**
6. Triggered (Initial) Admin Activity Type = **AT - Create Action Items & Set Fields**
7. Click **Save**.

Admin Query Details: AQ - Create Action Item Children & Set Fields			
Details Program Sequence (0)			
Edit			
▶ Name	AQ - Create Action Item Children & Set Fields	Is Active	Yes
▶ Query	Department=Lab&Created Today	Output Only	No
▶ Admin Scope	Change Control	AutoReport	
▶ Admin Schedule	Test Schedule	AutoExport	
▶ Priority Group	1	Triggered (Initial) Admin Activity Type	AT - Create Action Items & Set Fields
Check Recurring Conditions	No		
Re-Check on Entering PR States		Check Recurring Activities	
Comments			

SS 15-14 Creating the Admin Query for Coordinator to fetch the Parent record and create children records based on the Department data field.

15.9 Testing The Newly Created Admin Query



On Your Own Exercises

Create a new Change Control record, fill out the required fields. Ensure the Department field is set to Lab. Wait about a minute, and then refresh your desktop.

15. Create Children Records For Multiple Departments Intermediate Configuration and Administration

Did Coordinator create an Action Item record and update certain fields?

- Yes
- No

Design three new Admin Queries and reuse all of the components from the previous exercise:

1. Department = Facilities & Created Today
2. Department = Engineering & Created Today
3. Department = Quality Control & Created Today

Notes:

16. Let Coordinator Make A Decision

A configurable option to resemble a decision tree allows users to choose preloaded answers from a series of selection fields. These values can also drive a numeric calculation behind the scenes in order to populate a number field. This kind of calculation feature is a project class called **Calculated Number Class**.

Decision trees are based on selection field values. The user chooses the appropriate value based on the kind of question asked. The question is actually an instruction field filled out on the configuration form with the answers consisting of choices from a selection lists.

16.1 Creating The Additional Fields



In this example, Deviations have four additional data fields on the current configuration form to address specifics. The answers from these results are used to compile a numeric rating. A number field is created to display the rating which the selection values are returning. Refer to the following table where the proposed questions, field value answers and intended scoring system for the answers.


Questions	Answer Choices	Scoring System
Is the Deviation related to a high volume product?	Yes No	Yes=1 No=0
Is this a high risk Deviation?	Yes No	Yes=1 No=0
Is this a systemic event that happened over a month ago?	Yes No	Yes=1 No=0
Does this Deviation require an existing CAPA to address this as an ongoing event?	Yes No	Yes=1 No=0

For every Yes value, a calculated number is based on the sum for all four of these fields. The decision tree aspect is when there is a three or more, the Deviation can be escalated with the Coordinator.

1. Log into Web Administrator and refer to **System Configuration – Data Fields**. Set the process group to **Initial Group**.
2. Create the following four single selection data fields which resemble the kinds of questions to be asked. For each field, give it the selection values of **Yes** and **No**.

Data Field Name	Selection Values
High Volume?	Yes No
High Risk?	Yes No
Over a Month Ago?	Yes No
CAPA Required?	Yes No

3. Once the selection fields are complete, create a Number data field name **Deviation Number**. This data field is used for the calculated number to appear within.



Data Field Details: Deviation Number

Details

Save Save+ Cancel

System Settings

Field Name - Customized Deviation Number

Field Type Number

SS 16-1 The number field stores the values generated by the four selection fields in the decision tree.

4. After each field is created, add the permissions to see these five new fields by referring to **System Configuration – Group Categories**.
 - a. Click **Deviations – FP** group.
 - b. Under the **Permissions** tab, the fields are listed along with the other data fields. Find each of the new selection fields and select **Can Edit** which also defaults **Can View** to be selected.
 - c. Click **Save** when finished.

Data Field Name ^	Field Type	Can View	Can Edit
High Risk?	Single Selection	Yes	Yes
High Volume?	Single Selection	Yes	Yes

SS 16-2 The selection fields High Risk and High Volume are two of the four new fields created for tracking decision tree values.

5. The number field is also visible but not editable. This ensures that the calculated result from the selection fields is not modified.

Show 500 Results Per Page First Previous 1-72 of 72 Next Last				
Data Field Name ^	Field Type	Can View	Can Edit	Can Insert
Deviation Number	Number	Yes	No	

SS 16-3 The number field is set to Can View checked. For the other deviation group categories, Can View is used since this number auto-populates with Calculated Number Class.

16.2 Setting The Calculated Number Class

To establish numeric values for each of these fields, refer to the **System Configuration – Projects – Calculated Number Classes**.



1. On this screen, click **New** and create one called **Deviation Calculated Number** and select the Holmdel, NJ/Deviation.

Calculated Number Class Details: Deviation Calculated Number

Details		Target Fields	
Edit			
Name	Deviation Calculated Number	Project(s) Using Calculated Number Class	(Division/Project) Holmdel, NJ/ Deviations

SS 16-4 This particular calculated number class is used amongst all deviation projects in different Divisions.

2. Click the **Target Fields** tab. All user defined number fields appear on the top list labeled **Target Field**. This is the field where the numeric values would be added up to. Refer to **Deviation Number** in this example.

Target Field	Deviation Number
---------------------------	-------------------------------

SS 16-5 All available numbers from the Data Fields screen appear here.

3. From the **Available Selection Fields** column is the list of all selection fields. Include the four fields created in the previous step to add them to the right side of the screen.

Included Selection Fields	
☐	Selection Field ▲
☐	CAPA Required?
☐	High Risk?
☐	High Volume?
☐	Over a Month Ago?

SS 16-6 All four selection fields are added to the right side of the screen.


4. For each value, click the **paper/pencil** icon next to each.
 - a. The screen opens and allows numeric values to be added for each selection field value. For **Yes** the mapped value is **one**. For **No** value the mapped value is **zero**. Set this up for each of the four fields.

Target Field Deviation Number		
Selection Field CAPA Required?		
Search		
Show 15 Results Per Page First Previous 1-2 of 2 Next Last		
Selection Value	Seq. No ▲	Mapped Value
Yes	1	1
No	2	0

SS 16-7 Use the same mapped values for each field. The Yes value equates to a one while a No equates to zero.


- b. Click **OK** after configuring one to go to the next field.

5. Click **Save** when finished.
6. Now that the rules apply to the Deviations project, the last step is to add these fields to the configuration form.
7. Run the Audit Trail and **Reload Tomcat 7** for TrackWise.
8. Log into TrackWise. Click **Admin - Manage ConfigForms**.



SS 16-8 The four selection fields and the new number field are to appear on the form within a new section.

9. On the ConfigForms admin screen, click the **Deviation Form** ConfigForm on the bottom of the screen.
10. On this screen, click **Edit** and **Impact Analysis**. On this tab, click **Add Row** four times.



SS 16-9 Four additional rows are added for four data fields.

11. With the new rows now on the form, refer to the following chart to add the four selection fields to the right side column. The left side is reserved for instructions which are questions that the selection fields to the right side are used to answer with.

Left Column (Instructions only)	Right Column (Selection Fields)
Is the Deviation related to a high volume product?	High Volume?
Is this a high risk Deviation?	High Risk?
Is this a systemic event that happened over a month ago?	Over a Month Ago?
Does this Deviation require an existing CAPA to address this as an ongoing event?	CAPA Required?



ss 16-10 *The questions are filled-out instructions on the left with the selection fields on the right to match.*

12. Navigate to the **Admin Only (Hidden Fields)** and add a row. Place **Deviation Number** on the second row.
13. Click **Save** and exit all of the windows.

16.3 Designing The TrackWise Admin Query

Now that the decision tree configuration is completed, the next steps involve Coordinator configurations. The Admin Query will check to see if the Deviation Number equals three to create a Corrective Action child record.

Prerequisites for putting this Admin Query together:

- TrackWise Admin Query
- Create PR Class
- Admin Scope
- Admin Schedule
- Admin Activity Type
- Admin Query



Workbook Exercises

1. Log into **TrackWise**, and click **Query**.
2. Choose **Deviation Number** from the criteria drop down.
3. For the condition, set to **is greater than or equal to 3**.


Query Criteria (based on current Scope: **All Projects (pub)**)

Deviation Number	is greater than or equal to	3
------------------	-----------------------------	---

SS 16-11 Designing the TrackWise Admin Query.

4. Click **Save** and name it **Deviation Number=3**.
5. Set the Visibility to **Admin**, choose **Initial Group** for Process Group.

6. Click **Save**.



SS 16-12 Saving the TrackWise Admin Query with visibility set to Admin and Initial Group for the process group.

16.4 Designing The Create PR Class



Design the Create PR class which includes only Corrective and Preventative Action as part of the class. This ensures Coordinator will only create the proper child record type. Name this class **Create CAPA Child**. Create PR by record type of CAPA and keep it in the same division of the parent. No fields are to be copied down to the child record.

16.5 Designing The Admin Activity Type

Now the Create PR Class is completed, the next step is create the Admin Activity Type so it can utilize the Create PR Class from above.



1. Click **Admin Activity Types** and click **New**.
2. Name it **AA – Create CAPA Child**.
3. Click **Save**.
4. Select **Create PRs**, and bring **Create CAPA child** to the right column. This will allow coordinator to create the CAPA child record.
5. Click **Save**.

Admin Activity Type Details: AA - Create CAPA Child

Details	Selection Values (0)	Date Values (0)	Person Values (0)	Set Other Fields (0)	Post Activities (0)	Create PRs (1)	Admin
 Edit  Report							
Available Create PR Classes(Template PR ID: PR Title)				Create PR Classes Selected(Template PR ID: PR Title)			
Create Action Item				Create CAPA Child			

SS 16-13 Designing the Create PR class for Coordinator. This will create the CAPA child record.

16.6 Designing The Admin Query (AQ) – Putting It All Together



1. In **WebAdmin**, click **Admin Queries**.
2. Click **New** and name it **AQ - Dev Num>=3/Create CAPA Child**
3. Query = **Deviation Number>=3**. This is the trigger that Coordinator will pick-up and create the child record.
4. Admin Scope = **Deviation**.
5. Admin Schedule = **Test Schedule**.
6. Triggered (Initial) Admin Activity Type = **AA - Create CAPA Child**.
7. Check Recurring Activities = **Deviation Number Changed**.

8. Click **Save**.

Admin Query Details: AQ - Dev Num>=3/Create CAPA Child

Details			
Program Sequence (0)			
 Edit			
▶ Name	AQ - Dev Num>=3/Create CAPA Child	Is Active	Yes
▶ Query	Deviation Number>=3	Output Only	No
▶ Admin Scope	Deviation	AutoReport	
▶ Admin Schedule	Test Schedule	AutoExport	
▶ Priority Group	1	Triggered (Initial) Admin Activity Type	AA - Create CAPA Child
Check Recurring Conditions	No		
Re-Check on Entering PR States		Check Recurring Activities	Deviation Number Changed
Comments			

SS 16-14 Creating the Admin Query for Coordinator to execute and perform actions based on the records criteria.

16.7 Testing the Newly Created Admin Query



Create a new Deviation record. Fill out the necessary fields and answer three questions with their values set to yes. Save and exit the record. Notice the Deviation is now a parent with a child record of CAPA.


Create a new Admin Query, Deviation Number=4. After, take the existing record and answer the last question. Coordinator will create another CAPA record.


Did Coordinator create the child CAPA record?

- Yes
- No

Notes:

17. Appendix – Workflow Legend







19. CAPA Workflow





20. Appendix – Investigation Workflow





21. Workshop Workflows











22. Appendix - Work Plan Task List



<i>Work Plan Task List</i>
Organizational Unit : (Corporate, City, Country, Department, Facility)
Record Type : (Complaints, CAPA, Change Control, Audits, Investigations...)
Security Groups : (Manager, Reviewer, Assigned To, Originator, View-Only...)
Paperless Form : (Write down the form fields for future consideration as Data Fields)
Applicable Business Rules : (Required Fields, Locked Fields, Notifications, other...)
Automated Processes (Record Escalation, Auto Reports, Set Date, Set Person, Set Selection Fields...)

23. Appendix – Admin Trigger Diagrams

Creating the Admin Activity/ Admin Trigger



Coordinator: Progress Records (based on state of another record)



Note: AT = Admin Trigger

24. Notes

Notes:

Notes:

Notes: