

Windchill 13.0.2 CPS08 Patch Installation Steps

Last updated by | Kesavan Pitchaiah | Oct 13, 2025 at 11:30 PM GMT+5:30

Windchill 13.0.2 CPS08 Patch Installation Steps:

1. Please verify the Windchill Version before starting the CPS Installation. Currently we are using Windchill 13.0.2 CPS03. Execute below command to check the current version of Windchill.

windchill version

```
total 0
[root@plmint2 backup]# windchill version
Timestamp: October 09, 2025 - 9:05:03 (GMT: Oct 9, 2025, 9:05:03 AM)

Support  Support
Datecode Release Number Release Id      Build Number  Installer
-----  -
13.0.2.3 13.0      suma.13.0.2.3      13            01      windchill 13.0.2.0 supplier management
18.1.0.0 11.1.0.0 vizpviewrun.18.1.0.0 481464        01      Creo View - Clients 11.1.0.0-QDN1AJ
21.1.0.0 11.1.0.0 vizadapters.21.1.0.0 481458        01      Creo View - Adapters 11.1.0.0-QDMPSw
13.0.2.0 13.0      pdml.13.0.2.0      396           01      windchill pdmlink 13.0.2.0
13.0.2.3 13.0      wnc.13.0.2.3       13            01      windchill 13.0.2.0 Services
13.0.2.3 13.0      ptlc.13.0.2.3      13            01      windchill partslink 13.0.2.0
13.0.2.3 13.0      mpml.13.0.2.3      13            01      windchill 13.0.2.0 mpmlink
13.0.2.3 13.0      odata.13.0.2.3     13            01      windchill 13.0.2.3 REST services
13.0.2.3 13.0      psl.13.0.2.3      13            01      windchill partslink 13.0.2.0
13.0.2.3 13.0      wsp.13.0.2.3       13            01      windchill 13.0.2.3 service pack
13.0.2.3 13.0      qms.13.0.2.3      13            01      windchill 13.0.2.3 QMS foundation
13.0.2.3 13.0      esi.13.0.2.3       13            01      windchill 13.0.2.0 esi services
13.0.2.2 13.0      wlp.13.0.2.2       01            01      windchill 13.0.2.0 multi-language pack
13.0.2.3 13.0      udi.13.0.2.3       13            01      windchill 13.0.2.0 udi
13.0.2.0 13.0      wps.13.0.2.0       396           01      windchill 13.0.2.0 platform structures
13.0.2.3 13.0      ie.13.0.2.3        13            01      windchill 13.0.2.0 info*engine
13.0.2.3 13.0      commonpdm.13.0.2.3 13            01      windchill 13.0.2.0 common base
13.0.2.0 13.0      designcontrol.13.0.2.0 396          01      windchill 13.0.2.0 design control

There are no patches installed.
```

Windchill - Google Chrome

plmint2.wc-sbx.gpdm-euc1.fmcglobal.net/Windchill/ptc1/util/about?cacheBuster=1760000024078&u8=1&unique_...



Release: 13.0.2.3

Products Installed

- windchill 13.0.2.0 supplier management
- Creo View - Clients 11.1.0.0-QDN1AJ
- Creo View - Adapters 11.1.0.0-QDMPSw
- windchill pdmlink 13.0.2.0
- windchill 13.0.2.0 Services
- windchill partslink 13.0.2.0
- windchill 13.0.2.0 mpmlink
- windchill 13.0.2.3 REST services
- windchill projectlink 13.0.2.0
- windchill 13.0.2.3 service pack
- windchill 13.0.2.0 QMS foundation
- windchill 13.0.2.0 esi services
- windchill 13.0.2.0 multi-language pack
- windchill 13.0.2.0 udi
- windchill 13.0.2.0 platform structures
- windchill 13.0.2.0 info*engine
- windchill 13.0.2.0 common base
- windchill 13.0.2.0 design control

FMC Build Number: GPDM8.1.0.251008151541

Installed Locales: de, ru, zh_TW, ko, ja, zh_CN, pt_BR, it, fr, es

Software Copyright Information

ptc

OK

2. Check any linked folder is there inside codebase. If so, unlink before executing CPS and revert after CPS Installation completed.

```
[root@plmint2 htdocs]# ls -lrt
total 16
-rw-r--r--. 1 root root  45 Jun 11  2007 index.html
-rw-r--r--. 1 root root  26 Dec  3  2024 robots.txt
-rw-r--r--. 1 root root 1150 Dec  3  2024 favicon.ico
drwxr-xr-x. 2 root root 4096 Mar 10  2025 DocReader
drwxr-xr-x. 8 root root  105 Mar 10  2025 GPLMPortal
lrwxrwxrwx. 1 root root   25 Mar 10  2025 PDFExtract -> /opt/DocReader/PDFExtract
[root@plmint2 htdocs]# pwd
/opt/ptc/Windchill_13.0/HTTPServer/htdocs
[root@plmint2 htdocs]# unlink
```

```
[root@plmint2 htdocs]# ls -lrt
total 16
-rw-r--r--. 1 root root  45 Jun 11  2007 index.html
-rw-r--r--. 1 root root  26 Dec  3  2024 robots.txt
-rw-r--r--. 1 root root 1150 Dec  3  2024 favicon.ico
drwxr-xr-x. 2 root root 4096 Mar 10  2025 DocReader
drwxr-xr-x. 8 root root  105 Mar 10  2025 GPLMPortal
lrwxrwxrwx. 1 root root   25 Mar 10  2025 PDFExtract -> /opt/DocReader/PDFExtract
[root@plmint2 htdocs]# pwd
/opt/ptc/Windchill_13.0/HTTPServer/htdocs
[root@plmint2 htdocs]# unlink
```

```
unlink /opt/ptc/Windchill_13.0/HTTPServer/htdocs/PDFExtract
```

```
[root@plmint2 htdocs]# unlink /opt/ptc/Windchill_13.0/HTTPServer/htdocs/PDFExtract
[root@plmint2 htdocs]# ls -lrt
total 16
-rw-r--r--. 1 root root  45 Jun 11  2007 index.html
-rw-r--r--. 1 root root  26 Dec  3  2024 robots.txt
-rw-r--r--. 1 root root 1150 Dec  3  2024 favicon.ico
drwxr-xr-x. 2 root root 4096 Mar 10  2025 DocReader
drwxr-xr-x. 8 root root  105 Mar 10  2025 GPLMPortal
[root@plmint2 htdocs]#
```

3. Check properties files inside \$WT_HOME/installer is pointing to correct locations or not.
4. Download the Critical Patch Set and extract it to a staging directory, we already downloaded and saved under s3 location.

```
cd /opt/staging
```

```
aws s3 cp s3://fmcgpd-m-windchill-sbx/Windchill_13.0.2/CPS08/ /opt/staging --recursive
chmod 755 ./*
```

```
unzip /opt/staging/MED-61006-CD-130_13-0-2-8_13-0-2-8-Bundle.zip -d /opt/staging/MED-61006-CD-130_13-0-2-8_13-0-2-8-Bundle
```

```
unzip /opt/staging/MED-60418-CD-130_13-0-2-0_Windchill-Services.zip -d /opt/staging/MED-60418-CD-130_13-0-2-0_Windchill-Services
```

```
unzip /opt/staging/MED-60171-CD-130_13-0-2-0_Windchill-Info-Engine.zip -d /opt/staging/MED-60171-CD-130_13-0-2-0_Windchill-Info-Engine
```

5. Take the backup of Database, Windchill base directory and LDAP (ldif file). For lower environment Database backup not required, we can skip to reduce the timing and if something goes wrong, we can revert from the last scheduled backup.

```
cd /opt/backup/
```

If backup folder is not available, use below command to create that folder,

```
mkdir /opt/backup/
```

Taking the backup of exiting windchill 13.0 folder.

```
cp -rp /opt/ptc/Windchill_13.0/ /opt/backup/Windchill_13.0_bkp_before_cps
/opt/ptc/Windchill_13.0/WindchillDS/bin/control-panel
```

Export the ldif file and save it to /opt/backup location.

6. Create the tmp directory under /opt location using below command,


```
mkdir /opt/tmp
```

```
export IATEMPDIR=/opt/tmp
```

7. Navigate to below location and execute setup file,

```
cd /opt/staging/MED-61006-CD-130_13-0-2-8_13-0-2-8-Bundle/ptc_solution_installer_13.0.2.8
```

```
./setup
```



PTC Solution Installer



- ☒ Before You Begin
- ☐ License Agreement
- ☐ Install Type Options
- ☐ Select Product...
- ☐ Define Settings...
- ☐ Review Settings
- ☐ Installing
- ☐ Installation Results

Product Name: PTC Solution Installer

Release: 13.0.2.8

Before you begin this installation, refer to the following information:

- [Release Advisor](#)
- [Windchill Installation and Configuration Guide](#)
- [Windchill Installation and Configuration Guide - Update Existing Installation](#)
- [Windchill Supported Update/Upgrade Paths](#)

Close all applications that are currently running on your computer and verify that the username under which you logged in has administrative privileges.

InstallAnywhere

Cancel

< Back

Next >

PTC Solution Installer



- ☐ Before You Begin
- ☒ License Agreement
- ☐ Install Type Options
- ☐ Select Product...
- ☐ Define Settings...
- ☐ Review Settings
- ☐ Installing
- ☐ Installation Results

[Save...](#)

PTC CUSTOMER AGREEMENT

THIS PTC CUSTOMER AGREEMENT ("AGREEMENT") IS A LEGAL AGREEMENT BETWEEN THE INDIVIDUAL, OR THE COMPANY OR OTHER ORGANIZATION ON WHOSE BEHALF SUCH INDIVIDUAL ACCEPTS THIS AGREEMENT, THAT EITHER (A) CLICKS THE "I ACCEPT" BUTTON BELOW OR (B) INSTALLS, ACCESSES, OR USES ANY SOFTWARE OR DOCUMENTATION FROM PTC ("CUSTOMER"), AND PTC INC. OR, IF THE PURCHASE WAS MADE IN A COUNTRY SPECIFIED ON THE PTC AFFILIATE LIST DOCUMENT AVAILABLE AT [HTTPS://WWW.PTC.COM/EN/DOCUMENTS/LEGAL-AGREEMENTS/PTC-AFFILIATES](https://www.ptc.com/en/documents/legal-agreements/ptc-affiliates), THE PTC AFFILIATE SPECIFIED IN SUCH DOCUMENT (AS APPLICABLE, "PTC").

PLEASE READ THE TERMS AND CONDITIONS OF THIS AGREEMENT CAREFULLY BEFORE ACCEPTING THIS AGREEMENT. BY CLICKING ON THE "I ACCEPT" BUTTON BELOW OR BY INSTALLING, ACCESSING, OR USING ANY SOFTWARE OR DOCUMENTATION FROM PTC, CUSTOMER HEREBY AGREES TO BE BOUND BY THIS AGREEMENT AND REPRESENTS THAT IT IS

☒ I accept
☐ I decline

InstallAnywhere
[Cancel](#)

[< Back](#) [Next >](#)

PTC Solution Installer



- ☐ Before You Begin
- ☒ License Agreement
- ☐ Install Type Options
- ☐ Select Product...
- ☐ Define Settings...
- ☐ Review Settings
- ☐ Installing
- ☐ Installation Results

Windchill is configured to automatically transmit license usage data to PTC for license compliance purposes, thus providing you with license consumption insights and trends to best manage your license entitlements.

To request an exemption from sharing license usage data, open a PTC Technical Support case using the [Case Logger](#) and choose "License Service - Exemption Request" as the Area.

PTC uses this information to advise customers on maximizing product usage.

License usage data does not include any personal information, such as username, email address or name. You may also enable Windchill to transmit additional information by enabling Windchill Performance Advisor.

More information about [PTC Privacy Policy](#).


☒ I have read the above statement


InstallAnywhere


Cancel

< Back

Next >







PTC Solution Installer



- ☐ Before You Begin
- ☐ License Agreement
- ☐ Install Type Options
- ☒ Select Product...
- ☐ Define Settings...
- ☐ Review Settings
- ☐ Installing
- ☐ Installation Results


Windchill Service Pack☒ Complete

Updates the selected installation directory using files from the service pack. If site-modified files exist in wtSafeArea/siteMod, updates the installation using files from this directory. If wtSafeArea/siteMod and the service pack both have versions of the same file, the installation is updated with the siteMod version. Configures the system and updates the installation registry for each product updated.

☐ Updates for Site-Modified Files to Safe Area

Copies service pack versions of files found in wtSafeArea/siteMod to wtSafeArea/ptcCurrent. If you have copied your site-modified files to wtSafeArea/siteMod, this allows the PSI to copy the equivalent, updated files to wtSafeArea/ptcCurrent for your inspection. Selecting this option will not change any files, it should be used to manually compare your current site-modified files to the new versions delivered in the service pack to determine if you must make any changes.

InstallAnywhere



PTC Solution Installer



- ☐ Before You Begin
- ☐ License Agreement
- ☐ Install Type Options
- ☐ Select Product...
- ☒ Define Settings...
- ☐ Review Settings
- ☐ Installing
- ☐ Installation Results

Choose whether or not you would like to preserve your existing web configurations.


- ☒ Preserve HTTP Server configuration files.
- ☒ Preserve Servlet Engine configuration files.

InstallAnywhere

Cancel

< Back

Next >



8. Please verify windchill version once installation completed,
windchill version

```
[root@plmint2 Windchill]# windchill version
Timestamp: October 09, 2025 - 13:37:24 (GMT: Oct 9, 2025, 1:37:24 PM)
```

Support Datecode	Support Release Number	Release Id	Build Number	Installer Sequence	Display Label
13.0.2.8	13.0	suma.13.0.2.8	21	01	windchill 13.0.2.0 supplier management
18.1.0.0	11.1.0.0	vizpviewrun.18.1.0.0	481464	01	Creo View - Clients 11.1.0.0-QDN1AJ
21.1.0.0	11.1.0.0	vizadapters.21.1.0.0	481458	01	Creo View - Adapters 11.1.0.0-QDMPSw
13.0.2.0	13.0	pdml.13.0.2.0	396	01	windchill pdmlink 13.0.2.0
13.0.2.8	13.0	wnc.13.0.2.8	21	01	windchill 13.0.2.0 Services
13.0.2.8	13.0	ptlc.13.0.2.8	21	01	windchill partslink 13.0.2.0
13.0.2.8	13.0	mpml.13.0.2.8	21	01	windchill 13.0.2.0 mpmlink
13.0.2.8	13.0	odata.13.0.2.8	21	01	windchill 13.0.2.8 REST services
13.0.2.8	13.0	pjl.13.0.2.8	21	01	windchill projectlink 13.0.2.0
13.0.2.8	13.0	wsp.13.0.2.8	21	01	windchill 13.0.2.8 service pack
13.0.2.8	13.0	qms.13.0.2.8	21	01	windchill 13.0.2.0 QMS foundation
13.0.2.8	13.0	esi.13.0.2.8	21	01	windchill 13.0.2.0 esi services
13.0.2.7	13.0	wlp.13.0.2.7	01	01	windchill 13.0.2.0 multi-language pack
13.0.2.8	13.0	udi.13.0.2.8	21	01	windchill 13.0.2.0 udi
13.0.2.8	13.0	wps.13.0.2.8	21	01	windchill 13.0.2.0 platform structures
13.0.2.8	13.0	ie.13.0.2.8	21	01	windchill 13.0.2.0 info*engine
13.0.2.8	13.0	commonpdm.13.0.2.8	21	01	windchill 13.0.2.0 common base
13.0.2.0	13.0	designcontrol.13.0.2.0	396	01	windchill 13.0.2.0 design control

There are no patches installed.

The screenshot shows the Windchill web application interface. The top navigation bar includes the Fresenius Medical Care logo, the user role 'Administrator', and a tab labeled 'PLMINT2'. A search bar is visible on the right. The main content area displays the 'Products Installed' list for release 13.0.2.8. The list includes various Windchill components and their build numbers. The FMC Build Number is GPDM8.1.0.251008151541. The installed locales are listed as de, ru, zh_TW, ko, ja, zh_CN, pt_BR, it, fr, es.

Release: 13.0.2.8

Products Installed

- windchill 13.0.2.0 supplier management
- Creo View - Clients 11.1.0.0-QDN1AJ
- Creo View - Adapters 11.1.0.0-QDMPSw
- windchill pdmlink 13.0.2.0
- windchill 13.0.2.0 Services
- windchill partslink 13.0.2.0
- windchill 13.0.2.0 mpmlink
- windchill 13.0.2.8 REST services
- windchill projectlink 13.0.2.0
- windchill 13.0.2.8 service pack
- windchill 13.0.2.0 QMS foundation
- windchill 13.0.2.0 esi services
- windchill 13.0.2.0 multi-language pack
- windchill 13.0.2.0 udi
- windchill 13.0.2.0 platform structures
- windchill 13.0.2.0 info*engine
- windchill 13.0.2.0 common base
- windchill 13.0.2.0 design control

FMC Build Number: GPDM8.1.0.251008151541

Installed Locales: de, ru, zh_TW, ko, ja, zh_CN, pt_BR, it, fr, es

9. We need to create the soft link once installed the CPS08 patch.

In -s /opt/DocReader/PDFExtract /opt/ptc/Windchill_13.0/HTTPServer/htdocs/PDFExtract

```
[root@plmint2 htdocs]# ls -lrt
total 16
-rw-r--r--. 1 root root  45 Jun 11  2007 index.html
-rw-r--r--. 1 root root  26 Dec  3  2024 robots.txt
-rw-r--r--. 1 root root 1150 Dec  3  2024 favicon.ico
drwxr-xr-x. 2 root root 4096 Mar 10  2025 DocReader
drwxr-xr-x. 8 root root  105 Mar 10  2025 GPLMPortal
lrwxrwxrwx. 1 root root   25 Mar 10  2025 PDFExtract -> /opt/DocReader/PDFExtract
[root@plmint2 htdocs]# pwd
/opt/ptc/Windchill_13.0/HTTPServer/htdocs
[root@plmint2 htdocs]# unlink
```

10. Perform **HTTP to HTTPS conversion** use below link and refer the HTTP to HTTPS Conversion topic for this process,

https://dev.azure.com/FreseniusMedicalCare/PDM%20-%20Product%20Data%20Management/_wiki/wikis/PDM.wiki/7564/Windchill-13.0.2-OOTB-Installation

From /opt/ptc/Windchill_13.0/HTTPServer/ location execute below command,

```
ant -DHTTPS_ENABLED=true -f config.xml reconfigure
```

11. Navigate to 20-mod_ssl.conf file using below command and edit vi 20-mod_ssl.conf,

```
cd /opt/ptc/Windchill_13.0/HTTPServer/conf/conf.d
```

```
vi 20-mod_ssl.conf
```

Disable SSLCertificateFile and SSLCertificateKeyFile from this file.

Restart the HTTPS Server,