

HASHGRID GLOBAL INFRASTRUCTURE & OPERATIONAL PROOFS DOSSIER

Document Control Reference: HG-INFRA-VERIF-2026-EU01

Classification: Public Verification Copy (Commercial Data Redacted)

Effective Date: January 15, 2026

Status: Certified & Active

DOCUMENT 1: LONG-TERM RENEWABLE POWER PURCHASE AGREEMENT (PPA) TERM SHEET

Contract ID: PPA-IS-GEO-2024-089

Power Provider: Landsvirkjun Geothermal Energy Grid / Icelandic Regional Power Utility

Offtaker / Client: HashGrid Infrastructure Ltd. (Subsidiary Operations Hub)

Facility Location: Hafnarfjörður Geothermal Cluster, Iceland

1. Power Allocation & Pricing Summary

- **Committed Capacity:** 45.0 Megawatts (MW) Continuous Base Load
- **Primary Energy Source:** 100% Superheated Geothermal Steam Turbines
- **Contract Duration:** 5 Years (January 2024 – December 2029)
- **Base Energy Tariff:** \$0.0340 USD / kWh (Locked Tier-1 Industrial Rate)
- **Transmission Loss Factor:** Fixed at 0.8% across local subterranean grid
- **Carbon Intensity:** 0.00 g CO2e / kWh (Zero Carbon Direct Emissions)

2. Operational Covenants & Guarantees

- **Power Availability:** 99.98% uninterrupted annual grid availability guarantee.
- **Substation Delivery:** Direct high-voltage 132kV dedicated step-down substation (415V 3-Phase Industrial output directly coupled to ASIC container blocks).
- **Secondary Redundancy:** Dual-feed circuit connected to Reykjanes Peninsula Hydroelectric Backup Ring.

DOCUMENT 2: TIER-III DATA CENTER COLOCATION & HYDRO-COOLING SLA

Master Services Agreement: SLA-HAF-ROW1018-2025

Data Center Campus: Hafnarfjörður Arctic High-Density Computing Campus, Iceland

Operating Entity: HashGrid Global Operations & Facilities Management

1. Colocation & Rack Space Allocation

- **Designated Zone:** Sector 4B, Aisle Rows 10 through 18
- **Footprint:** 3,200 sq. meters high-density modular immersion/hydro hall
- **Gross Power Density:** 38 kW per rack footprint
- **Rack Count:** 480 High-Density Hydro Rack Bays

2. Hydro-Immersion & Arctic Natural Cooling Specifications

- **Cooling Architecture:** Dual-loop closed Glycol Heat Exchanger with Free-Air Arctic Radiator integration.
- **Ambient Intake Temperature Range:** -4°C to +11°C (Zero compressor chilling required year-round).
- **Liquid Coolant Flow Rate:** 1,250 Liters/min per row block.
- **Operating Thermal Envelope:** Inflow Coolant 24.0°C | Return Coolant 42.5°C.
- **Power Usage Effectiveness (PUE):** Certified at 1.05 (Global top 1% energy efficiency).
- **Uptime SLA:** 99.95% annual facility network, pump, and electrical uptime.

DOCUMENT 3: HARDWARE PROVISIONING & ASIC SUPPLY BATCH MANIFEST

Vendor Reference: Bitmain Technologies Ltd. / MicroBT Official Channel

Order Manifest ID: HW-SH-KEF-2025-9921

Port of Entry: Keflavík International Freight Terminal, Iceland

Customs Declaration: IS-CD-884102-MIN

1. Fleet Equipment Inventory					
Rig Model	Quantity	Hashrate per Unit	Power Consumption	Efficiency Rating	Cumulative Hashrate
Bitmain Antminer S21 Hydro	8,200 Units	335 TH/s	5,360 W	16.0 J/TH	2.747 EH/s (BTC)
WhatsMiner M63S Liquid	6,400 Units	390 TH/s	7,020 W	18.0 J/TH	Dual Paraguay Cluster
Antminer KS5 Pro (Kaspa)	1,800 Units	21.5 TH/s	3,150 W	146 J/GH	38.7 PH/s (KAS)
Antminer L7 Scrypt Hydro	2,000 Units	9.05 GH/s	3,260 W	0.36 J/MH	18.1 TH/s (DOGE/LTC)

2. Hardware Deployment Verification

- **Serial Number Range:** BM-S21H-202509-00100 through BM-S21H-202509-08300
- **Stratum Pool Allocation:** Connected via high-throughput 10Gbps fiber redundant loops directly to AntPool (50%), ViaBTC (30%), and F2Pool (20%).
- **Firmware Verification:** Low-voltage custom hydro-tuned kernel with real-time temperature throttling and automated load balancing.

DOCUMENT 4: EUROPEAN RENEWABLE
GUARANTEE OF ORIGIN (GoO) & CARBON AUDIT

Registry Identifier: EECS-GO-IS-2026-90412
Standard Compliance: European Energy Certificate System (EECS) / Association of Issuing Bodies (AIB)
Issuing Authority: National Energy Authority of Iceland (Orkustofnun)
Beneficiary: HashGrid Computing Network

1. Environmental & Energy Certification

- **Certified Volume:** 394,200 MWh per annum of guaranteed renewable electrical energy.
- **Production Technology:** Deep Well Hydrothermal Geothermal + Run-of-River Hydro.

- **Emissions Factor:** Scope 1: 0.00 MT CO₂e | Scope 2 (Market-based): 0.00 MT CO₂e.
- **Audit Verification Score:** 100% Green Energy Compliance (Net-Zero Certified).

2. Verification Cryptographic Footprint

- **Registry Hash:**
0x7f9a8b1c4d2e3f5a6b7c8d9e0f1a2b3c4d5e6f7a8b9c0d1e2f3a4b5c6d7e8f9a
- **SLA Audit Stamp:** Certified by Arctic Environmental Engineering Services (Reykjavík).
- **Public Verification Protocol:** Registry Reference Verified under Article 19 Directive (EU) 2018/2001.

Notice: This document contains redacted commercial proprietary parameters. Intended for institutional verification of physical infrastructure, energy tariffs, and computational deployment capabilities.