

SIMATS ENGINEERING ASSESSMENT TOOL 2

COURSE NAME: Artificial Intelligence **COURSE CODE:** CSA1703

COURSE OUTCOME COVERED

CO3: Analyze knowledge representation and reasoning using propositional logic, FOL, inference, resolution, chaining methods, knowledge representation to perform logical reasoning for drawing valid conclusions and decision making. (BL4)

Assessment Tool Weightage: 50%

Minutes	Time Duration: 30
QUESTIONS: 30	Total Marks:30
Annexure A	
MCQ	

Code of Conduct:

*I _Hashini S / 192524035 (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.
I understand that any violation of academic integrity rules will result in disciplinary action.*

Signature of the student: Hashini S

Annexure A

Q1. Which of the following best describes a Logical Agent in AI?

- a) An agent that reacts randomly to the environment
- b) An agent that uses a knowledge base and logical inference to decide actions
- c) An agent that only follows pre-defined scripts
- d) An agent that learns from rewards

Q2. In Propositional Logic, ' $P \rightarrow Q$ ' is logically equivalent to:

- a) $P \wedge \neg Q$
- b) $\neg P \vee Q$
- c) $\neg Q \rightarrow \neg P$ only
- d) Both b and c

Q3. Conjunctive Normal Form (CNF) requires the formula to be expressed as:

- a) A disjunction of conjunctions
- b) A conjunction of disjunctions (clauses)
- c) A conjunction of literals only
- d) A sequence of implications

Q4. In FOL, the sentence $\forall x: \text{Student}(x) \rightarrow \text{Passes}(x)$ means:

- a) Some students pass
- b) Every entity that is a student passes
- c) If something passes, it is a student
- d) There exists at least one student who passes

Q5. Unification in FOL is the process of finding substitutions that:

- a) Convert clauses to CNF
- b) Make two logical expressions syntactically identical
- c) Prove a goal using backward chaining
- d) Derive facts using Modus Ponens

6. What is the core function of a logical agent in AI?

- a) Reacting only to current percepts
- b) Using logic and knowledge representation to reason and make decisions
- c) Performing physical actions without internal representation
- d) Relying solely on sensors for navigation

7. Which component of a logical agent is responsible for storing facts and rules about the world?

- a) Inference Engine
- b) Perception Unit
- c) Knowledge Base (KB)
- d) Action Selector

8. What does a knowledge-based agent do immediately after obtaining a percept from the environment?

- a) Selects an action
- b) Executes the action
- c) Updates the Knowledge Base with the new percept

d) Reasons to derive new information

9. Which operation is used to add new information to a Knowledge Base?

a) ASK b) TELL c) PERCEIVE d) UPDATE

10. What is a proposition in formal logic?

- a) A command or request
- b) A declarative statement that is either true or false
- c) A question regarding the environment
- d) A letter representing a variable

11. Which of the following is NOT a proposition?

- a) "The sun rises in the east."
- b) " $5 + 3 = 10$."
- c) "Close the door."
- d) "Chennai is in India."

12. Which logical operator is represented by the symbol $\neg$?

- a) AND
- b) OR
- c) NOT
- d) Implication

13. The AND ($\wedge$) operator is true only when:

- a) At least one proposition is true
- b) Both propositions are true
- c) Both propositions have different truth values
- d) Neither proposition is true

14. A proposition that is always true, regardless of the truth values of its variables, is called a:

- a) Contradiction b) Tautology c) Contingency d) Equivalence

15. In an implication ($P \rightarrow Q$), the statement is false only when:

- a) P is false and Q is true
- b) P is true and Q is false
- c) Both P and Q are false
- d) Both P and Q are true

16. What is the number of rows in a truth table for a logical expression with 3 propositions?

- a) 4 b) 6 c) 8 d) 9

17. Which of these represents one of De Morgan's Laws?

- a) $\neg(P \wedge Q) \equiv \neg P \vee \neg Q$
- b) $\neg(P \wedge Q) \equiv \neg P \wedge \neg Q$

- c) $\neg(\neg P) \equiv P$
- d) $P \vee \neg P \equiv \text{True}$

18. A proposition that is sometimes true and sometimes false is known as a:

- a) Tautology
- b) Contradiction
- c) Contingency
- d) Implication

19. Which logical connective is true if and only if both propositions have the same truth value?

- a) Implication ($\rightarrow$)
- b) Biconditional ($\leftrightarrow$)
- c) OR ($\vee$)
- d) NOT ($\neg$)

20. According to operator precedence, which operator should be evaluated first?

- a) AND ($\wedge$)
- b) OR ($\vee$)
- c) NOT ($\neg$)
- d) Implication ($\rightarrow$)

21. What is the process of deriving a conclusion from given premises called?

- a) Perception
- b) Representation
- c) Inference
- d) Predication

22. Which inference rule follows the form: If P, then Q; P; Therefore, Q?

- a) Modus Tollens
- b) Modus Ponens
- c) Hypothetical Syllogism
- d) Resolution

23. Which valid reasoning pattern is represented by: $P \rightarrow Q$; $\neg Q$; Therefore, $\neg P$?

- a) Modus Ponens
- b) Disjunctive Syllogism
- c) Modus Tollens
- d) Addition

24. What can be concluded from the premises $(P \rightarrow Q)$ and $(Q \rightarrow R)$ using Hypothetical Syllogism?

- a) $P \wedge R$
- b) $P \vee R$
- c) $P \rightarrow R$
- d) $\neg P \rightarrow \neg R$

25. The rule that states if "P or Q" is true and "Not P" is true, then "Q" must be true is called:

- a) Simplification
- b) Conjunction
- c) Disjunctive Syllogism
- d) Resolution

26. Which rule allows you to conclude "P" from the premise "P and Q"?

- a) Addition
- b) Simplification
- c) Conjunction
- d) Modus Ponens

27. The inference rule Resolution follows which symbolic form?

- a) $P \therefore P \vee Q$
- b) $P, Q \therefore P \wedge Q$
- c) $P \vee Q, \neg P \vee R \therefore Q \vee R$
- d) $P \rightarrow Q, Q \rightarrow R \therefore P \rightarrow R$

28. Which of the following is an example of the "Addition" rule?

- a) P and Q, therefore P
- b) P, therefore P or Q
- c) P, Q, therefore P and Q
- d) P or Q, not P, therefore Q

29. "If it rains, the ground is wet. The ground is wet. Therefore, it rained." This is an example of which invalid reasoning pattern?

- a) Denying the Antecedent
- b) Affirming the Consequent
- c) Modus Ponens
- d) Double Negation

30. What is the name of the invalid pattern: $P \rightarrow Q$; $\neg P$; Therefore, $\neg Q$?

a) Affirming the Consequent b) Denying the Antecedent c) Modus Tollens d) Hypothetical Syllogism

RUBRICS FOR CALCULATION

Criteria	Weightage (%)	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Conceptual Understanding	30%	Demonstrates thorough understanding; answers all questions accurately	Shows good understanding with few errors	Partial understanding; several incorrect responses	Lacks understanding; majority of answers incorrect
Accuracy of Answers	25%	All answers are correct	Most answers are correct with minor mistakes	Some correct answers; frequent errors	Mostly incorrect answers
Application of Knowledge	20%	Correctly applies concepts to problem-based questions	Applies concepts with minor errors	Limited ability to apply concepts	Unable to apply concepts
Time Management	15%	Completes quiz well within time efficiently	Completes on time with minor delays	Requires extra time or rushes through questions	Unable to complete within given time
Question Interpretation	10%	Interprets all questions correctly and responds appropriately	Misinterprets a few questions	Often misinterprets questions	Unable to understand questions

CO3-AT2

12/8/26

1. B ✓
2. B ✓
3. D ✓
4. B ✓
5. B ✓
6. B ✓
7. C ✓
8. C ✓
9. B ✓
10. B ✓
11. B ✓
12. C ✓
13. B ✓
14. B ✓
15. B ✓
16. C ✓

$$\frac{27}{30}$$

✓

17. A ✓
18. C ✓
19. B ✓
20. C ✓
21. C ✓
22. B ✓
23. C ✓
24. C ✓
25. C ✓
26. B ✓
27. C ✓
28. B ✓
29. B ✓
30. B ✓

