

## Cell Adaptive Responses - Section 1

Marker 1 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 1.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 1 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 2

Marker 2 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 2.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 2 leads to injury rather than adaptation.

### Cell Adaptive Responses - Section 3

Marker 3 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 3.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 3 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 4

Marker 4 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 4.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 4 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 5

Marker 5 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 5.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 5 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 6

Marker 6 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 6.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 6 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 7

Marker 7 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 7.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 7 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 8

Marker 8 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 8.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 8 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 9

Marker 9 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 9.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 9 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 10

Marker 10 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 10.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 10 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 11

Marker 11 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 11.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 11 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 12

Marker 12 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 12.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 12 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 13

Marker 13 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 13.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 13 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 14

Marker 14 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 14.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 14 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 15

Marker 15 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 15.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 15 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 16

Marker 16 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 16.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 16 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 17

Marker 17 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 17.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 17 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 18

Marker 18 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 18.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 18 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 19

Marker 19 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 19.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 19 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 20

Marker 20 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 20.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 20 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 21

Marker 21 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 21.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 21 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 22

Marker 22 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 22.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 22 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 23

Marker 23 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 23.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 23 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 24

Marker 24 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 24.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 24 leads to injury rather than adaptation.

## Cell Adaptive Responses - Section 25

Marker 25 identifies this page uniquely within the lecture.

Hypertrophy is an increase in the size of individual cells in section 25.

Hyperplasia is an increase in the number of cells within a tissue.

Atrophy is a reduction in cell size caused by reduced workload or supply.

Metaplasia is a reversible change from one differentiated cell type to another.

Adaptation fails when the stress exceeds the capacity of the cell to respond.

Persistent stress in section 25 leads to injury rather than adaptation.