

IDS2Eval Scorecard


nsl-kdd

14 ok · 3 warning · 2 flag · 19 checks

REVIEW REQUIRED

dedup_check	train duplicates: 0 (0.00%); test rows leaking a train feature-match: 0 (0.00%); test-internal duplicates: 0	ok
label_conflict_check	no feature vector maps to more than one label	ok
near_duplicate_class_check	no near-zero-distance feature vectors found across 14 classes tested	ok
leakage_screen	no single feature or pair dominates importance (top1=14.2%, top2=25.6%)	ok
one_rule_check	single rule 'same_srv_rate <= 0.495' reaches 63.4% test accuracy (84.0% train)	ok
feature_auc_ranking_check	'wrong_fragment' alone reaches AUC 1.000 identifying 'teardrop'; a single feature this separable is worth checking for a leakage artifact	flag
identity_column_flag	no id_like_columns configured	ok
port_protocol_shortcut_check	no port-like entry in schema.id_like_columns and/or no proto-like column found, this check needs both	ok
temporal_leakage_check	no schema.timestamp_column configured	ok
temporal_realism_check	no schema.timestamp_column configured	ok
flow_group_leakage_check	no schema.flow_id_columns configured	ok
row_order_leakage_check	adjacent-row label-transition rate (train=1.00, test=1.00) as a share of what a randomly shuffled ordering would produce	ok
homogeneity_test	12 classes tested; leakage signature (test significantly closer than control, p<0.05) in: ['smurf']	flag
scenario_holdout_falsification	no schema.scenario_column configured	ok
class_distribution_report	23 classes, train imbalance ratio (majority:minority) = 33670:1; classes below 1% of train: ['back', 'teardrop', 'warezclient', 'pod', 'guess_passwd', 'buffer_overflow', 'warezmaster', 'land', 'imap', 'rootkit', 'loadmodule', 'ftp_write', 'multihop', 'phf', 'perl', 'spy']	warning
low_cardinality_warning	no id_like_columns configured	ok
schema_fingerprint_check	no known extractor signature matched	ok
data_integrity_check	1 constant/near-constant feature(s)	warning
known_issue_lookup	The test set intentionally includes attack types absent from the training set, by design, to test generalization to unknown attacks rather than memorization; this project's own audit of the official partition finds 17 such test-only attack types. (Tavallaee et al. 2009, IEEE CISDA)	warning

Class distribution (log scale)



Top feature importances (leakage_screen)

