actura ai > new.ipynb > main_chain.invoke(question)

Generate | Code | Markdown | Run All | Restart | Clear All Outputs | Jupyter Variables | Outline | ...

project (Python 3.12

[98] ✓ 0.0s

```
def format_docs(retrieved_docs):
    context_text= '\n\n'.join(doc.page_content for doc in retrieved_docs)
    return context_text
```

[99] ✓ 0.0s

```
parallel_chain= RunnableParallel({
    'context': retriever|RunnableLambda(format_docs),
    'question': RunnablePassthrough()
})
```

[100] ✓ 0.0s

```
#testing
parallel_chain.invoke('what is upi')
```

[101] ✓ 0.1s

```
{'context': 'question: What is UPI?\nanswer: UPI (Unified Payments Interface) enables instant money transfers between bank accounts.',
 'question': 'what is upi'}
```

```
parser= StrOutputParser()
```

[102] ✓ 0.0s

```
main_chain=parallel_chain|prompt|llm|parser
```

[103] ✓ 0.0s

```
print(question)
```

[104] ✓ 0.0s

questions are taken as input above

```
current account
```

```
main_chain.invoke(question)
```

[105] ✓ 1.8s

```
'A current account is a type of bank account used primarily by businesses for frequent transactions. Current accounts do not typically earn interest.'
```

actura ai > new.ipynb > empty cell

Generate | Code | Markdown | Run All | Restart | Clear All Outputs | Jupyter Variables | Outline | ...

project (Python 3.12.11)

[99] ✓ 0.0s Python

```python
def format_docs(retrieved_docs):
    context_text= '\n\n'.join(doc.page_content for doc in retrieved_docs)
    return context_text
```

[100] ✓ 0.0s Python

```python
parallel_chain= RunnableParallel({
    'context': retriever|RunnableLambda(format_docs),
    'question': RunnablePassthrough()
})
```

[101] ✓ 0.1s Python

```python
#testing
parallel_chain.invoke('what is upi')
```

```
{'context': 'question: What is UPI?\nanswer: UPI (Unified Payments Interface) enables instant money transfers between bank accounts.',
 'question': 'what is upi'}
```

[102] ✓ 0.0s Python

```python
parser= StrOutputParser()
```

[107] ✓ 0.0s Python

```python
main_chain=parallel_chain|prompt|llm|parser
```

[108] ✓ 0.0s Python

```python
print(question)
```

```
what are llms
```

[109] ✓ 2.3s Python

```python
main_chain.invoke(question)
```

```
"I'm sorry for the confusion, but the provided context does not contain any information about LLMS. Therefore, I don't know the answer to that question."
```

[ ] Python

0 0 Update is ready, click to restart. Ln 1, Col 16 Spaces: 4 Spaces: 4 LF { } Cell 24 of 27 Go Live

.env | new.ipynb | requirements.txt | dataset.txt

actura ai > new.ipynb > main_chain.invoke(question)

Generate | Code | Markdown | Run All | Restart | Clear All Outputs | Jupyter Variables | Outline ... project (Python 3.12.11)

```python
parallel_chain= RunnableParallel({
    'context': retriever|RunnableLambda(format_docs),
    'question': RunnablePassthrough()
})
```

[100] ✓ 0.0s Python

```python
#testing
parallel_chain.invoke('what is upi')
```

[101] ✓ 0.1s Python

```
{'context': 'question: What is UPI?\nanswer: UPI (Unified Payments Interface) enables instant money transfers between bank accounts.',
 'question': 'what is upi'}
```

```python
parser= StrOutputParser()
```

[102] ✓ 0.0s Python

```python
main_chain=parallel_chain|prompt|llm|parser
```

[111] ✓ 0.0s Python

```python
print(question)
```

[112] ✓ 0.0s Python

```
explain atm in 100 words
```

```python
main_chain.invoke(question)
```

[113] ✓ 7.6s Python

```
"An ATM, or Automated Teller Machine, is a financial machine that enables customers to withdraw cash, check account balances, make transfers between accounts, and perform other basic banking functions. The ATM uses a comt
```

[ ] Python

[ ] Python

[ ] Python

0 0 Update is ready, click to restart. Ln 1, Col 16 Spaces: 4 Spaces: 4 LF Cell 23 of 27 Go Live