

Que-1.

Write a PL/SQL block that declares two variables: one for a user's name (VARCHAR2) and one for their age (NUMBER). Assign values and print both using DBMS_OUTPUT.PUT_LINE.

Ans:-

```
DECLARE
    v_name VARCHAR2(50);
    v_age  NUMBER;
BEGIN
    v_name := 'Hasib';
    v_age  := 22;

    DBMS_OUTPUT.PUT_LINE('Name: ' || v_name);
    DBMS_OUTPUT.PUT_LINE('Age: ' || v_age);
END;
/
```

Que-2.

Create a PL/SQL block that uses an IF statement to check if a given order amount is above 500. If yes, print 'Eligible for free delivery', else print 'Delivery charges apply'.

Ans:-

```
DECLARE
    v_order_amount NUMBER := 750;
BEGIN
    IF v_order_amount > 500 THEN
        DBMS_OUTPUT.PUT_LINE('Eligible for free delivery');
    ELSE
        DBMS_OUTPUT.PUT_LINE('Delivery charges apply');
    END IF;
END;
/
```

Que-3.

Write a PL/SQL block that uses a simple LOOP to print the numbers 1 to 5 using DBMS_OUTPUT.PUT_LINE.

Hint: Use a counter variable and EXIT WHEN condition inside the loop.

Ans:-

```
DECLARE
    v_counter NUMBER := 1;
BEGIN
    LOOP
        DBMS_OUTPUT.PUT_LINE(v_counter);

        v_counter := v_counter + 1;

        EXIT WHEN v_counter > 5;
    END LOOP;
END;
/
```

Que-4.

Declare a cursor in PL/SQL to select all product names from a table called PRODUCTS. Fetch each product name and print it using DBMS_OUTPUT.PUT_LINE.

Hint: Assume the PRODUCTS table has a column PRODUCT_NAME.

Ans:-

```
DECLARE
    CURSOR product_cursor IS
        SELECT product_name
        FROM PRODUCTS;

    v_product_name PRODUCTS.product_name%TYPE;
BEGIN
    OPEN product_cursor;

    LOOP
        FETCH product_cursor INTO v_product_name;

        EXIT WHEN product_cursor%NOTFOUND;

        DBMS_OUTPUT.PUT_LINE(v_product_name);
    END LOOP;

    CLOSE product_cursor;
END;
```

/

Que-5.

Write a PL/SQL block that tries to divide two numbers entered as variables. If a division by zero occurs, catch the exception and print 'Cannot divide by zero'. Otherwise, print the result.

Ans:-

DECLARE

 v_num1 NUMBER := 100;

 v_num2 NUMBER := 0;

 v_result NUMBER;

BEGIN

 v_result := v_num1 / v_num2;

 DBMS_OUTPUT.PUT_LINE('Result: ' || v_result);

EXCEPTION

 WHEN ZERO_DIVIDE THEN

 DBMS_OUTPUT.PUT_LINE('Cannot divide by zero');

END;

/