Started on	Friday, 9 October 2026, 2:01 PM
State	Finished
Completed on	Friday, 9 October 2026, 2:13 PM
Time taken	12 mins 3 secs

Question 1 | Complete Marked out of 1.00

Both keys and values are unique in dictionary.

- a. True
- b. False

Question 2 | Complete Marked out of 1.00

Which of the following is used to delete an element from Dictionary?

- a. None of the mentioned
- b. pop( )
- c. remove
- d. delete

Question 3 | Complete Marked out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. b,c
- b. a,b
- c. d,e,f
- d. c,d,e

Question 4 | Complete Marked out of 1.00

Which of the following is not method of dictionary?

a. update( )
b. len( )
c. pop( )
d. del ( )

Question 5 | Complete Marked out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
b. Error
c. [1, 2, 3, 4, 5]
d. [10, 20, 30, 40, 50]

Question 6 | Complete Marked out of 1.00

We can repeat the values of Key in Dictionary?

a. False
b. True

Question 7 | Complete Marked out of 1.00

All elements in dictionary are separated by _____.

a. dot(.)
b. Colon (:)
c. Semicolon(;)
d. Comma(,)

Question 8 | Complete Marked out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.values( ))
b. print(A.keys( ))
c. print(A.get( ))
d. print(A.Items( ))

Question 9 | Complete Marked out of 1.00

Which function/statement delete the dictionary from the memory?

- a. pop( )
- b. del
- c. delete( )
- d. clear( )

Question 10 | Complete Marked out of 1.00

____ function returns the number of key: value pairs of the dictionary.

- a. items( )
- b. length( )
- c. len( )
- d. total( )

Question 11 | Complete Marked out of 1.00

To obtain the number of entries in dictionary which command is used?

- a. size(d)
- b. d.len()
- c. len(d)
- d. d.size()

Question 12 | Complete Marked out of 1.00

____ function returns the value corresponding to the key passed as the argument.

- a. update( )
- b. get( )
- c. del( )
- d. values( )

Question 13 | Complete Marked out of 1.00

The key-value pair in dictionary is called ____.

- a. item
- b. paired value
- c. pair item
- d. value

Question 14 | Complete Marked out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

a. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

b. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70}

c. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

d. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

Question 15 | Complete Marked out of 1.00

Dictionaries in python are _____.

a. Non-Mutable data type

b. Mutable data type

c. Both Mutable data type and Mapping data type

d. Mapping data type