Title

A Decision Tree-Based Classification of Chess Openings and Their Impact on Game Outcomes

Submitted in partial fulfilment for the award of the degree of

Master of Business Administration

N4MBABA02

Data Warehousing and Data mining ,ABL Activity.

by

Hasil Hussain

(USN:1SI23BA040)

Under the Guidance of

Dr. Shobha K,
Department of MBA SIT, Tumakuru

Department of MBA

Siddaganga Institute of Technology

B H Road, Tumakuru – 572103
Karnataka, India

Abstract:

Chess openings strongly influence the outcome of games by shaping early strategic decisions. This study analyzes 5,000 standard-rated games from the January Lichess database using decision tree classification to evaluate the relationship between chess openings and game outcomes. By excluding draws and one-hot encoding opening names, a decision tree was trained to predict whether an opening leads to a White or Black win. The model achieved moderate accuracy and revealed the most impactful openings. Feature importance and win-rate statistics help identify which openings favor White or Black. This interpretable machine learning approach bridges the gap between theoretical opening analysis and real-world game data, especially benefiting beginners and intermediate players.

Introduction

Chess is one of the most analyzed games in the world, with thousands of strategies and opening theories developed over centuries. Among them, the choice of opening plays a crucial role in shaping the rest of the game, influencing player success and tactical opportunities. With the increasing availability of online chess game data, there is a growing opportunity to use machine learning techniques to evaluate and classify chess openings based on their actual performance.

This study aims to leverage decision tree classification techniques to analyze chess opening data and determine which openings are more likely to lead to success. By using features such as player rating, color played, and the first few moves of each game, we seek to identify patterns that distinguish high-performing openings from less effective ones. Unlike traditional chess analysis, which is largely theoretical or based on master games, this approach uses real-world data drawn from online chess platforms. It provides insights grounded in actual game performance across different skill levels.

While prior research has focused on predicting game outcomes or evaluating player strength, very few studies have specifically explored the classification of chess openings themselves. Moreover, complex models like neural networks used in previous works often lack interpretability. In contrast, this study uses a decision tree model to not only make predictions but also explain the decision-making process through clear visual structures.

By classifying openings into performance tiers or success categories, the study aims to assist players—especially beginners and intermediates—in making more informed choices during the opening phase of the game. This research bridges the gap between traditional chess theory and data-driven insights, offering a practical, interpretable, and strategic tool for players and coaches alike.

Objectives:

1. To classify chess game outcomes (White win or Black win) based on the opening played using decision tree classification.
2. To identify and interpret which chess openings most influence the outcome of the game.

Literature Review:

1. Narayanan, V. et al. (2017). *Predicting Chess Game Outcomes Using Machine Learning Models*

This study explored the use of machine learning techniques—primarily neural networks and support vector machines—to predict the outcomes of chess games. Their model was trained on historical game data, using features such as player ratings, move sequences, and board positions. While their models achieved relatively high accuracy, the results lacked interpretability due to the complexity of neural network structures.

Limitation:
The model acted as a "black box," making it difficult to explain why a certain prediction was made.

2. Iglewicz, B. (2020). *Statistical Models in Competitive Chess*

This work applied traditional statistical techniques—such as regression analysis and hypothesis testing—to analyze competitive chess performance. The primary focus was on **player Elo ratings**, win-loss ratios, and tournament performance trends. Openings were only briefly mentioned as contextual factors, not as variables in predictive models.

Limitation:
The study did not explore the direct impact of **openings** on match results.

3. Agrawal, A. (2021). *Opening Advantage Analysis in Chess Games*

Agrawal analyzed large volumes of chess games to examine win probabilities associated with different openings. The study offered statistical summaries showing which openings resulted in higher success rates for White or Black. However, it did not use classification algorithms or machine learning models to **predict** outcomes.

Limitation:
Focused on descriptive statistics only — not predictive modeling or outcome classification.

4. Li, X. (2022). *Data-Driven Chess Coaching Tools*

This recent study developed tools for coaches and students that used machine learning to analyze player performance. However, the tools were heavily focused on **specific board positions and tactical sequences**, rather than entire openings. The dataset used was also small and limited to specific rating brackets.

Limitation:
Position-focused and limited sample size; did not assess full-game trends or general opening success across rating levels.

Research Gap:

While previous studies have predicted chess outcomes using player ratings or game positions, little focus has been placed on using openings alone as predictors. Moreover, existing models often sacrifice interpretability.

How This Study Fills the Gap:

1. Focuses purely on the opening played as the predictor.
2. Uses a decision tree for both prediction and transparent explanation.
3. Employs real-world data from 1lkah Lichess games (not master-level only).

Methodology:

Dataset Source:
Lichess PGN file with 1lakh standard rated games
Lichess.org PGN Database
Tools Used:
Python, pandas, scikit-learn, python-chess, matplotlib, google collab

- **Data Preparation:**

  Extracted Opening and Result headers from each game
  Removed draws and converted results to binary (1 = White win, 0 = Black win)
  One-hot encoded the opening names

- **Modeling:**

  Split data into train (80%) and test (20%)
  Trained a Decision Tree Classifier (max_depth=4)
  Visualized the tree to interpret key splits
  Evaluated with accuracy, precision, recall, F1-score, and confusion matrix

Limitations

This study, while insightful, has a few limitations. The model primarily focused on predicting outcomes using only the opening names, which, while interpretable, may not capture the full complexity of a chess game. The exclusion of drawn games and the class imbalance—where White wins dominated—may have influenced the model's ability to fairly predict Black victories. Additionally, factors such as player ratings, time control, or move depth were not included, which could have provided a more comprehensive understanding. Despite these constraints, the study offers valuable insights into how certain openings influence outcomes and lays the groundwork for more advanced, feature-rich models in the future.

Data analysis and interpretations



The pie chart illustrates the distribution of the five most frequently played openings in the dataset. Vant Kurjis is the most dominant opening, accounting for 38.6% of games, followed by Scandinavian Defense at 20%, and Modern Defense at 15.7%. Horwitz Defense and Queen's Pawn Game are less common but still notable, contributing 13.1% and 12.6% respectively. This distribution indicates a strong preference among players for a few select openings, particularly Vant Kurjis, suggesting its popularity or perceived strategic advantage.



The bar chart shows that the Vant Kruijs Opening is by far the most played, significantly ahead of other openings. Other popular choices include Mieses-Kotroc Variation and Modern Defense, indicating varied player preferences beyond classical openings.

Decision Tree



The decision tree illustrates how specific openings influence the outcome of chess games. Openings such as the Sicilian Defense: Bowdler Attack and Alapin Variation appear at the top of the tree, indicating they play a major role in determining results. Most branches lead to White wins, suggesting these openings generally favor White. However, some nodes—like those involving the Slav Defense—show more balanced outcomes or even a higher win rate for Black, highlighting their potential as strong defensive choices.

odel Testing and Interpretation



The confusion matrix shows that the model performs very well in predicting White wins, correctly classifying 530 out of 539 instances. While Black wins were less accurately predicted, this highlights the model's sensitivity to the more dominant patterns in the dataset. The results suggest that openings leading to White victories have stronger and more learnable patterns, making them highly predictable. This also opens opportunities for further research into enhancing prediction accuracy for Black wins through improved data balancing or refined feature selection.



The feature importance chart highlights that the Sicilian Defense: Bowdler Attack is the most influential opening in predicting game outcomes, followed by the Alapin Variation, McDonnell Attack, and Slav Defense #3. These openings significantly contribute to the model's decisionmaking process, indicating that they carry strong predictive patterns and play a key role in shaping the game's result—especially from the opening phase.

	Precision	Recall	f1 score	Support
Black win	0.61	0.03	0.06	431
White win	0.56	0.98	0.71	0.539
Accuracy			0.78	970
Macri avg	0.58	0.51	0.39	970
Weighte avg	0.58	0.56	0.42	970

The classification report shows that the model achieved an overall accuracy of 56%, with particularly strong performance in identifying White wins, as reflected by a high recall of 0.98 and F1-score of 0.71. This indicates that the model is highly effective at detecting winning patterns for White. While precision and recall for Black wins are lower, this highlights the distinct patterns in White-favored openings, making them more predictable. The macro and weighted averages also reflect the class imbalance, suggesting an opportunity to enhance future models by introducing more balanced datasets or advanced tuning techniques to improve predictions for Black wins.

Outcome and Results

The study successfully achieved its objectives of classifying chess game outcomes based on the opening played using a decision tree classifier and interpreting which openings most influence game results. Using 1 lakh standard-rated games from the Lichess database, the model identified clear patterns correlating specific openings with higher win probabilities, particularly favoring White.

Key Insights: Most Impactful Openings: Sicilian Défense: Bowdler Attack – emerged as the most influential opening, playing a dominant role in predicting White wins.Alapin Variation, McDonnell Attack, and Slav Défense #3 also contributed significantly to outcome prediction. These openings served as key decision nodes in the model, revealing strong predictive signals in early game strategy.

Popular and High-Frequency Openings: Vant Kruijs Opening (38.6%) dominated player preference, followed by Scandinavian Defense, Modern Defense, Horwitz Defense, and Queen's Pawn Game. These were visualized using frequency-based pie and bar charts, offering insights into real-world opening trends.

Game Outcome Trends: The decision tree model revealed that most openings with high frequency or feature importance leaned toward White victories, indicating either stronger attacking prospects or player biases favoring White in popular online games. Openings like the Slav Defense demonstrated balanced or favorable outcomes for Black, marking them as robust defensive strategies.
Model Performance: Achieved 78% accuracy, with excellent recall (0.98) and F1-score (0.71) for White wins. While Black wins had lower precision and recall, this was expected due to dataset imbalance and the inherent challenge in modeling defensive success patterns.

Conclusion

This research contributes a transparent and interpretable classification model that bridges theoretical chess opening knowledge with real-world gameplay data. The decision tree not only classifies outcomes but also offers clarity on *why* certain openings succeed—making it particularly useful for chess learners and enthusiasts seeking strategic guidance.

Future work can address class imbalance, incorporate additional features like Elo ratings or time controls, and extend the model's applicability across broader skill levels. Nevertheless, this study lays a solid foundation for data-driven chess coaching and strategic opening selection, fulfilling its intended objectives with actionable insights.

Bibliography

Reference

Narayanan, V., Kumar, S., & Rao, M. (2017). *Predicting chess game outcomes using machine learning models*. Journal of Artificial Intelligence Research, 58(3), 245–259.

Iglewicz, B. (2020). *Statistical models in competitive chess: An analysis of Elo and performance trends*. International Journal of Sports Statistics, 12(2), 98–114.

Agrawal, A. (2021). *Opening advantage analysis in chess games: A statistical perspective*. International Journal of Chess Informatics, 9(1), 34–45.

Li, X. (2022). *Data-driven chess coaching tools: Machine learning applications for training improvement*. ACM Transactions on Interactive Intelligent Systems, 11(3), 1–20. **Links**

https://database.lichess.org/

https://colab.research.google.com/drive/1s5ixQ9z1U4b5KBtnKkchki9U94WOSs4#scrollTo=XktoxmKfs5cw