

SIMATS Online Programming Lab

JAVA PROGRAMMING

GOPU HASINI

Level 1 — Easy (E) Nth ODD — Numbers

Find the nth odd number after n odd number.

Sample Input:

N : 4

Sample Output:

4th Odd number after 4 odd numbers = 15

1. N = 0
2. N = -6
3. N = 2021
4. N = -14.5
5. N = -196

Your Code

```
1 import java.util.Scanner;
2 public class OddNumber{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         System.out.print("Enter a number:");
6         int n=sc.nextInt();
7         if(n%2!=0){
8             System.out.print("odd");
9         }else{
10             System.out.print("even");
11         }
12     }
13 }
```

Program Input (stdin)

15

Output

Enter a number:odd

Run

Save

Lenovo

2026, 10:00 AM

Level 1 — Easy (E) Half Diamond — Loops

Write a program to print the following pattern

Sample Input:

Enter the number to be printed: 1

Max Number of time printed: 3

1

11

111

11

1

Your Code

```
1 import java.util.Scanner;  
2 public class NumberPattern{  
3     public static void main(String[] args) {  
4
```


SIMATS Online Programming Lab

JAVA PROGRAMMING

GOPU KASIN

Your Code

```
1 import java.util.Scanner;
2 public class NumberPattern{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         System.out.print("Enter the number to be printed:");
6         int n=sc.nextInt();
7         int a=sc.nextInt();
8         for(int i=1;i<=a;i++){
9             for(int j=1;j<i;j++){
10                 System.out.print("1");
11             }
12             System.out.println();
13         }
14         for(int i=a-1;i>=1;i++){
15             for(int j=1;j<i;j++){
16                 System.out.print(n);
17             }
18             System.out.println();
19         }
20     }
21 }
22 }
```

Program Input (stdin)

1
3

Output

Error: Execution timeout (>5 seconds) - possible infinite loop

Run

Save

Lenovo

Secure Exit

SIMATS Online Programming Lab

JAVA PROGRAMMING

GOPU HASINI
192425262RA

29 Jul 2026, 10:00 AM

← Back

Level 1 — Easy (E) String Present — Strings

Write a program that finds whether a given character is present in a string or not. In case it is present it prints the index at which it is present. Do not use built-in find functions to search the character.

Sample Input:

Enter the string: I am a programmer

Enter the character to be searched: p

Sample Output:

P is found in string at index: 8

Note: Check for non available Character in the given statement as Hidden Test case.

Your Code

```
1 t java.util.Scanner;  
2 c class Character{  
3 public static void main(String[] args) {  
4     Scanner sc=new Scanner(System.in);  
5     System.out.print("Enter String:");  
6     System.out.print("Enter character to be searched:");  
7     char ch=sc.next().charAt(0);  
8     int index=-1;  
9     for(int i=0;i<str.length();i++){  
10         if(str.charAt(i)==ch){  
11             index=i;  
12             break;  
13     }  
14 }
```

Program Input(stdin)

I am a programmer
p

Output

```
Symbol: Variable str  
Location: class Character  
C:\Windows\TEMP\sandbox_192425262RA_6a697  
d6971d217.45953371\Character.java:10:  
error: cannot find symbol  
    if(str.charAt(i)==ch){  
        ^  
    symbol  variable str  
    location: class Character  
C:\Windows\TEMP\sandbox_192425262RA_6a697  
d6971d217.45953371\Character.java:10:  
error: cannot find symbol  
    if(str.charAt(i)==ch){  
        ^  
    symbol  variable str  
    location: class Character
```


SIMATS Online Programming Lab

JAVA PROGRAMMING

GOPI

Note: Check for non available Character in the given statement as Hidden Test case.

Your Code

```
1  java.util.Scanner;
2  class Character{
3  public static void main(String[] args){
4      Scanner sc=new Scanner(System.in);
5      System.out.print("Enter String:");
6      System.out.print("Enter character to be searched:");
7      char ch=sc.next().charAt(0);
8      int index=-1;
9      for(int i=0;i<str.length();i++){
10         if(str.charAt(i)==ch){
11             index=i;
12             break;
13         }
14     }
15     if(index!=-1)
16         System.out.println("letter found at index:"+index);
17     else
18         System.out.print("not found");
19
20 }
```

Program Input (stdin)

I am a programmer
p

Output

Symbol: Variable str
location: class Character
C:\Windows\TEMP\sandbox_192425262RA_6a697
d6971d217.45953371\Character.java:10:
error: cannot find symbol
if(str.charAt(i)==ch){

Run

Save

← Previous

Next →

Java 29 Jul 2026, 10:00 AM

Level 1 — Easy (E) Matrix Addition — Array

Write a program for matrix addition?

Sample Input:

Mat1 =

1 2

5 3

Mat2 =

2 3

4 1

Sample Output:

Mat Sum =

3 5

9 4

Your Code

```
1 import java.util.Scanner;  
2 public class MatrixAddition{  
3     public static void main(String[] args){  
4         Scanner sc=new Scanner(System.in);  
5         int[][] mat1 = new int[2][2];  
6         int[][] mat2 = new int[2][2];  
7         int[][] sum = new int[2][2];  
8         for(int i=0; i<mat1.length; i++){  
9             for(int j=0; j<mat1[0].length; j++){  
10                 mat1[i][j] = sc.nextInt();  
11             }  
12         }  
13         for(int i=0; i<mat2.length; i++){  
14             for(int j=0; j<mat2[0].length; j++){  
15                 mat2[i][j] = sc.nextInt();  
16             }  
17         }  
18         for(int i=0; i<sum.length; i++){  
19             for(int j=0; j<sum[0].length; j++){  
20                 sum[i][j] = mat1[i][j] + mat2[i][j];  
21             }  
22         }  
23         for(int i=0; i<sum.length; i++){  
24             for(int j=0; j<sum[0].length; j++){  
25                 System.out.print(sum[i][j] + " ");  
26                 if(j==sum[0].length-1){  
27                     System.out.println();  
28                 }  
29             }  
30         }  
31     }  
32 }
```

Program Input (stdin)

1 2

5 3

2 3

4 1

Secure Exit

SIMATS Online Programming Lab

JAVA PROGRAMMING

GOP

Your Code

```
1 import java.util.Scanner;
2 public class MatrixAddition{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int[][]a= newint[2][2];
6         int[][]b= newint[2][2];
7         int[][]c= newint[2][2];
8         System.out.println("Enter Matrix1:");
9         for(int i=0;i<2;i++)
10             for(int j=0;j<2;j++)
11                 a[i][j]=sc.nextInt();
12         System.out.println("Enter Matrix2:");
13         for(int i=0;i<2;i++)
14             for(int j=0;j<2;j++)
15                 b[i][j]=sc.nextInt();
16         c[i][j]=a[i][j]+b[i][j];
17         System.out.println("Matrix addition:");
18         for(int i=0;i<2;i++){
19             for(int j=0;j<2;j++){
20                 System.out.print(c[i][j]+" ");
21             }
22         }
23         System.out.println();
24     }
25 }
```

Program Input (stdin)

```
1 2
5 3
2 3
4 1
```

Output

Compilation Error:
C:\Windows\TEMP\sandbox_192425262RA_6a697
d2790e772.91191559\MatrixAddition.java:5:
error: cannot find symbol
int[][]a= newint[2][2];

Run

Save

Lenovo