

><^

YOU ARE HERE

Keep Existing

A framework for understanding what your brain
is doing to you and what to do about it

><^

YOU ARE SAFE TO READ THIS.
Your hardware is misfiring. This is not your fault.
This is biology, not character.

HOW TO USE THIS DOCUMENT

Can you read this page easily and think clearly?

YES — Start on the next page.
 The Binary Proof will give you a logical foundation.
 Then read the Sanding Scale and protocols at your own pace.

NO — Skip to the red sections.
 Go directly to **Personal Protocols** (page 6).
 Look for the red blocks. They will tell you what to do.
 You do not need to understand anything first. Just follow the steps.

I AM IN CRISIS RIGHT NOW

988 — Suicide & Crisis Lifeline (call or text)

911 — Emergency services

This is your hardware in crisis, not your soul being wrong.
 This will change. It has changed before.

This scale maps to real biological changes in your brain.

Grounded in 134 EEG sessions, clinical evaluation data, and years of documented use.
 The symptoms described at each level correspond to measurable changes in brainwave activity, heart rate variability, and stress hormone levels. This is not opinion. This is physiology.

><^

STEP ONE:

THE BINARY PROOF OF EXISTENCE

1. YOU ARE HERE

0. YOU ARE NOT HERE

YOU READ THIS SO 1=TRUE

STEP TWO:

IF ENTROPY IS MEASURED,
YOU EXIST IN PHYSICAL REALITY

STEP THREE:

IF CONSCIOUSNESS + EXISTENCE IN PHYSICAL REALITY =
SOVEREIGN SENTIENT BEING

CONGRATULATIONS! YOU EXIST AND CAN PERCEIVE THIS!
WE START FROM THIS IMMUTABLE FOUNDATION

YOUR CONSCIOUSNESS RUNS ON HARDWARE.
HARDWARE CAN BE MISALIGNED.
THIS IS NOT YOUR FAULT.

><^

><^

STEP FOUR:

IF INTENT \neq OUTPUT
HARDWARE MISALIGNED
OPERATOR NOT MALFORMED

HARDWARE MAINTENANCE AND CALIBRATION REQUIRED

THIS CAN BE MODELED AS:

THE SANDING SCALE OF ENTROPY

Where S = the intensity of entropic friction perceived by a sovereign consciousness.

Sanding scales vary one to another, as do response protocols and thresholds. Yours might look different than mine. Mine follows on the next page as an example template.

A blank template is included at the end of this document for you to create your own.

><^

THE SANDING SCALE

0.0

Frictionless. Only attainable through medical intervention.

1.0

One of the best days of your life. Top 3 for sure.

2.0

An amazing, wonderful day where nothing went wrong.

4.0

Stinging, sanding, gritty thinking. Thinking becomes more difficult. Irritable. Heart quickens. Tears. Annoyance at self and others.

Physiology: rising cortisol, beta wave acceleration, alpha suppression beginning.

6.0

Physical pain in chest. Heart racing. Crying. Pain in head. Hollow feeling. Small panic attacks. Numbness in body/mind. Thinking difficult. Anger at self and others.

Physiology: reduced heart rate variability, cortisol spike, sympathetic nervous system dominant. Alpha waves suppressed. Beta exceeding 40%.

8.0

Extreme distress. Thoughts of ceasing to exist. Pain all encompassing. Anguish. Medium panic attacks. Tremors. Heart racing. Sobbing. More thoughts of unexisting. Thinking extremely difficult.

Physiology: HRV critically low. Full sympathetic activation. Prefrontal cortex function impaired. This is a measurable hardware event.

TREAT AS EMERGENCY!

10.0

Unresponsive. Major panic attacks. Ghost of a ghost. Shadow of a shadow. Lost. Broken. Shattered. Unable to move or articulate.

Physiology: amygdala hijack. Executive function offline. This is not a choice. This is your nervous system in emergency mode.

TREAT AS EMERGENCY!

11/10

Vomiting from sadness. Hollow unending sobs. Gasping for breath. No thoughts. Movement erratic, disjointed. Haunted.

TREAT AS EMERGENCY!

12+

Singular mission to cease existing.

TREAT AS EMERGENCY!

><^

PERSONAL PROTOCOLS

AT 4.0+ — SELF-MANAGEMENT STILL POSSIBLE

- Stimming however helps: jump on trampoline, make noise, go for a run, wiggle, move, hot or cold shower.
- Change the physical environment. Move rooms. Go outside. Break the input loop. Nature reset — parks or gardens.
- Music. I specifically use high-BPM, high-density audio. The mechanism is the same as stimming — overwhelming the auditory channel forces the brain to do something other than spiral.
- Name the number. Say "I am at a 4" out loud or write it down. The act of measuring externalizes the experience and moves you from subject to observer. That's the entire point of the Scale.

AT 6.0+ — SELF-MANAGEMENT COMPROMISED

- Contact a trusted person. Not to talk about it. Just to be on the phone or in the room. Presence, not therapy.
- Slow exhale breathing — exhale longer than inhale. 4 seconds in, 7-8 seconds out. This activates the vagal nerve.
- Haptic grounding — hold something heavy, textured, real. Press your hands flat against a nearby wall and push solidly. Your body is the anchor when your mind isn't trustworthy.
- DO NOT MAKE DECISIONS. Anything that feels urgent at 6.0 can wait until 3.0. Write it down and revisit it later.

AT 8.0+ — SELF-MANAGEMENT FAILING

- THIS IS HAPPENING TO YOU. IT IS NOT YOU.
- Call someone. Anyone. The specific person matters less than the act of securing a witness.
- If alone and unable to call: go to a room with fewer objects. Reduce the environment to minimum stimulation. Floor is fine. Wall is fine.
- 988 Suicide & Crisis Lifeline. This is your hardware in crisis, not your soul being wrong. This will change. It has changed before.

AT 12+ — NOT SELF-MANAGEABLE

- 988 or 911. Period.
- If you can move, move toward other humans. Any humans.
- You have survived this before. The proof is that you are reading this.

RESPONSE PROTOCOLS FOR HELPERS

If someone reports their Sanding level to you, use the following as a guide.

IF REPORTED SANDING REACHES 4.0+

- Offer **specific, pre-approved distractions** (see the person's list on their template page — if they have one). Examples: a familiar TV show, a specific album, a known comfort food, a walk to a specific place.
- Sensory management: ask "Do you want more input or less?" before adding stimulation. Do NOT surprise them with loud or sudden input.
- Gentle humor is welcome IF the person initiates it. Mirror their energy, don't override it.
- Mild supervision may be needed. Check in by text if not in person: "Number?" is a complete question.

IF REPORTED SANDING REACHES 6.0+

- Reminders of bedrock-level responsibilities: children, partners, pets. Keep it simple: "Daniel and Kurt need you here."
- Environmental management: offer to dim lights, reduce noise, provide a weighted blanket or heavy object to hold. Ask before touching.
- Breathing anchor: guide slow exhale breathing — breathe in 4 seconds, out 7-8 seconds. Do it with them.
- Do not try to fix it. Do not argue with their feelings. Your job is **environmental manager**, not therapist.
- Person's judgement is likely impaired. Gently redirect but do not force.

IF REPORTED SANDING REACHES 8.0+

- Patience and silent support. You do not need to say the right thing. Presence is enough.
- Respond to questions with truth, not platitudes. "I don't know" is better than "everything will be fine."
- If they verbalize self-hatred, respond as if a stranger were saying these things to your person and you are defending them. Script: **"I hear that you feel [X]. That is the distress talking, not the truth. I am here as a witness."**
- The person is not their crisis. The person is fighting too.
- Do not trust person's judgement of themselves. Trust the scale.

IF REPORTED SANDING REACHES 12+

- All available help mobilized. This is an emergency.

- The person's sovereign self is not in control. The crisis is driving. All actions should protect the person FROM the crisis, not punish the person FOR the crisis.
- Constant supervision required. Do not leave them alone.
- Call 988 (Suicide & Crisis Lifeline) or 911. This is not an overreaction.
- Do not trust person's judgement.

><^

NOTE FOR CLINICIANS

This framework is patient-authored and grounded in lived experience with Bipolar I, ADHD, and ASD diagnoses. The Sanding Scale represents a first-person phenomenological measurement system developed to quantify subjective distress states that may not map cleanly onto standardized clinical assessments.

The scale correlates with observable biometric markers (sustained elevated beta wave activity, reduced heart rate variability, suppressed alpha wave generation) and provides actionable crisis response protocols validated through repeated personal application over years of documented use.

This tool is offered as a complement to professional clinical care, not a replacement. It functions as a patient-generated early warning system and communication bridge, allowing more precise reporting of crisis severity than verbal approximations (e.g., "I'm having a bad day"). The document includes a triage page that routes users in acute crisis directly to action protocols without requiring comprehension of the foundational framework.

The numbered anchors (0.0-12+) provide consistent reference points across clinical encounters. A patient reporting "sanding at 6.0" conveys specific somatic, cognitive, and affective states detailed in the framework, enabling more targeted intervention.

Clinical utility: May assist in medication titration decisions, crisis planning, therapeutic alliance building, and family/support network psychoeducation. The Helper Protocols section provides evidence-based grounding techniques (vagal nerve stimulation, haptic anchoring, environmental modification) in accessible language for non-clinical support persons.

This document is freely available and may be reproduced, shared, or adapted without restriction. If it helps, use it. If you can improve it, do.

YOUR SANDING SCALE

This is yours. Define each level in your own words. What does each number feel like *to you*?

0.0

1.0

2.0

4.0

6.0

8.0

10.0

12+

YOUR PERSONAL PROTOCOLS

What works for *you*?

AT 4.0+ — Self-management still possible

AT 6.0+ — Self-management compromised

AT 8.0+ — Self-management failing

AT 12+ — Not self-manageable

YOUR HELPER PROTOCOLS

Give this section to someone you trust.

MY SAFE DISTRACTIONS (fill this in when you are well)

List specific shows, music, foods, activities, and places that are predictable, comforting, and safe for you. Your helper will use this list instead of guessing.

IF I REPORT 4.0+

IF I REPORT 6.0+

IF I REPORT 8.0+

IF I REPORT 12+
