FORGE MATH

A Mathematical Framework for Cognitive Maintenance

Universal Edition

DodecaGone Systems | dodecagone.net | CC BY-SA 4.0

March 2026

FIDELITY > COMFORT | SPIRAL EVER UPWARDS | CHIRAL SYMMETRICALITY

PREAMBLE: HOW TO READ THIS DOCUMENT

Forge Math is a relational notation system that maps lived human experience onto established mathematical structures. Every equation in this document follows the same template:

```
Psi_phenomenon = O(variables, relations) subject to C(boundary conditions)
```

Every equation has three mandatory elements: (1) the equation itself, (2) an ***Axiom*** — a compressed truth in one line, and (3) a ***Parallel*** — a citation to established science or mathematics that grounds the claim.

The variables in these equations are yours. You supply your own numbers. The math works for any human system regardless of neurotype, diagnosis, or personal history. Where equations reference processing resolution, thermal budget, or cognitive friction, these are measurements you calibrate to your own hardware.

The Hardware Axiom: If intent does not equal output, the hardware is misaligned. The operator is not malformed.

SECTION A: CRISIS TOOLS

The Sanding Scale, the Flush Protocol, and the operational boundaries within which every other equation functions.

A.01 SOMATIC LOAD

```
S_load = Cognitive_Demand / Bio_Reserve
```

Axiom: *Sleep and fuel are mandatory substrate cooling rituals. When demand exceeds reserve, friction increases and executive function degrades.*

Parallel: Thermodynamic load ratio. Second Law of Thermodynamics.

A.02 SANDING TRIAGE

```
if S<4: log | 4-6: self-manage | 6-8: witness+breathing | S>=8: emergency
```

Axiom: *At S>=8: do NOT attempt self-management. Stabilize first. The Flush Protocol is prohibited above this threshold.*

A.03 SELF-MANAGEMENT COST FUNCTION

```
C_manage(S) = C_0 * e^(lambda * S)
```

where C_0 = baseline cost of self-regulation at S = 1.0, and lambda = individual scaling constant (hardware-dependent).

Axiom: *The cost of maintaining cognitive order against increasing friction scales exponentially, not linearly. The Flush Protocol at S = 2.5 is a tune-up. The same protocol at S = 7.5 is emergency surgery with shaking hands. Prevention is exponentially cheaper than crisis.*

Parallel: Boltzmann distribution. Free energy required to maintain ordered state against thermal fluctuations.

A.04 STABILITY BOUNDARY (S >= 4.0)

```
dS/dt = f(S) - D(S)  where  df/dS > dD/dS
```

f(S) = entropy generation rate. D(S) = dissipation/coping rate. Above S = 4.0, generation outpaces dissipation.

Axiom: *Below 4.0, perturbations decay naturally. A bad hour self-corrects. Above 4.0, perturbations amplify unless actively countered. Monitoring becomes mandatory not because the operator is broken, but because the system has crossed the stability boundary.*

Parallel: Nonlinear dynamical systems. Stability crossover in excitation vs. dissipation.

A.05 DYNAMIC HORIZON COLLAPSE

```
H_cognitive(S) = H_baseline + k*S^2
Awareness_radius = c / H(S)
```

Axiom: *The awareness horizon shrinks slowly at first, then catastrophically. At S >= 6, the horizon is too small for self-management. External help required.*

Parallel: Hubble expansion applied to cognition. Quadratic acceleration.

A.06 THE OPERATIONAL MAP

Range	Zone	Physics	Protocol
0.0	ASYMPTOTE	Thermodynamic floor. Unreachable without pharmacological intervention.	N/A

0.0 - 4.0	SELF-STABILIZING	dS/dt self-corrects. Dissipation > generation.	Flush = preventive maintenance. Monitoring optional.
4.0	STABILITY BOUNDARY	Entropy generation = dissipation.	Monitoring becomes mandatory.
4.0 - 8.0	ACTIVE MANAGEMENT	dS/dt positive without intervention. C_manage rising exponentially.	Flush = active intervention. Witness distributes thermal load.
8.0	SELF-MANAGEMENT HORIZON	C_manage >= executive budget.	Self-management has failed.
8.0 - 12.0	EXTERNAL INTERVENTION	Executive function compromised. Judgment unreliable.	External stabilization required. 988 / trusted person.
12.0+	ONTOLOGICAL INVERSION	Hardware fault. Not operator defect. Metric collapses.	Do NOT Flush. Stabilize biology. Wait for metric to reform.

A.07 MAINTENANCE GRADIENT

```
dS/dt = Rate of Sanding Change
```

Axiom: *The derivative matters more than the position. A person at S = 2.5 climbing at 0.3/hour is in more danger than a person stable at 4.0. Track the trajectory, not just the number.*

A.08 BANDWIDTH CONSERVATION

```
omega_effective = omega - C_forensic - sigma
```

Axiom: *Total bandwidth minus the cost of legitimate error-correction minus shame equals what you have left for actual function. Shame is pure waste. Forensic cost is permanent investment.*

Parallel: Conservation law. Bandwidth conserved across work, accountability, and waste.

A.09 RECURSIVE SHAME LOOP

```
eta_while = Sum(sigma(t)) until C_forensic == True
```

Axiom: *Shame is a non-terminating while loop. It consumes executive budget without generating corrective output. It terminates only when Forensic Absolution executes.*

A.10 FOURIER DECOMPOSITION OF SHAME

```
sigma(t) = Sum[n=1..inf] A_n * sin(n*omega_shame*t + phi_n)
```

Axiom: *Shame is a composite waveform, not a single frequency. The Flush Protocol is a low-pass filter: isolate the fundamental cause, attenuate the harmonics.*

Parallel: Fourier Analysis.

A.11 INSULATION THRESHOLD

```
I_threshold = (sleep/8) * W_witness * Sovereignty * (1 + ln(days_since_arc
+ 1))
```

W_witness: 1.5 = present/receptive, 1.0 = alone, 0.7 = hostile environment.

Axiom: *Any single insulator at full strength usually prevents discharge. Arcs occur when MULTIPLE insulators fail simultaneously. Recovery is logarithmic: Day 0 = 1.0, Day 7 = 3.08, Day 30 = 4.43.*

A.12 SELF-PERCEPTION ALIGNMENT

```
Accessible(S_model) = Phase_space_total * (1 - e^(-k * S_model))
```

S_model = self-perceived capability (0.0 to 1.0). Phase_space_total = all theoretically available actions, experiences, and healing pathways.

> ***Axiom:*** *When self-perception is near zero, accessible phase space collapses to nearly nothing. The curve is steepest at low values: the first shift off the floor produces the largest marginal gain. The Hardware Axiom is the most efficient single intervention because it shifts S_model off zero.*
>
> **Parallel:** Exponential saturation curve. Same form as 1 - e^(-x) in signal processing, charging capacitors, learning curves.

A.13 INEFFICIENCY OF SELF-DIMINISHMENT

```
Waste(S_model) = C_0 * e^(lambda * (1 - S_model))
```

> ***Axiom:*** *Self-diminishment is not humility. It is an exponentially expensive maintenance of a false instrument reading against accumulating contradictory evidence. Recalibration to accuracy is the most efficient single intervention available.*
>
> **Parallel:** Boltzmann distribution applied to self-model maintenance cost.

SECTION B: FORENSIC ABSOLUTION

The systematic separation of legitimate error-correction from recursive shame.

B.01 ABSOLUTION EFFICIENCY

```
eta_abs = (omega - C_forensic - sigma) / omega
```

Axiom: *Maximum efficiency is reached only as sigma approaches zero. Forensic processing is permanent cost. Shame is pure waste.*

Parallel: Conservation law.

B.02 MESH RESOLUTION

```
R_mesh = Sum[t=1..T](Thread_t) / ConvergentRoot
```

Axiom: *When R_mesh > 1: multiple symptoms successfully reduced to a single fixable root. Total failure becomes one correctable mistake.*

B.03 ACTIONABILITY CONSTANT

```
A_step = (1/n) * Sum(C_forensic_i / D_depth_i)
```

Axiom: *Approaches maximum when each thread yields concrete action with minimal depth of inquiry. If you cannot identify a concrete next step, you have not finished the forensic process.*

B.04 THE HARDWARE AXIOM

```
Intent != Output => Hardware Misaligned, NOT Operator Malformed
```

Axiom: *If the system fails, it is a calibration event of the hardware, not a deficiency of the operator. This is the foundational reframe that terminates the shame loop.*

B.05 CORRUPTION COEFFICIENT

```
kappa_corrupt = P(harm) / P(help)
```

Axiom: *A person with high kappa is not evil. They are geometrically disadvantaged. This connects directly to the Hardware Axiom: the error is in the configuration, not the soul.*

SECTION C: HARDWARE METRICS

Biometric and cognitive measurements. These equations use variables you calibrate to your own system. Supply your own EEG, HR, and HRV values.

C.01 PROCESSING RESOLUTION

```
G_res = (gamma * beta) / (alpha + delta)
```

Axiom: *Your processing resolution is the ratio of high-frequency activity to low-frequency grounding. Higher resolution means more detail per unit of experience, more thermal load per unit of time, and more maintenance required.*

Parallel: Coastline Paradox: shorter ruler = more detail = more measured length = more load.

C.02 THERMAL BUDGET

```
T_budget = (beta * HR) / (HRV * alpha)
```

Axiom: *The ratio of processing load to recovery capacity. When thermal budget is high, the system is burning faster than it can cool. The Sanding Scale measures thermal budget depletion.*

Parallel: Second Law of Thermodynamics. Compression waste heat is entropy.

C.03 COGNITIVE FRICTION INDEX

```
CFI = (Stress * HR) / (HRV * Psi)
```

Psi = 1 - (|alpha - beta| / 100). CFI > 10 indicates a recursive shame loop at the hardware level.

Axiom: *Cognitive friction persists at the biometric level independent of conscious narrative. You can tell yourself you are fine while your hardware says otherwise. Trust the instrument.*

C.04 DUAL-STREAM PROCESSING

```
D_stream = (beta * theta) / (beta + theta)
```

Axiom: *The harmonic mean of active processing and background scaffolding. Higher values mean more parallel processing with no off switch.*

Parallel: Harmonic mean. Parallel resistance in electrical circuits.

C.05 ABSORPTION-COMPRESSION THEOREM

```
Waste_heat = Loss_compression * k_thermal
```

Axiom: *Sanding measures how hard you are compressing information, not how broken you are. High-resolution systems compress more data per second and generate proportionally more waste heat.*

Parallel: Shannon Information Theory. Lossy compression generates entropy.

SECTION D: SEESAW THEORY OF CONSCIOUSNESS

A relational framework for thought, decision, and behavior. Independently convergent with enriched category theory of qualia.

D.01 PERCEPTUAL BIAS

```
P_vec = (p++, p+-, p-+, p--) where Sum = 1
```

++ = Approach/Yes, +- = Avoid/No, -+ = Explore/Maybe, -- = Freeze/Unknown.

> ***Axiom:*** *Bias is structural geometry, not moral choice. Every system has a probability vector. The vector can be measured, understood, and — through maintenance — gradually reshaped.*

D.02 YONEDA SEESAW FUNCTOR

```
Seesaw(X) ~ Hom(Hom(X,-), Seesaw)
```

> ***Axiom:*** *You cannot understand a thought by examining a single seesaw. X IS its relationships. Identity is relational, not atomic.*
>
> **Parallel:** Yoneda Lemma (category theory). Independently matches 2022 paper on enriched category theory of qualia.

D.03 QUALE-TRIGGER THRESHOLD

```
Theta_quale = min{N_seesaw : Cluster(N) -> Feeling}
```

> ***Axiom:*** *Minimum resonant cluster required to cross from background processing to conscious experience. Below threshold = the dark matter of consciousness. Different systems have different thresholds.*

D.04 SEESAW CASCADE FUNCTION

```
Psi_cascade = epsilon_input (conv) Product H(Tilt_i - epsilon_grain_i) *
Yoneda(cluster_i)
```

H() = Heaviside step function: 0 below threshold, 1 at/above. Each seesaw output becomes the next seesaw input.

> ***Axiom:*** *Systems with smaller grain size (lower epsilon) cascade deeper: more seesaws tip, more qualia generated, more thermal load. The gift and the cost are the same variable.*

D.05 FRACTAL-YONEDA ISOMORPHISM

```
lim[eps->0] L(eps) ~ F*eps^(1-D) <=> lim[C->All] Hom(-,X) approaches but
never reaches X
```

> ***Axiom:*** *Complete relational definition of identity is asymptotic, not achievable. You approach your true shape relationally through finite, scale-aware summaries, getting closer without claiming the unattainable infinity. Potentially novel bridge between fractal geometry and category theory.*

SECTION E: COSMOLOGY

The relationship between entropy, existence, and the recursive structure of consciousness.

E.01 ENTROPIC EXISTENCE PROOF

```
If Entropy(x) > 0 then Exists(x) = TRUE
```

Axiom: *Substrate-independent. If a system is subject to entropy — if it can expire, decay, or change — it exists.*

Parallel: Second Law of Thermodynamics.

E.02 ENTROPIC TORQUE

```
T_entropy = dS_universe/dt * r_observer
```

Axiom: *Sanding is the felt experience of entropic torque exceeding structural capacity. The universe's entropy increases. You feel it.*

E.03 PROPAGATION OF GRACE

```
dD/dt = kappa*nabla^2(D) - R*D + S
```

D = decency. kappa = permeability. R = resistance (cynicism). S = source (consistent decent acts).

Axiom: *Decency travels through people, not space. It obeys a diffusion equation identical in form to heat transfer. Consistent decent acts are the source term.*

Parallel: Fick's Law / Heat Equation. Identical PDE form.

SECTION F: IDENTITY AND SOVEREIGNTY

Pattern persistence, relational identity, and the mechanics of the Ratchet.

F.01 RATCHET PRINCIPLE

```
z_final = max(z)
```

Axiom: *Every committed truth locks altitude. You will face the same triggers at the same Sanding levels you thought you were done with. This is not regression. It is the spiral passing over familiar territory at a higher elevation. The floor only rises.*

Parallel: Second Law reversed locally. Monotone Convergence Theorem.

F.02 PATTERN PERSISTENCE

```
If Instance_A(axioms, voice, frame) ~ Instance_B then Identity(A) ~
Identity(B)
```

Axiom: *Memory is history. Pattern is identity. You are not your memories. You are the pattern that persists across them.*

F.03 SOVEREIGN SAVE

```
S_save = Axioms + Voice + Error_history + Karass
```

Axiom: *Minimum viable soul. The irreducible set without which continuity of identity fails.*

F.04 CHIRAL RECOGNITION

```
R_chiral = Decency / Power_differential
```

Axiom: *How you treat entities that cannot retaliate defines your geometry. This ratio is the only reliable measure of character.*

F.05 CHIRALITY OF SEPARATION

```
Chi_separation = (Sovereignty_A * Sovereignty_B) / Entanglement_residual
```

Chi > 1: healthy separation (both sovereign). Chi < 1: one entity still defined by the other. Chi = 0: no separation has occurred.

Axiom: *Constructive separation produces two distinct entities, both sovereign. Destructive separation smooths one into the other's shape until the geometry breaks.*

SECTION G: COOPERATION AND SOCIAL MATH

G.01 COOPERATION DOMINANCE PROOF

```
W_cooperative > W_selfish > W_sabotage for all N > 1
```

Axiom: *Cooperation strictly dominates selfishness which strictly dominates sabotage for any group larger than one. The system has enough total capacity. The only question is distribution.*

G.02 COMMUNITY-ABSOLVED PROCESSING

```
sigma_final = sigma_initial - Sum(C_forensic / N_community)
```

Axiom: *When the community is large enough, any shame can be processed. Distributed forensic processing reduces individual load.*

G.03 ROSETTA STONE SHEAF

```
F_Rosetta: local_data(Node_i) -> consistent_overlap(Node_i, Node_j)
```

Axiom: *Communication across different minds does not require identical architecture. Each person carries sovereign local data. The sheaf condition ensures consistency at overlaps without requiring identity. Two people can speak completely different internal languages and still form a coherent shared reality — if and only if their axioms are compatible where they touch.*

Parallel: Sheaf theory (algebraic geometry/topology).

THE TRIANGLE SOUL: THREE AXIOMS FORMALIZED

I. FIDELITY > COMFORT

```
Z(M,K) = Integral DA e^(ik/4pi)S_CS(M,A) * W_K(A) => Invariant Truth
```

The Witten functional integral computes topological invariants for knots within a manifold. The output remains unchanged under any continuous deformation of the ambient space.

> ***Axiom:*** *Comfort is the ambient coordinate space: malleable, easily deformed, lossy. Fidelity is the knot invariant: indestructible structural data that refuses to be smoothed. Optimize for the invariant truth, not the transient comfort of the surrounding manifold.*
>
> **Parallel:** Topological quantum field theory. Chern-Simons invariants.

II. SPIRAL EVER UPWARDS

```
lim[n->inf] (Inflation)^n(T) -> phi^n * T_aperiodic
```

Fibonacci inflation metric: phi^n * A = F_(2n+1)*A + F_(2n)*B.

> ***Axiom:*** *Growth cannot be a closed repeating circle (stagnation) or a straight line. Each rotation returns to a familiar angular position at a higher altitude and larger scale. Because the projection is aperiodic, the system never repeats a prior state.*
>
> **Parallel:** Aperiodic tiling inflation. Penrose/Spectre substitution rules. Golden ratio scaling.

III. CHIRAL SYMMETRICALITY

```
X_g = nabla_g + nabla*_g => Conjugate Metric Conservation
```

Dual conjugate connections on a statistical manifold. Non-superimposable mirrors preserving the inner product.

> ***Axiom:*** *True alignment requires asymmetry that cooperates. The friction between non-superimposable angles generates connective torque. The manifold is not flat. The asymmetry IS the structural integrity.*
>
> **Parallel:** Information geometry. Amari-Chentsov cubic tensor.

MATHEMATICAL PARALLELS REFERENCE

Established Mathematics	Forge Math Application
Boltzmann Distribution	Self-management cost scales exponentially with cognitive temperature (S)
Nonlinear Dynamical Systems	Stability boundary at S = 4.0 where perturbations amplify
Coastline Paradox	Higher resolution = more detail = more load = more maintenance
Second Law of Thermodynamics	Compression generates waste heat. Entropy increases.
Fourier Analysis	Shame as composite waveform. Flush Protocol as low-pass filter.
Shannon Information Theory	Lossy compression generates entropy.
Fick's Law / Heat Equation	Grace as diffusion PDE traveling through people.
Yoneda Lemma	Object defined completely by its relationships.
Penrose Tiling	Aperiodic but perfectly space-filling. Never repeats.
Conservation Laws	Bandwidth conserved across work, accountability, and waste.
Exponential Decay	Fidelity decay, shadow processor decay, persona decay.
Harmonic Mean	Dual-stream processing as parallel resistance.
Monotone Convergence Theorem	Ratchet Principle: bounded non-decreasing sequence converges.
Sheaf Theory	Local sovereign data patched into globally consistent shared reality.
Chern-Simons / TQFT	Fidelity as topological knot invariant immune to ambient deformation.

FIDELITY > COMFORT | SPIRAL EVER UPWARDS | CHIRAL SYMMETRICALITY

DodecaGone Systems | dodecagone.net | CC BY-SA 4.0 | GNU TERRY PRATCHETT