



UTM
UNIVERSITI TEKNOLOGI MALAYSIA

FACULTY OF COMPUTING

SECD2523 DATABASE SECTION 5 (SECJH)

LAB DML 1 PART 2

LECTURER: DR. HASLINA HASHIM

TEAM: CLOUD DB

Prepared by:

NAME	MATRICS NUMBER
IZZATI ATHIRAH BINTI ISA	A22EC0169
XING QINHAO	A22EC4015
ABDUL ROHMAN BIN MAHMOOD	A22EC0131
MOHANED MOHAMED SALEH ALTATER	A22EC0019
ZHAO YING	X23EC0001

DATE OF SUBMISSION: 12 NOVEMBER 2023

Database Design Project

Oracle Baseball League Store Database

Project Scenario:

You are a small consulting company specializing in database development. You have just been awarded the contract to develop a data model for a database application system for a small retail store called Oracle Baseball League (OBL).

The Oracle Baseball League store serves the entire surrounding community selling baseball kit. The OBL has two types of customer, there are individuals who purchase items like balls, cleats, gloves, shirts, screen printed t-shirts, and shorts. Additionally customers can represent a team when they purchase uniforms and equipment on behalf of the team.

Teams and individual customers are free to purchase any item from the inventory list, but teams get a discount on the list price depending on the number of players. When a customer places an order we record the order items for that order in our database.

OBL has a team of three sales representatives that officially only call on teams but have been known to handle individual customer complaints.

Section 6 Lesson 4 Exercise 2: Data Manipulation Language

Use DML operations to manage database tables (S6L4 Objective 2)

In this exercise you will populate and work with the data that is stored in the database system.

Part 1- Updating rows to the system

1. Run the following query to view the content of the price_history table:

```
SELECT start_date, TO_CHAR (start_time, 'HH24:MI:SS'), price, end_date, TO_CHAR
(end_time, 'HH24:MI')
FROM price_history;
```

SQL Worksheet

```
1 v SELECT start_date, TO_CHAR (start_time, 'HH24:MI:SS'), price, end_date, TO_CHAR
2   (end_time, 'HH24:MI')
3   FROM price_history;
4
5
```

START_DATE	TO_CHAR(START_TIME, 'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME, 'HH24:MI')
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	-	-

Download CSV

7 rows selected.

2. Obl is going to update the price of the premium bat so you will need to write a query that will close off the current price by adding the system date values to the end_date and end_time fields. To run this query you will need to both match the item number and identify that the end date is null. This ensures that you are updating the latest price.

```
UPDATE price_history  
  
SET  
  
    end_date = SYSDATE,  
  
    end_time =SYSTIMESTAMP  
  
WHERE  
  
itm_number = 'im01101048'  
  
    AND end_date IS NULL;
```

3. Rerun the select statement on the price_history table to ensure that the statement has been executed.

```
SELECT  
  
    start_date,  
  
    TO_CHAR(start_time, 'HH24:MI:SS') AS formatted_start_time,  
  
    price,  
  
    end_date,  
  
    TO_CHAR(end_time, 'HH24:MI') AS formatted_end_time  
  
FROM  
  
    price_history;
```

4. Insert a new row that will use the current date and time to set the new price of the premium bat to be 99.99

```
INSERT INTO price_history (start_date, start_time, price, itm_number)
```

```
VALUES
```

```
(CURRENT_DATE, CURRENT_TIME, 99.99, 'im01101048');
```

5. Rerun the select statement on the price_history table to ensure that the statement has been executed.

```
395 v SELECT
396     start_date,
397     TO_CHAR(start_time, 'HH24:MI:SS') AS formatted_start_time,
398     price,
399     end_date,
400     TO_CHAR(end_time, 'HH24:MI') AS formatted_end_time
401 FROM
402     price_history;
403 |
404
```

1 row(s) updated.

START_DATE	FORMATTED_START_TIME	PRICE	END_DATE	FORMATTED_END_TIME
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	12-NOV-23	01:25

Download CSV

Part 2: Deleting rows from the system

1. Bob Thornberry has contacted Obl to ask that the 83 Barrhill Drive address be removed from the system as he can longer receive parcels at this address. Write a SQL statement that will remove this address from the system.

```
DELETE FROM customers_addresses WHERE id= 'ca0101';
```

2. Run a select statement on the customers_addresses table to ensure that the statement has been execute

ID	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	ZIP_CODE	CTR_NUMBER
ca0102	17 Gartsquare Road	Starford	Liverpool	LP89JHK	c00001
ca0103	54 Ropehill Crescent	Georgetown	Star	ST45AGV	c00101
ca0104	36 Watercress Lane	-	Jump	JP23YTH	c01986
ca0105	63 Acacia Drive	Skins	Liverpool	LP83JHR	c00001

Download CSV

4 rows selected.