UNICORN
GENERATOR

PRODUCT CATALOGUE

Reliable Power • Built to Perform



PERKINS

DIESEL GENERATOR SETS

50 Hz PERKINS
DIESEL GENERATOR SETS

Genset Model	Rated Power		Standby Power		Engine Model	Engine Power (kW)		Asp	Cyl	Bore×Stroke (mm×mm)	Displac-ement (L)	Compr-ession Ratio	Fuel Cons. (g/kw.h)	Alternator Model
	kW	kVA	kW	kVA		Rated Power	Standby Power							
CP-P8	7	8	7.7	9.6	403A-11G1	8	9	N/A	3	77x81	1.131	23:1	248	CP-164B
CP-P8	7	8	7.7	9.6	403D-11G	8	9	N/A	3	77x81	1.131	23:1	248	CP-164B
CP-P12.5	10	12.5	11	14	403D-15G	12	13	N/A	3	84x90	1.496	22.5:1	248	CP-164C
CP-P12.5	10	12.5	11	14	403A-15G1	12	13	N/A	3	84x90	1.496	22.5:1	248	CP-164C
CP-P15	12	15	13.2	16.5	403A-15G2	13	15	N/A	3	84x90	1.496	22.5:1	250	CP-184D
CP-P20	16	20	17.6	22	404A-22G1	18	20	N/A	4	84x100	2.216	23.3:1	237	CP-184E
CP-P20	16	20	17.6	22	404D-22G	18	20	N/A	4	84x100	2.216	23.3:1	237	CP-184E
CP-P25	20	25	22	27.5	404D-22TD	25	27	TC	4	84x100	2.216	23.3:1	246	CP-184F
CP-P30	24	30	26.4	33	1103A-33G	28	30	N/A	3	105x127	3.3	19.25:1	211.1	CP-184G
CP-P45	36	45	40	50	1103A-33TG1	41	46	TC	3	105x127	3.3	17.25:1	207.7	CP-224C
CP-P60	48	60	53	66	1103A-33TG2	54	59	TC	3	105x127	3.3	17.25:1	217.7	CP-224E
CP-P62.5	50	62.5	55	69	1104A-44TG1	58	64	TC	4	105x127	4.4	17.25:1	208	CP-224E
CP-P80	64	80	70	88	1104A-44TG2	72	79	TC	4	105x127	4.4	17.25:1	208	CP-224G
CP-P80	64	80	70	88	1104C-44TAG1	72	79	TC	4	105x127	4.41	18.2:1	211	CP-224G
CP-P100	80	100	88	110	1104C-44TAG2	90	100	TC	4	105x127	4.41	18.2:1	205	CP-274C
CP-P135	108	135	119	149	1106A-70TG1	117	129	TC	6	105x135	7.01	18.2:1	206.9	CP-274E
CP-P150	120	150	132	165	1106A-70TAG2	130	144	TC	6	105x135	7.01	16:1	213	CP-274FS
CP-P180	144	180	158	198	1106A-70TAG3	157	172	TC	6	105x135	7.01	16:1	207.2	CP-274G
CP-P200	160	200	176	220	1106A-70TAG4	174	191	TC	6	105x135	7.01	16:1	206.9	CP-274H
CP-P200	160	200	176	220	1506A-E88TAG1	184	202	TC	6	112x149	8.8	16.1:1	197.3	CP-274H
CP-P225	180	225	198	248	1506A-E88TAG2	205	228	TC	6	112x149	8.8	16.1:1	197	CP-274J
CP-P250	200	250	220	275	1506A-E88TAG3	228	250	TC	6	112x149	8.8	16.1:1	199	CP-274K
CP-P300	240	300	264	330	1506A-E88TAG5	273	299	TC	6	112x149	8.8	16.1:1	196	CP-C4D
CP-P350	280	350	308	385	2206C-E13TAG2	305	349	TC	6	130x157	12.5	16.3:1	209	CP-C4E
CP-P400	320	400	352	440	2206C-E13TAG3	349	392	TC	6	130x157	12.5	16.3:1	206	CP-C4F
CP-P450	360	450	396	495	2506C-E15TAG1	396	434	TC	6	137x171	15	16:1	216	CP-C5C
CP-P500	400	500	440	550	2506C-E15TAG2	435	478	TC	6	137x171	15	16:1	211	CP-C5D
CP-P600	480	600	528	660	2806C-E18TAG1A	522	574	TC	6	145x183	18.1	14.5:1	216	CP-C5E
CP-P650	520	650	572	715	2806A-E18TAG2	565	609	TC	6	145x183	18.1	14.5:1	202	CP-C5F
CP-P750	600	750	660	825	4006-23TAG2A	632	695	TC	6	160x190	22.921	13.6:1	202	CP-LV6B
CP-P800	640	800	704	880	4006-23TAG3A	679	760	TC	6	160x190	22.921	13.6:1	210	CP-LV6C
CP-P1000	800	1000	880	1100	4008TAG2A	861	947	TC	8	160x190	30.561	13.6:1	206	CP-LV6E
CP-P1125	900	1125	990	1238	4008-30TAG3	947	1055	TC	8	160x190	30.5	13.1:1	206	LVI634F
CP-P1250	1000	1250	1100	1375	4012-46TWG2A	1055	1166	TC	12	160x190	45.842	13.6:1	212	CP-LV6G
CP-P1350	1080	1350	1188	1485	4012-46TWG3A	1149	1263	TC	12	160x190	45.842	13.6:1	212	CP-PI7B
CP-P1500	1200	1500	1320	1650	4012-46TAG2A	1267	1395	TC	12	160x190	45.842	13.6:1	200	CP-PI7C
CP-P1688	1350	1688	1485	1856	4012-46TAG3A	1440	1583	TC	12	160x190	45.842	13.6:1	208	CP-PI7D
CP-P1850	1480	1850	1628	2035	4016TAG1A	1537	1690	TC	16	160x190	61.123	13.6:1	205	CP-PI7E
CP-P1850	1480	1850	1628	2035	4016-61TRG1	1558	1684	TC	16	160x190	61.123	13.6:1	201	CP-PI7E
CP-P2000	1600	2000	1760	2200	4016TAG2A	1715	1886	TC	16	160x190	61.123	13.6:1	213	CP-PI7F
CP-P2000	1600	2000	1760	2200	4016-61TRG2	1684	1894	TC	16	160x190	61.123	13.6:1	205	CP-PI7F
CP-P2250	1800	2250	1980	2475	4016-61TRG3	1875	2083	TC	16	160x190	61.123	13.6:1	205	CP-PI7G

Note: 1. Optional alternator brand: Leroy somer, Stamford, Mecc alte or CASPER POWER
2. In line with our policy of continuous product development, we reserve the right to change specification without notice.



PERKINS

DIESEL GENERATOR SETS

60 Hz PERKINS
DIESEL GENERATOR SETS

Genset Model	Rated Power		Standby Power		Engine Model	Engine Power (kW)		Asp	Cyl	Bore×Stroke (mm×mm)	Displac-ement (L)	Compr-ession Ratio	Fuel Cons. (g/kw.h)	Alternator Model
	kW	kVA	kW	kVA		Rated Power	Standby Power							
CP-P11	9	11	9.9	12	403D-11G	10	11	N/A	3	77x81	1.131	23:1	248	CP-164B
CP-P15	12	15	13.2	17	403D-15G	14	16	N/A	3	84x90	1.496	22.5:1	247	CP-164C
CP-P16	13	16	14.3	18	403A-15G2	16	18	N/A	3	84x90	1.496	22.5:1	261	CP-164C
CP-P24	19	24	20.9	26	404D-22G	22	24	N/A	4	84x100	2.216	23.3:1	233	CP-184E
CP-P31	25	31	27.5	34	404D-22TG	30	33	TC	4	84x100	2.216	23.3:1	241	CP-184F
CP-P35	28	35	30.8	39	1103A-33G	32	35	N/A	3	105x127	3.3	19.25:1	228	CP-184G
CP-P53	42	53	46.2	58	1103A-33TG1	49	54	TC	3	105x127	3.3	17.25:1	224	CP-224C
CP-P68	54	68	59	74	1103A-33TG2	61	68	TC	3	105x127	3.3	17.25:1	231	CP-224E
CP-P75	60	75	66	83	1104A-44TG1	69	76	TC	4	105x127	4.4	17.25:1	211	CP-224E
CP-P90	72	90	79.2	99	1104A-44TG2	82	90	TC	4	105x127	4.4	17.25:1	231	CP-224F
CP-P90	72	90	79.2	99	1104C-44TAG1	80	89	TC	4	105x127	4.41	18.2:1	223	CP-224F
CP-P113	90	113	99	124	1104C-44TAG2	102	112	TC	4	105x127	4.41	18.2:1	218	CP-274C
CP-P150	120	150	132	165	1106A-70TG1	134	148	TC	6	105x135	7.01	18.2:1	210.9	CP-274E
CP-P169	135	169	148.5	186	1106A-70TAG2	147	164	TC	6	105x135	7.01	16:1	205.1	CP-274E
CP-C200	160	200	176	220	1106A-70TAG3	173	192	TC	6	105x135	7.01	16:1	214.2	CP-274F
CP-P245	196	245	216	270	1506A-E88TAG1	218	239	TC	6	112x149	8.8	16.1:1	199	CP-274H
CP-P245	196	245	216	270	1506A-E88TAG2	218	239	TC	6	112x149	8.8	16.1:1	199	CP-274H
CP-P281	225	281	248	309	1506A-E88TAG3	250	278	TC	6	112x149	8.8	16.1:1	198	CP-274H
CP-P338	270	338	297	371	1506A-E88TAG5	300	333	TC	6	112x149	8.8	16.1:1	201	CP-C4C
CP-P350	280	350	308	385	2206C-E13TAG2	349	381	TC	6	130x157	12.5	16.3:1	204	CP-C4D
CP-P400	320	400	352	440	2206A-E13TAG3	349	381	TC	6	130x157	12.5	16.3:1	204	CP-C4ES
CP-P450	360	450	396	495	2506C-E15TAG1	396	434	TC	6	137x171	15	16:1	199	CP-C4F
CP-P500	400	500	440	550	2506C-E15TAG2	435	478	TC	6	137x171	15	16:1	199	CP-C5C
CP-P650	520	650	572	715	2806C-E18TAG1A	543	598	TC	6	145x183	18.1	14.5:1	206	CP-C5E
CP-P750	600	750	660	825	4006-23TAG2A	638	702	TC	6	160x190	22.921	13.6:1	222	CP-C5F
CP-P850	680	850	748	935	4006-23TAG3A	715	795	TC	6	160x190	22.921	13.6:1	226	CP-LV6B
CP-P1000	800	1000	880	1100	4008TAG2A	838	924	TC	8	160x190	30.561	13.6:1	213	CP-LV6D
CP-P1250	1000	1250	1100	1375	4012-46TWG2A	1055	1166	TC	12	160x190	45.842	13.6:1	217	CP-LV6F
CP-P1500	1200	1500	1320	1650	4012-46TAG2A	1272	1399	TC	12	160x190	45.842	13.6:1	213	CP-PI7A
CP-P1688	1350	1688	1452	1815	4012-46TAG3A	1440	1583	TC	12	160x190	45.842	13.6:1	213	CP-PI7B

Note: 1. Optional alternator brand: Leroy somer, Stamford, Mecc alte or CASPER POWER
2. In line with our policy of continuous product development, we reserve the right to change specification without notice.