UNICORN
GENERATOR

PRODUCT CATALOGUE

Reliable Power • Built to Perform



RICARDO

DIESEL GENERATOR SETS

50 Hz RICARDO
DIESEL GENERATOR SETS

Genset Model	Rated Power		Standby Power		Engine Model	Engine Power (kW)	Asp.	Cyl.	Bore×Stroke (mm×mm)	Displac-ement (L)	Compr-ession Ratio	Fuel Cons. (g/kw.h)	Alternator Model
	kW	kVA	kW	kVA									
CP-R22.5	18.0	22.5	19.8	24.8	K4100D	30.1	N/A	4	100×115	3.61	19:1	258	CP-184E
CP-R27.5	22.0	27.5	24.2	30.3	K4100D	30.1	N/A	4	100×115	3.61	17:1	258	CP-184F
CP-R30	24.0	30.0	26.4	33.0	K4100D	30.1	N/A	4	100×115	3.61	17:1	258	CP-184G
CP-R35	28.0	35.0	30.8	38.5	K4102D	36.0	N/A	4	102×115	3.92	17:1	258	CP-184H
CP-R38	30.0	37.5	33.0	41.3	K4100ZD	42.0	TC	4	100×115	3.61	17:1	251	CP-184H
CP-R40	32.0	40.0	35.2	44.0	K4100ZD	42.0	TC	4	100×115	3.61	17:1	251	CP-184J
CP-R45	36.0	45.0	39.6	49.5	K4102ZD	44.0	TC	4	102×115	3.92	17:1	258	CP-224C
CP-R50	40.0	50.0	44.0	55.0	ZH4105ZD	56.0	TC	4	105×120	4.15	16:1	225	CP-224D
CP-R60	48.0	60.0	52.8	66.0	ZH4105ZD	56.0	TC	4	105×120	4.15	16:1	225	CP-224E
CP-R60	48.0	60.0	52.8	66.0	ZH4105ZLD	56.0	TC	4	105×120	4.15	16:1	225	CP-224E
CP-R60	48.0	60.0	52.8	66.0	R4105ZD	56.0	TC	4	105×125	4.33	16:1	225	CP-224E
CP-R70	56.0	70.0	61.6	77.0	R4105AZD	66.0	TC	4	105×125	4.33	16:1	225	CP-224F
CP-R75	60.0	75.0	66.0	82.5	R4108IZD	75.0	TC	4	108×125	4.33	16:1	225	CP-224F
CP-R85	68.0	85.0	74.8	93.5	R4108IZLD	84.0	TC	4	108×135	4.33	16:1	225	CP-224G
CP-R85	68.0	85.0	74.8	93.5	R6105AZD	84.0	TC	6	105×125	6.49	16:1	225	CP-224G
CP-R100	80.0	100.0	88.0	110.0	R6105AZLD	121.0	TC	6	105×125	6.75	16:1	218	CP-274C
CP-R125	100.0	125.0	110.0	137.5	R6105AZLD	121.0	TC	6	105×125	6.75	16:1	218	CP-274D
CP-R150	120.0	150.0	132.0	165.0	R6105IZLD	132.0	TC	6	105×135	7.01	16:1	218	CP-274E
CP-R187.5	150.0	187.5	165.0	206.3	R6110ZLD	170.0	TC	6	108×135	7.41	16:1	218	CP-274G

60 Hz RICARDO
DIESEL GENERATOR SETS

Genset Model	Rated Power		Standby Power		Engine Model	Engine Power (kW)	Asp.	Cyl.	Bore×Stroke (mm×mm)	Displac-ement (L)	Compr-ession Ratio	Fuel Cons. (g/kw.h)	Alternator Model
	kW	kVA	kW	kVA									
CP-R27.5	22.0	27.5	24.2	30.3	K4100D	34.0	N/A	4	100×115	3.61	19:1	258	CP-184E
CP-R32.5	26.0	32.5	28.6	35.8	K4100D	34.0	N/A	4	100×115	3.61	19:1	258	CP-184F
CP-R37.5	30.0	37.5	33.0	41.3	K4102D	36.0	N/A	4	102×115	3.92	17:1	258	CP-184G
CP-R45	36.0	45.0	39.6	49.5	K4100ZD	45.0	TC	4	100×115	3.61	17:1	251	CP-184H
CP-R50	40.0	50.0	44.0	55.0	K4102ZD	50.0	TC	4	102×115	3.92	17:1	258	CP-184J
CP-R62.5	50.0	62.5	55.0	68.8	ZH4105ZD	60.0	TC	4	105×120	4.15	16:1	225	CP-224D
CP-R62.5	50.0	62.5	55.0	68.8	ZH4105ZLD	72.0	TC	4	105×120	4.15	16:1	225	CP-224D
CP-R62.5	50.0	62.5	55.0	68.8	R4105ZD	62.0	TC	4	105×125	4.33	16:1	225	CP-224D
CP-R75	60.0	75.0	66.0	82.5	R4105AZD	75.0	TC	4	105×125	4.33	16:1	225	CP-224E
CP-R90	72.0	90.0	80.0	100.0	R6105AZD	88.0	TC	6	105×125	6.49	16:1	225	CP-224F
CP-R125	100.0	125.0	110.0	137.5	R6105AZLD	130.0	TC	6	105×125	6.75	16:1	218	CP-274C
CP-R150	120.0	150.0	132.0	165.0	R6105IZLD	150.0	TC	6	105×135	7.01	16:1	218	CP-274D
CP-R187.5	150.0	187.5	165.0	206.3	R6110ZLD	190.0	TC	6	108×135	7.41	16:1	218	CP-274F

Note: 1. Optional alternator brand: Leroy somer, Stamford, Mecc alte or CASPER POWER
2. In line with our policy of continuous product development, we reserve the right to change specification without notice.